

NOTE

The **free version** has following limitations:

- 9 images maximum
- contains the copyright label.

Contents

Starting the Work	2
SWF Object HTML Code	2
Configuring the Gallery	2
XML File Format	3
Gallery Parameters	4

Starting the Work

To start working simply paste object HTML into your page and setup xml configuration file. You can place configuration file anywhere on your server.

SWF Object HTML Code

```
<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=6,0,29,0"
width="width" height="height">
<param name="movie" value="swf file path">
<param name="quality" value="high">
<param name="scale" value="noscale">
<param name="bgcolor" value="background color">
<param name="flashVars" value="XMLFile=path to configuration file">

<embed src="swf file path" width="width" height="height" flashvars="XMLFile=path to configuration
file" quality="high" pluginspage="http://www.macromedia.com/go/getflashplayer" type="application/x-
shockwave-flash" scale="noscale" bgcolor="background color"></embed>
</object>

<!-- You can't remove the copyright text below if you're using free version -->
<span style="font-size:.7em">&copy;copyright <a href="http://flash-gallery.com/"
title="Flash-Gallery.com - PhotoFlow flash gallery free version">PhotoFlow Flash Gallery</a> </span>
```

Paste this code into your HTML-page and replace object stage parameter with your values. The following HTML-code supports MS Internet Explorer and Mozilla Firefox:

Configuring the Gallery

An XML file is used to configure the gallery. By editing the XML file, you can add or remove gallery images as well as edit multiple appearance and behavior settings. The format of the XML file is described below.

Gallery settings are described in the **<settings></settings>** tag of the XML file as follows:

<parameter name> parameter value </parameter name>.

For example, the angle of an image is configured using the "imageAngle" tag:

<imageAngle>25</imageAngle>.

Tag **<item> </item>** contains information related to a particular image.

```
<item>
    <source>1.jpg</source>
    <description>Image 1</description>
    <link>http://www.flash-gallery.com</link>
    <target>_blank</target>
</item>
```

source – image file name

description – Image description

link – link to the web-page

target - controls where the new document will be displayed

XML File Format

```
<gallery>
  <settings>
    <imagesFolder>images/</imagesFolder>
    <imageAngle>30</imageAngle>
    <useScrollBar>true</useScrollBar>
    <slideShow>true</slideShow>
    <slideShowDelay>2</slideShowDelay>
    <flipDuration>1</flipDuration>
    <flipSound></flipSound>
    <colorScheme>white</colorScheme>
    <startPosition>center</startPosition>
  </settings>
  <items>
    <item>
      <source>1.jpg</source>
      <description>Image 1</description>
      <link>http://www.flash-gallery.com</link>
      <target>_blank</target>
    </item>
    <item>
      <source>2.jpg</source>
      <description>Image 2</description>
      <link>http://www.google.com</link>
      <target>_blank</target>
    </item>
    <item>
      <source>...</source>
      <description>...</description>
      <link>...</link>
      <target>...</target>
    </item>
  </items>
</gallery>
```

Gallery Parameters

Parameter name	Description																					
imagesFolder	Path to the folder with images. Possible values: String. Default: “”.																					
imageAngle	Angle of images. Possible values: Number(0-90). Default: 30.																					
useScrollBar	Show/hide scroll bar. Possible values: Boolean(true/false). Default: true.																					
slideShow	Slideshow mode on/off. Possible values: Boolean(true/false). Default: false.																					
slideShowDelay	Image display duration in Slideshow mode (in seconds). Possible values: Number(0-infinity). Default: 2.																					
flipDuration	Flip duration (in seconds). Possible values: Number(0-infinity). Default: 1.																					
flipSound	Flip sound. Possible values: String. Default: “”.																					
colorScheme	Color scheme. Possible values: String(white/black/grey/red/green/blue/custom). Default: white.																					
startPosition	The initial position of the gallery. Possible values: String(left, center, right). Default: center.																					
XMLFile	Full Path to XML configuration file (contains filename). Possible values: String. Default: “”.																					
preloader	Preloader settings <table><tr><td>stripesAlpha</td><td><preloader stripesAlpha="50"... /></td><td>(0-100)</td></tr><tr><td>barColor</td><td><preloader barColor="0x000000"... /></td><td>RGB</td></tr><tr><td>barAlpha</td><td><preloader barAlpha="14"... /></td><td>(0-100)</td></tr><tr><td>bgColor</td><td><preloader bgColor="0x000000"... /></td><td>RGB</td></tr><tr><td>bgAlpha</td><td><preloader bgAlpha="10"... /></td><td>(0-100)</td></tr><tr><td>innerShadow</td><td><preloader innerShadow="20"... /></td><td>(0-100)</td></tr><tr><td>dropShadow</td><td><preloader dropShadow="30"... /></td><td>(0-100)</td></tr></table> Example <preloader stripesAlpha="45" barColor="0x000000" barAlpha="14" bgColor="" bgAlpha="10" innerShadow="20" dropShadow="30" />	stripesAlpha	<preloader stripesAlpha="50"... />	(0-100)	barColor	<preloader barColor="0x000000"... />	RGB	barAlpha	<preloader barAlpha="14"... />	(0-100)	bgColor	<preloader bgColor="0x000000"... />	RGB	bgAlpha	<preloader bgAlpha="10"... />	(0-100)	innerShadow	<preloader innerShadow="20"... />	(0-100)	dropShadow	<preloader dropShadow="30"... />	(0-100)
stripesAlpha	<preloader stripesAlpha="50"... />	(0-100)																				
barColor	<preloader barColor="0x000000"... />	RGB																				
barAlpha	<preloader barAlpha="14"... />	(0-100)																				
bgColor	<preloader bgColor="0x000000"... />	RGB																				
bgAlpha	<preloader bgAlpha="10"... />	(0-100)																				
innerShadow	<preloader innerShadow="20"... />	(0-100)																				
dropShadow	<preloader dropShadow="30"... />	(0-100)																				

Parameter name	Description																								
scrollbar	Scrollbar settings <table><tr><td>bgColor</td><td><scrollbar bgColor="0x00000"... /></td><td>RGB</td></tr><tr><td>bgAlpha</td><td><scrollbar bgAlpha="10"... /></td><td>(0-100)</td></tr><tr><td>handleColor</td><td><scrollbar handleColor="0x00000"... /></td><td>(RGB)</td></tr><tr><td>handleAlpha</td><td><scrollbar handleAlpha="16"... /></td><td>(0-100)</td></tr><tr><td>arrowsColor</td><td><scrollbar arrowsColor="0x00000"... /></td><td>RGB</td></tr><tr><td>arrowsAlpha</td><td><scrollbar arrowsAlpha="30"... /></td><td>(0-100)</td></tr><tr><td>innerShadow</td><td><scrollbar innerShadow="10"... /></td><td>(0-100)</td></tr><tr><td>dropShadow</td><td><scrollbar dropShadow="0"... /></td><td>(0-100)</td></tr></table> <p>Example <scrollbar bgColor="0x00000" bgAlpha="10" handleColor="0x00000" handleAlpha="16" arrowsColor="0x00000" arrowsAlpha="30" innerShadow="10" dropShadow="0" /></p>	bgColor	<scrollbar bgColor="0x00000"... />	RGB	bgAlpha	<scrollbar bgAlpha="10"... />	(0-100)	handleColor	<scrollbar handleColor="0x00000"... />	(RGB)	handleAlpha	<scrollbar handleAlpha="16"... />	(0-100)	arrowsColor	<scrollbar arrowsColor="0x00000"... />	RGB	arrowsAlpha	<scrollbar arrowsAlpha="30"... />	(0-100)	innerShadow	<scrollbar innerShadow="10"... />	(0-100)	dropShadow	<scrollbar dropShadow="0"... />	(0-100)
bgColor	<scrollbar bgColor="0x00000"... />	RGB																							
bgAlpha	<scrollbar bgAlpha="10"... />	(0-100)																							
handleColor	<scrollbar handleColor="0x00000"... />	(RGB)																							
handleAlpha	<scrollbar handleAlpha="16"... />	(0-100)																							
arrowsColor	<scrollbar arrowsColor="0x00000"... />	RGB																							
arrowsAlpha	<scrollbar arrowsAlpha="30"... />	(0-100)																							
innerShadow	<scrollbar innerShadow="10"... />	(0-100)																							
dropShadow	<scrollbar dropShadow="0"... />	(0-100)																							
caption	Caption settings <table><tr><td>textColor</td><td><caption textColor="0xffffffff"... /></td><td>RGB</td></tr><tr><td>bgColor</td><td><caption bgColor="0x000000"... /></td><td>RGB</td></tr><tr><td>bgAlpha</td><td><caption bgAlpha="80"... /></td><td>(0-100)</td></tr><tr><td>frameColor</td><td><caption frameColor="0xffffffff"... /></td><td>RGB</td></tr><tr><td>frameAlpha</td><td><caption frameAlpha="40"... /></td><td>(0-100)</td></tr><tr><td>shadowAlpha</td><td><caption shadowAlpha="50"... /></td><td>(0-100)</td></tr></table> <p>Example <caption textColor="0xffffffff" bgColor="0x000000" bgAlpha="80" frameColor="0xffffffff" frameAlpha="40" shadowAlpha="50" /></p>	textColor	<caption textColor="0xffffffff"... />	RGB	bgColor	<caption bgColor="0x000000"... />	RGB	bgAlpha	<caption bgAlpha="80"... />	(0-100)	frameColor	<caption frameColor="0xffffffff"... />	RGB	frameAlpha	<caption frameAlpha="40"... />	(0-100)	shadowAlpha	<caption shadowAlpha="50"... />	(0-100)						
textColor	<caption textColor="0xffffffff"... />	RGB																							
bgColor	<caption bgColor="0x000000"... />	RGB																							
bgAlpha	<caption bgAlpha="80"... />	(0-100)																							
frameColor	<caption frameColor="0xffffffff"... />	RGB																							
frameAlpha	<caption frameAlpha="40"... />	(0-100)																							
shadowAlpha	<caption shadowAlpha="50"... />	(0-100)																							
background	Background settings <table><tr><td>bgColor</td><td><background bgColor="0xffffffff"... /></td><td>RGB</td></tr><tr><td>bgImage</td><td><background bgImage="bg.jpg"... /></td><td>URL</td></tr></table> <p>Example <background bgColor="0xffffffff" bgImage="images/photoflow.jpg" /></p>	bgColor	<background bgColor="0xffffffff"... />	RGB	bgImage	<background bgImage="bg.jpg"... />	URL																		
bgColor	<background bgColor="0xffffffff"... />	RGB																							
bgImage	<background bgImage="bg.jpg"... />	URL																							