



Full wwPDB X-ray Structure Validation Report ⓘ

May 17, 2020 – 06:36 pm BST

PDB ID : 4INA
Title : Crystal Structure of the Q7MSS8_WOLSU protein from Wolinella succinogenes. Northeast Structural Genomics Consortium Target WsR35
Authors : Vorobiev, S.; Su, M.; Seetharaman, J.; Maglaqui, M.; Xiao, R.; Kohan, E.; Wang, D.; Everett, J.K.; Acton, T.B.; Montelione, G.T.; Tong, L.; Hunt, J.F.; Northeast Structural Genomics Consortium (NESG)
Deposited on : 2013-01-04
Resolution : 2.49 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.49 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5857 (2.50-2.46)
Clashscore	141614	6594 (2.50-2.46)
Ramachandran outliers	138981	6469 (2.50-2.46)
Sidechain outliers	138945	6471 (2.50-2.46)
RSRZ outliers	127900	5738 (2.50-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	405	 74% 22%
1	B	405	 72% 25%

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 6418 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called saccharopine dehydrogenase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	394	3124	1994	519	588	9	14	0	0	0
1	B	397	3148	2007	525	593	9	14	0	0	0

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	398	LEU	-	EXPRESSION TAG	UNP Q7MSS8
A	399	GLU	-	EXPRESSION TAG	UNP Q7MSS8
A	400	HIS	-	EXPRESSION TAG	UNP Q7MSS8
A	401	HIS	-	EXPRESSION TAG	UNP Q7MSS8
A	402	HIS	-	EXPRESSION TAG	UNP Q7MSS8
A	403	HIS	-	EXPRESSION TAG	UNP Q7MSS8
A	404	HIS	-	EXPRESSION TAG	UNP Q7MSS8
A	405	HIS	-	EXPRESSION TAG	UNP Q7MSS8
B	398	LEU	-	EXPRESSION TAG	UNP Q7MSS8
B	399	GLU	-	EXPRESSION TAG	UNP Q7MSS8
B	400	HIS	-	EXPRESSION TAG	UNP Q7MSS8
B	401	HIS	-	EXPRESSION TAG	UNP Q7MSS8
B	402	HIS	-	EXPRESSION TAG	UNP Q7MSS8
B	403	HIS	-	EXPRESSION TAG	UNP Q7MSS8
B	404	HIS	-	EXPRESSION TAG	UNP Q7MSS8
B	405	HIS	-	EXPRESSION TAG	UNP Q7MSS8

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	89	Total	O	0	0
			89	89		
2	B	57	Total	O	0	0
			57	57		

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	44.64Å 95.49Å 104.43Å 90.00° 101.80° 90.00°	Depositor
Resolution (Å)	45.06 – 2.49 47.74 – 2.49	Depositor EDS
% Data completeness (in resolution range)	97.0 (45.06-2.49) 99.2 (47.74-2.49)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.34 (at 2.48Å)	Xtrriage
Refinement program	PHENIX 1.7.2_869	Depositor
R, R_{free}	0.193 , 0.222 0.174 , 0.202	Depositor DCC
R_{free} test set	1510 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	35.8	Xtrriage
Anisotropy	0.156	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 34.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	0.043 for h,-k,-h-l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6418	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.31% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.35	0/3180	0.60	0/4279
1	B	0.32	0/3204	0.58	0/4310
All	All	0.34	0/6384	0.59	0/8589

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3124	0	3081	72	0
1	B	3148	0	3086	73	0
2	A	89	0	0	3	0
2	B	57	0	0	2	0
All	All	6418	0	6167	140	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (140) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2:ALA:HB1	1:A:78:GLN:HG3	1.34	1.07

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:4:VAL:HG21	1:A:20:MSE:HE1	1.03	1.03
1:A:4:VAL:HG21	1:A:20:MSE:CE	1.91	0.99
1:A:4:VAL:CG2	1:A:20:MSE:HE1	1.92	0.98
1:B:19:LYS:HA	1:B:22:MSE:HE3	1.52	0.88
1:A:22:MSE:HE1	1:A:338:VAL:HG12	1.56	0.87
1:B:141:GLY:O	1:B:145:GLY:HA3	1.82	0.79
1:B:242:LYS:HE2	1:B:242:LYS:HA	1.66	0.75
1:A:2:ALA:HB1	1:A:78:GLN:CG	2.14	0.74
1:B:168:LEU:HD23	1:B:250:PHE:HB2	1.71	0.71
1:B:62:ALA:HB3	1:B:88:GLN:NE2	2.07	0.69
1:B:15:VAL:HG22	1:B:338:VAL:HG21	1.75	0.68
1:A:22:MSE:C	1:A:23:ASN:HD22	1.97	0.67
1:A:20:MSE:HE3	1:A:27:PHE:CD1	2.31	0.66
1:B:234:LEU:O	1:B:238:VAL:HG13	1.97	0.65
1:A:18:HIS:HB3	1:A:22:MSE:CE	2.28	0.64
1:B:200:GLU:OE2	1:B:246:ARG:HD3	1.98	0.64
1:B:2:ALA:N	1:B:28:SER:HG	1.96	0.63
1:B:189:LEU:HD13	1:B:270:LEU:HD13	1.81	0.63
1:A:349:VAL:HB	1:A:350:PRO:HD3	1.80	0.62
1:A:20:MSE:HE2	1:A:30:ILE:HG12	1.83	0.61
1:A:199:TRP:CZ2	1:A:202:GLY:HA2	2.36	0.61
1:B:208:GLU:HB2	1:B:211:GLU:HB2	1.83	0.60
1:B:210:MSE:HE1	1:B:253:PHE:CD2	2.37	0.59
1:A:18:HIS:HB3	1:A:22:MSE:HE3	1.85	0.58
1:B:19:LYS:HD3	1:B:22:MSE:HE3	1.86	0.58
1:B:65:ILE:HD13	1:B:94:GLU:HG2	1.85	0.58
1:B:170:CYS:HA	1:B:252:THR:HB	1.87	0.56
1:B:145:GLY:HA2	1:B:371:MSE:HG3	1.86	0.56
1:B:104:LEU:HD23	1:B:104:LEU:C	2.26	0.56
1:A:219:PRO:O	1:A:220:GLU:HB2	2.06	0.56
1:A:4:VAL:HG11	1:A:27:PHE:HD1	1.70	0.55
1:B:135:MSE:SE	1:B:358:MSE:HE3	2.56	0.55
1:A:337:GLU:HG2	1:A:338:VAL:HG13	1.89	0.55
1:B:300:SER:HB3	1:B:335:TYR:CZ	2.41	0.55
1:B:349:VAL:HB	1:B:350:PRO:HD3	1.89	0.55
1:B:12:VAL:O	1:B:16:VAL:HG23	2.06	0.55
1:B:15:VAL:HG22	1:B:338:VAL:CG2	2.36	0.55
1:A:145:GLY:HA2	1:A:371:MSE:HG3	1.89	0.55
1:A:269:MSE:HE2	1:B:269:MSE:SE	2.57	0.54
1:A:104:LEU:C	1:A:104:LEU:HD23	2.28	0.54
1:A:57:ILE:O	1:A:57:ILE:HD13	2.08	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:278:ASN:ND2	1:B:286:GLN:OE1	2.42	0.53
1:B:19:LYS:CA	1:B:22:MSE:HE3	2.31	0.53
1:A:135:MSE:HB2	1:A:365:GLY:O	2.09	0.53
1:B:66:GLU:CD	1:B:66:GLU:H	2.12	0.53
1:B:199:TRP:CZ2	1:B:202:GLY:HA2	2.44	0.53
1:A:313:LYS:HG2	1:A:322:THR:HG23	1.90	0.53
1:A:90:LEU:HG	1:A:109:TYR:CD1	2.43	0.53
1:A:34:SER:O	1:A:59:THR:HA	2.08	0.53
1:B:108:ASN:OD1	1:B:117:PHE:HB2	2.10	0.51
1:B:242:LYS:CA	1:B:242:LYS:HE2	2.39	0.51
1:B:19:LYS:HD3	1:B:22:MSE:CE	2.41	0.51
1:B:227:TYR:CD1	1:B:253:PHE:HB2	2.45	0.51
1:B:45:GLN:HA	1:B:45:GLN:HE21	1.75	0.51
1:B:301:ARG:HD3	2:B:507:HOH:O	2.11	0.51
1:B:181:THR:HG22	1:B:292:LEU:HD13	1.92	0.51
1:B:126:HIS:HA	1:B:368:VAL:HG23	1.92	0.51
1:B:337:GLU:HG2	1:B:338:VAL:HG13	1.93	0.51
1:A:111:HIS:ND1	1:A:112:PRO:HD2	2.27	0.50
1:B:168:LEU:HD13	1:B:216:TRP:CE2	2.46	0.50
1:B:356:LYS:O	1:B:360:GLU:HG3	2.11	0.50
1:A:352:MSE:HE1	1:A:386:GLN:CD	2.31	0.50
1:B:313:LYS:HG2	1:B:322:THR:HG23	1.94	0.50
1:B:352:MSE:HE1	1:B:386:GLN:CG	2.41	0.50
1:A:18:HIS:C	1:A:22:MSE:HE3	2.31	0.50
1:A:171:ASN:HA	1:A:306:THR:HG22	1.94	0.49
1:A:311:TYR:HE1	1:A:395:MSE:HE2	1.77	0.49
1:B:227:TYR:CE1	1:B:253:PHE:HB2	2.47	0.49
1:A:164:GLU:OE1	1:A:313:LYS:HE3	2.13	0.48
1:B:265:GLU:HG3	1:B:270:LEU:HD12	1.96	0.48
1:B:331:HIS:CE1	1:B:342:ALA:HB3	2.49	0.48
1:B:11:GLY:HA2	2:B:544:HOH:O	2.13	0.48
1:A:228:LEU:HD23	1:A:228:LEU:C	2.35	0.47
1:A:267:VAL:HG21	1:B:264:LEU:HD21	1.96	0.47
1:B:73:ASN:O	1:B:76:LYS:HE2	2.13	0.47
1:B:381:ASP:HB3	1:B:385:LYS:NZ	2.30	0.47
1:A:96:CYS:HB3	1:A:101:VAL:O	2.15	0.46
1:B:352:MSE:HE1	1:B:386:GLN:HG3	1.98	0.46
1:B:19:LYS:HE3	1:B:349:VAL:HG22	1.98	0.46
1:A:12:VAL:HG23	2:A:568:HOH:O	2.15	0.45
1:A:269:MSE:CE	1:B:269:MSE:SE	3.14	0.45
1:A:311:TYR:CE1	1:A:395:MSE:HE2	2.52	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:200:GLU:OE2	1:A:246:ARG:HD3	2.16	0.45
1:B:275:ILE:O	1:B:281:LYS:HA	2.17	0.45
1:A:371:MSE:HE1	1:A:379:PHE:CE1	2.52	0.45
1:A:104:LEU:HD12	1:A:137:LEU:HD23	1.99	0.44
1:B:240:ASN:HB2	1:B:372:GLU:HG3	1.98	0.44
1:A:3:LYS:O	1:A:78:GLN:HG2	2.17	0.44
1:B:33:ALA:HA	1:B:58:THR:O	2.17	0.44
1:A:265:GLU:HB2	1:A:270:LEU:HD12	1.98	0.44
1:A:216:TRP:O	1:A:223:PRO:HA	2.18	0.43
1:A:185:PRO:HB2	1:A:285:ILE:HD11	2.00	0.43
1:A:22:MSE:HE1	1:A:338:VAL:CG1	2.38	0.43
1:B:282:VAL:HG12	1:B:283:VAL:N	2.33	0.43
1:A:196:GLY:O	1:A:206:GLU:HA	2.19	0.43
1:A:197:ARG:HB3	1:A:230:TYR:HB2	2.01	0.43
1:A:288:LEU:O	1:A:292:LEU:HG	2.19	0.43
1:A:213:MSE:HG2	1:A:226:SER:O	2.18	0.43
1:A:16:VAL:O	1:A:20:MSE:HG3	2.19	0.43
1:A:22:MSE:C	1:A:23:ASN:ND2	2.70	0.43
1:A:34:SER:HB3	2:A:557:HOH:O	2.19	0.43
1:B:108:ASN:HD21	1:B:117:PHE:HD1	1.67	0.43
1:B:34:SER:HB3	1:B:40:CYS:SG	2.59	0.42
1:A:331:HIS:CE1	1:A:342:ALA:HB3	2.54	0.42
1:A:111:HIS:ND1	1:A:112:PRO:CD	2.82	0.42
1:A:197:ARG:HA	1:A:205:ILE:O	2.19	0.42
1:B:210:MSE:HE2	1:B:258:LEU:HD21	2.01	0.42
1:A:2:ALA:N	1:A:28:SER:HG	2.17	0.42
1:A:20:MSE:CE	1:A:30:ILE:HG12	2.47	0.42
1:A:135:MSE:HG2	1:A:358:MSE:HE3	2.02	0.42
1:B:135:MSE:HB2	1:B:365:GLY:O	2.19	0.42
1:B:219:PRO:O	1:B:220:GLU:HB2	2.19	0.42
1:B:43:ILE:O	1:B:47:ILE:HG13	2.19	0.42
1:A:78:GLN:O	1:A:102:PRO:HD2	2.18	0.42
1:B:352:MSE:HE1	1:B:386:GLN:CD	2.39	0.41
1:B:13:GLY:HA2	1:B:83:ILE:HG21	2.02	0.41
1:A:369:PHE:N	1:A:369:PHE:CD1	2.88	0.41
1:B:183:PHE:HB3	1:B:187:ILE:HD12	2.02	0.41
1:A:153:TYR:CD2	1:A:380:MSE:HG3	2.55	0.41
1:A:34:SER:OG	1:A:35:ARG:N	2.53	0.41
1:B:216:TRP:O	1:B:223:PRO:HA	2.21	0.41
1:A:144:PRO:HB3	1:A:233:GLU:HB3	2.01	0.41
1:A:143:ASP:HB3	1:A:147:THR:HG21	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:212:ILE:HD12	1:A:228:LEU:HD13	2.01	0.41
1:B:85:LEU:HA	1:B:86:PRO:HD3	1.90	0.41
1:A:363:TRP:CH2	1:A:379:PHE:CD1	3.09	0.41
1:B:181:THR:HG21	1:B:185:PRO:HG3	2.02	0.41
1:B:307:ASN:HA	1:B:327:ASN:O	2.21	0.41
1:A:143:ASP:HB3	1:A:147:THR:CG2	2.51	0.41
1:A:269:MSE:SE	1:B:269:MSE:HE2	2.72	0.40
1:B:186:GLU:CG	1:B:285:ILE:HD13	2.52	0.40
1:A:301:ARG:HD3	2:A:513:HOH:O	2.21	0.40
1:A:240:ASN:HB2	1:A:372:GLU:HG3	2.02	0.40
1:B:165:ILE:O	1:B:247:ILE:HA	2.21	0.40
1:A:119:TYR:O	1:A:120:LYS:C	2.60	0.40
1:A:269:MSE:HE3	1:A:288:LEU:HB2	2.04	0.40
1:B:18:HIS:HB3	1:B:22:MSE:HE2	2.04	0.40
1:B:22:MSE:HE1	1:B:338:VAL:CG1	2.51	0.40
1:B:83:ILE:HG22	1:B:83:ILE:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	392/405 (97%)	379 (97%)	12 (3%)	1 (0%)	41	59
1	B	393/405 (97%)	378 (96%)	14 (4%)	1 (0%)	41	59
All	All	785/810 (97%)	757 (96%)	26 (3%)	2 (0%)	41	59

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	185	PRO
1	B	185	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	336/331 (102%)	324 (96%)	12 (4%)	35	58
1	B	337/331 (102%)	331 (98%)	6 (2%)	59	80
All	All	673/662 (102%)	655 (97%)	18 (3%)	44	69

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	42	GLU
1	A	45	GLN
1	A	57	ILE
1	A	59	THR
1	A	66	GLU
1	A	78	GLN
1	A	110	GLU
1	A	231	HIS
1	A	276	GLU
1	A	329	CYS
1	A	374	LEU
1	A	391	GLU
1	B	48	LYS
1	B	252	THR
1	B	276	GLU
1	B	278	ASN
1	B	374	LEU
1	B	391	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	23	ASN
1	A	78	GLN
1	A	201	ASN
1	A	278	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	386	GLN
1	B	45	GLN
1	B	88	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	380/405 (93%)	-0.36	0 100 100	19, 31, 58, 75	0
1	B	383/405 (94%)	-0.28	0 100 100	20, 35, 62, 83	0
All	All	763/810 (94%)	-0.32	0 100 100	19, 33, 60, 83	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.