



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 2, 2023 – 03:46 PM EDT

PDB ID : 6NLM
Title : 1.90 Å resolution structure of WT BfrB from *Pseudomonas aeruginosa* in complex with a protein-protein interaction inhibitor (analog 15)
Authors : Lovell, S.; Punchi-Hewage, A.; Battaile, K.P.; Yao, H.; Nammalwar, B.; Gnanasekaran, K.K.; Bunce, R.A.; Reitz, A.B.; Rivera, M.
Deposited on : 2019-01-08
Resolution : 1.90 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : **FAILED**
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : **FAILED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

There are no overall percentile quality scores available for this entry.

MolProbity and EDS failed to run properly - the sequence quality summary graphics cannot be shown.

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 17216 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ferroxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	156	1263	803	213	240	7	0	1	0
1	B	155	1261	800	216	238	7	0	1	0
1	C	155	1260	800	213	240	7	0	1	0
1	D	155	1269	804	218	240	7	0	1	0
1	E	156	1271	807	214	243	7	0	2	0
1	F	155	1258	798	215	238	7	0	1	0
1	G	155	1255	797	212	239	7	0	1	0
1	H	155	1256	797	215	237	7	0	1	0
1	I	155	1257	798	212	240	7	0	1	0
1	J	155	1259	797	215	240	7	0	1	0
1	K	155	1256	798	212	239	7	0	1	0
1	L	156	1265	802	216	240	7	0	1	0

- Molecule 2 is FE (II) ION (three-letter code: FE2) (formula: Fe).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Fe	0	0
			1	1		
2	B	1	Total	Fe	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	D	1	Total Fe 1 1	0	0

- Molecule 3 is 4-[[3-(4-hydroxy-2-methoxyphenyl)propyl]amino]-1H-isoindole-1,3(2H)-dione (three-letter code: KT1) (formula: C₁₈H₁₈N₂O₄).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N O 24 18 2 4	0	0
3	B	1	Total C N O 24 18 2 4	0	0
3	C	1	Total C N O 24 18 2 4	0	0
3	D	1	Total C N O 24 18 2 4	0	0
3	E	1	Total C N O 24 18 2 4	0	0
3	F	1	Total C N O 24 18 2 4	0	0
3	G	1	Total C N O 24 18 2 4	0	0
3	H	1	Total C N O 24 18 2 4	0	0
3	I	1	Total C N O 24 18 2 4	0	0
3	J	1	Total C N O 24 18 2 4	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	K	1	Total	C	N	O	0	0
			24	18	2	4		
3	L	1	Total	C	N	O	0	0
			24	18	2	4		

- Molecule 4 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
4	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
4	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
4	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
4	D	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
4	F	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
4	H	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
4	L	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 5 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: $C_8H_{18}O_5$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 10 6 4	0	0
5	B	1	Total C O 8 5 3	0	0
5	B	1	Total C O 6 4 2	0	0
5	B	1	Total C O 9 6 3	0	0
5	C	1	Total C O 11 7 4	0	0
5	D	1	Total C O 10 6 4	0	0
5	D	1	Total C O 8 5 3	0	0
5	E	1	Total C O 10 6 4	0	0
5	E	1	Total C O 8 5 3	0	0
5	F	1	Total C O 10 6 4	0	0
5	G	1	Total C O 10 6 4	0	0
5	H	1	Total C O 8 5 3	0	0
5	H	1	Total C O 9 6 3	0	0
5	I	1	Total C O 8 5 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	J	1	Total	C	O	0	0
			13	8	5		
5	J	1	Total	C	O	0	0
			13	8	5		
5	K	1	Total	C	O	0	0
			11	7	4		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	112	Total	O	0	0
			112	112		
6	B	117	Total	O	0	0
			117	117		
6	C	100	Total	O	0	0
			100	100		
6	D	108	Total	O	0	0
			108	108		
6	E	114	Total	O	0	0
			114	114		
6	F	104	Total	O	0	0
			104	104		
6	G	113	Total	O	0	0
			113	113		
6	H	121	Total	O	0	0
			121	121		
6	I	104	Total	O	0	0
			104	104		
6	J	122	Total	O	0	0
			122	122		
6	K	111	Total	O	0	0
			111	111		
6	L	106	Total	O	0	0
			106	106		

MolProbity and EDS failed to run properly - this section is therefore empty.

3 Data and refinement statistics

EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	130.25Å 194.97Å 203.03Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.93 – 1.90	Depositor
% Data completeness (in resolution range)	99.9 (46.93-1.90)	Depositor
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.12 (at 1.90Å)	Xtrriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.152 , 0.184	Depositor
Wilson B-factor (Å ²)	18.4	Xtrriage
Anisotropy	0.490	Xtrriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	17216	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.72% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

4 Model quality [i](#)

4.1 Standard geometry [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles [i](#)

4.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

4.6 Ligand geometry [i](#)

Of 39 ligands modelled in this entry, 3 are monoatomic - leaving 36 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	KT1	J	201	-	26,26,26	1.84	6 (23%)	36,36,36	1.63	6 (16%)
5	PG4	D	204	-	9,9,12	0.49	0	8,8,11	0.28	0
5	PG4	K	202	-	10,10,12	0.56	0	9,9,11	0.29	0
5	PG4	I	202	-	7,7,12	0.55	0	6,6,11	0.21	0
4	HEM	A	203	1	41,50,50	1.49	7 (17%)	45,82,82	1.65	13 (28%)
3	KT1	I	201	-	26,26,26	1.78	5 (19%)	36,36,36	1.77	6 (16%)
5	PG4	C	203	-	10,10,12	0.48	0	9,9,11	0.29	0
3	KT1	D	202	-	26,26,26	1.74	6 (23%)	36,36,36	1.35	4 (11%)
5	PG4	B	204	-	7,7,12	0.53	0	6,6,11	0.21	0
3	KT1	K	201	-	26,26,26	1.77	6 (23%)	36,36,36	1.36	2 (5%)
5	PG4	E	202	-	9,9,12	0.52	0	8,8,11	0.23	0
4	HEM	C	202	1	41,50,50	1.46	5 (12%)	45,82,82	1.57	10 (22%)
5	PG4	E	203	-	7,7,12	0.50	0	6,6,11	0.25	0
3	KT1	B	202	-	26,26,26	1.85	6 (23%)	36,36,36	1.50	4 (11%)
5	PG4	F	203	-	9,9,12	0.55	0	8,8,11	0.23	0
3	KT1	E	201	-	26,26,26	1.81	5 (19%)	36,36,36	1.32	3 (8%)
5	PG4	B	205	-	5,5,12	0.61	0	4,4,11	0.32	0
3	KT1	A	202	-	26,26,26	1.85	6 (23%)	36,36,36	1.59	5 (13%)
5	PG4	D	205	-	7,7,12	0.41	0	6,6,11	0.39	0
3	KT1	C	201	-	26,26,26	1.73	6 (23%)	36,36,36	1.40	4 (11%)
5	PG4	H	203	-	7,7,12	0.49	0	6,6,11	0.31	0
4	HEM	H	202	1	41,50,50	1.52	5 (12%)	45,82,82	1.72	12 (26%)
3	KT1	L	201	-	26,26,26	1.75	5 (19%)	36,36,36	1.27	5 (13%)
4	HEM	F	202	1	41,50,50	1.44	4 (9%)	45,82,82	1.60	9 (20%)
5	PG4	J	203	-	12,12,12	0.43	0	11,11,11	0.57	0
5	PG4	J	202	-	12,12,12	0.42	0	11,11,11	0.38	0
5	PG4	B	206	-	8,8,12	0.49	0	7,7,11	0.45	0
5	PG4	G	202	-	9,9,12	0.60	0	8,8,11	0.37	0
4	HEM	D	203	1	41,50,50	1.46	4 (9%)	45,82,82	1.50	7 (15%)
5	PG4	H	204	-	8,8,12	0.52	0	7,7,11	0.36	0
3	KT1	F	201	-	26,26,26	1.90	6 (23%)	36,36,36	1.41	4 (11%)
3	KT1	H	201	-	26,26,26	1.83	6 (23%)	36,36,36	1.47	5 (13%)
3	KT1	G	201	-	26,26,26	1.84	6 (23%)	36,36,36	1.31	4 (11%)
4	HEM	L	202	1	41,50,50	1.48	5 (12%)	45,82,82	1.49	7 (15%)
4	HEM	B	203	1	41,50,50	1.41	4 (9%)	45,82,82	1.59	12 (26%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	PG4	A	204	-	9,9,12	0.52	0	8,8,11	0.20	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	KT1	J	201	-	-	2/9/21/21	0/3/3/3
5	PG4	D	204	-	-	0/7/7/10	-
5	PG4	K	202	-	-	1/8/8/10	-
5	PG4	I	202	-	-	0/5/5/10	-
4	HEM	A	203	1	-	4/12/54/54	-
3	KT1	I	201	-	-	4/9/21/21	0/3/3/3
5	PG4	C	203	-	-	1/8/8/10	-
3	KT1	D	202	-	-	1/9/21/21	0/3/3/3
5	PG4	B	204	-	-	0/5/5/10	-
3	KT1	K	201	-	-	2/9/21/21	0/3/3/3
5	PG4	E	202	-	-	0/7/7/10	-
4	HEM	C	202	1	-	4/12/54/54	-
5	PG4	E	203	-	-	1/5/5/10	-
3	KT1	B	202	-	-	3/9/21/21	0/3/3/3
5	PG4	F	203	-	-	0/7/7/10	-
3	KT1	E	201	-	-	1/9/21/21	0/3/3/3
5	PG4	B	205	-	-	2/3/3/10	-
3	KT1	A	202	-	-	3/9/21/21	0/3/3/3
5	PG4	D	205	-	-	1/5/5/10	-
3	KT1	C	201	-	-	0/9/21/21	0/3/3/3
5	PG4	H	203	-	-	0/5/5/10	-
4	HEM	H	202	1	-	4/12/54/54	-
3	KT1	L	201	-	-	0/9/21/21	0/3/3/3
4	HEM	F	202	1	-	4/12/54/54	-
5	PG4	J	203	-	-	5/10/10/10	-
5	PG4	J	202	-	-	1/10/10/10	-
5	PG4	B	206	-	-	2/6/6/10	-
5	PG4	G	202	-	-	0/7/7/10	-
4	HEM	D	203	1	-	6/12/54/54	-
5	PG4	H	204	-	-	0/6/6/10	-
3	KT1	F	201	-	-	0/9/21/21	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	KT1	H	201	-	-	3/9/21/21	0/3/3/3
3	KT1	G	201	-	-	0/9/21/21	0/3/3/3
4	HEM	L	202	1	-	4/12/54/54	-
4	HEM	B	203	1	-	4/12/54/54	-
5	PG4	A	204	-	-	1/7/7/10	-

All (103) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	F	202	HEM	C3C-C2C	-4.83	1.33	1.40
3	F	201	KT1	C04-N03	4.75	1.45	1.38
3	A	202	KT1	C04-N03	4.67	1.45	1.38
3	C	201	KT1	C23-C02	4.60	1.55	1.48
3	H	201	KT1	C02-N03	4.55	1.45	1.38
3	I	201	KT1	C04-N03	4.43	1.45	1.38
3	B	202	KT1	C23-C02	4.42	1.55	1.48
3	K	201	KT1	C04-N03	4.37	1.45	1.38
3	G	201	KT1	C02-N03	4.33	1.45	1.38
3	J	201	KT1	C02-N03	4.32	1.45	1.38
3	G	201	KT1	C04-N03	4.31	1.45	1.38
3	F	201	KT1	C23-C02	4.29	1.55	1.48
3	J	201	KT1	C04-N03	4.29	1.44	1.38
3	E	201	KT1	C02-N03	4.25	1.44	1.38
4	H	202	HEM	C3C-C2C	-4.23	1.34	1.40
3	A	202	KT1	C23-C02	4.21	1.55	1.48
3	L	201	KT1	C04-N03	4.20	1.44	1.38
3	F	201	KT1	C02-N03	4.15	1.44	1.38
3	D	202	KT1	C04-N03	4.13	1.44	1.38
3	E	201	KT1	C04-N03	4.13	1.44	1.38
4	B	203	HEM	C3C-C2C	-4.13	1.34	1.40
4	A	203	HEM	C3C-C2C	-4.11	1.34	1.40
3	E	201	KT1	C23-C02	4.10	1.54	1.48
3	K	201	KT1	C23-C02	4.10	1.54	1.48
3	H	201	KT1	C04-N03	4.09	1.44	1.38
3	L	201	KT1	C23-C02	4.07	1.54	1.48
4	C	202	HEM	C3C-C2C	-4.05	1.34	1.40
3	L	201	KT1	C02-N03	3.97	1.44	1.38
4	D	203	HEM	C3C-C2C	-3.95	1.34	1.40
4	L	202	HEM	C3C-C2C	-3.93	1.34	1.40
3	D	202	KT1	C02-N03	3.89	1.44	1.38
3	B	202	KT1	C04-N03	3.75	1.44	1.38
3	B	202	KT1	C02-N03	3.71	1.44	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	202	KT1	C23-C02	3.70	1.54	1.48
4	L	202	HEM	C3C-CAC	3.68	1.55	1.47
3	C	201	KT1	C04-N03	3.65	1.44	1.38
4	C	202	HEM	C3C-CAC	3.65	1.55	1.47
3	J	201	KT1	C23-C02	3.55	1.54	1.48
3	I	201	KT1	C02-N03	3.54	1.43	1.38
3	G	201	KT1	C23-C02	3.53	1.54	1.48
3	I	201	KT1	C23-C02	3.53	1.54	1.48
3	B	202	KT1	C06-N07	3.49	1.47	1.37
3	K	201	KT1	C02-N03	3.48	1.43	1.38
3	H	201	KT1	C23-C02	3.47	1.53	1.48
3	I	201	KT1	C06-N07	3.37	1.46	1.37
4	A	203	HEM	C3C-CAC	3.35	1.54	1.47
4	H	202	HEM	C3C-CAC	3.33	1.54	1.47
4	D	203	HEM	C3C-CAC	3.28	1.54	1.47
4	B	203	HEM	C3C-CAC	3.17	1.54	1.47
3	J	201	KT1	O18-C17	3.17	1.42	1.37
3	C	201	KT1	C06-N07	3.12	1.46	1.37
3	A	202	KT1	O01-C02	-3.10	1.17	1.23
3	D	202	KT1	C06-N07	3.06	1.45	1.37
3	G	201	KT1	C06-N07	3.03	1.45	1.37
3	H	201	KT1	C06-N07	3.03	1.45	1.37
3	A	202	KT1	C06-N07	3.03	1.45	1.37
3	A	202	KT1	C02-N03	2.99	1.43	1.38
3	K	201	KT1	C06-N07	2.99	1.45	1.37
3	E	201	KT1	C06-N07	2.98	1.45	1.37
3	F	201	KT1	C06-N07	2.96	1.45	1.37
3	I	201	KT1	O18-C17	2.95	1.41	1.37
3	H	201	KT1	O18-C17	2.95	1.41	1.37
3	B	202	KT1	O18-C17	2.92	1.41	1.37
4	F	202	HEM	C3C-CAC	2.91	1.53	1.47
3	F	201	KT1	O18-C17	2.91	1.41	1.37
3	J	201	KT1	C06-N07	2.88	1.45	1.37
4	L	202	HEM	CAB-C3B	2.83	1.55	1.47
3	L	201	KT1	O18-C17	2.83	1.41	1.37
3	C	201	KT1	O18-C17	2.81	1.41	1.37
3	E	201	KT1	O18-C17	2.78	1.41	1.37
3	G	201	KT1	O18-C17	2.73	1.41	1.37
3	L	201	KT1	C06-N07	2.70	1.44	1.37
3	J	201	KT1	O01-C02	-2.64	1.17	1.23
3	C	201	KT1	C02-N03	2.63	1.42	1.38
3	G	201	KT1	O01-C02	-2.63	1.18	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	203	HEM	CAB-C3B	2.59	1.54	1.47
4	H	202	HEM	CAA-C2A	2.55	1.55	1.52
3	K	201	KT1	O18-C17	2.49	1.41	1.37
4	A	203	HEM	CAB-C3B	2.44	1.54	1.47
4	C	202	HEM	CAB-C3B	2.42	1.54	1.47
3	D	202	KT1	O01-C02	-2.41	1.18	1.23
4	F	202	HEM	CMB-C2B	2.40	1.55	1.50
3	D	202	KT1	O18-C17	2.40	1.41	1.37
4	B	203	HEM	CMB-C2B	2.39	1.55	1.50
3	C	201	KT1	O01-C02	-2.37	1.18	1.23
4	A	203	HEM	CAA-C2A	2.37	1.55	1.52
3	K	201	KT1	O01-C02	-2.36	1.18	1.23
4	A	203	HEM	CMD-C2D	2.36	1.55	1.50
4	A	203	HEM	CMB-C2B	2.35	1.55	1.50
3	H	201	KT1	O01-C02	-2.35	1.18	1.23
4	H	202	HEM	CAB-C3B	2.33	1.53	1.47
4	C	202	HEM	CMB-C2B	2.30	1.55	1.50
4	D	203	HEM	CMD-C2D	2.28	1.55	1.50
4	C	202	HEM	CMD-C2D	2.24	1.55	1.50
4	B	203	HEM	CAB-C3B	2.23	1.53	1.47
4	H	202	HEM	CMD-C2D	2.22	1.55	1.50
4	A	203	HEM	FE-ND	2.21	2.07	1.96
4	L	202	HEM	CMB-C2B	2.19	1.55	1.50
4	F	202	HEM	CAB-C3B	2.16	1.53	1.47
3	F	201	KT1	O01-C02	-2.13	1.19	1.23
3	A	202	KT1	O18-C17	2.12	1.40	1.37
3	B	202	KT1	O24-C04	-2.08	1.19	1.23
4	L	202	HEM	FE-NB	2.04	2.06	1.96

All (122) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	202	KT1	C04-N03-C02	-6.02	107.39	112.52
3	J	201	KT1	C05-C06-N07	-5.07	115.31	121.32
3	I	201	KT1	C23-C05-C06	-5.00	118.47	121.91
3	K	201	KT1	C05-C06-N07	-4.72	115.73	121.32
3	B	202	KT1	C05-C06-N07	-4.71	115.74	121.32
3	C	201	KT1	C05-C06-N07	-4.68	115.78	121.32
3	H	201	KT1	C04-N03-C02	-4.55	108.64	112.52
3	F	201	KT1	C04-N03-C02	-4.52	108.67	112.52
3	E	201	KT1	C05-C06-N07	-4.42	116.08	121.32
3	B	202	KT1	C04-N03-C02	-4.37	108.79	112.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	J	201	KT1	C04-N03-C02	-4.36	108.81	112.52
3	I	201	KT1	C06-C05-C04	4.32	135.29	129.21
3	G	201	KT1	C04-N03-C02	-4.22	108.92	112.52
3	D	202	KT1	C04-N03-C02	-3.95	109.15	112.52
3	I	201	KT1	C20-C06-N07	-3.89	115.18	121.80
4	F	202	HEM	CMA-C3A-C4A	-3.76	122.68	128.46
3	I	201	KT1	C05-C06-N07	3.72	125.73	121.32
4	F	202	HEM	CHC-C4B-NB	3.67	128.42	124.43
3	A	202	KT1	C23-C02-N03	3.63	109.22	105.89
3	J	201	KT1	O18-C17-C11	3.63	121.02	115.97
3	F	201	KT1	C05-C06-N07	-3.62	117.03	121.32
3	I	201	KT1	C04-N03-C02	-3.62	109.43	112.52
4	D	203	HEM	CBA-CAA-C2A	-3.58	106.52	112.62
3	G	201	KT1	C05-C06-N07	-3.56	117.10	121.32
4	L	202	HEM	C4D-ND-C1D	3.55	108.74	105.07
3	E	201	KT1	C04-N03-C02	-3.53	109.51	112.52
4	H	202	HEM	CMA-C3A-C4A	-3.44	123.17	128.46
3	L	201	KT1	C04-N03-C02	-3.44	109.59	112.52
3	K	201	KT1	C04-N03-C02	-3.41	109.62	112.52
3	D	202	KT1	C05-C06-N07	-3.40	117.30	121.32
3	A	202	KT1	C05-C06-N07	-3.35	117.35	121.32
4	A	203	HEM	CMA-C3A-C4A	-3.34	123.33	128.46
4	D	203	HEM	C4C-CHD-C1D	3.25	126.85	122.56
4	D	203	HEM	C4D-ND-C1D	3.24	108.42	105.07
3	H	201	KT1	C05-C06-N07	-3.17	117.56	121.32
4	A	203	HEM	C4D-ND-C1D	3.17	108.34	105.07
4	L	202	HEM	C4C-CHD-C1D	3.15	126.72	122.56
4	B	203	HEM	C1B-NB-C4B	3.12	108.30	105.07
4	H	202	HEM	C4B-CHC-C1C	3.07	126.62	122.56
4	H	202	HEM	CHC-C4B-NB	3.07	127.76	124.43
4	F	202	HEM	C4D-ND-C1D	3.04	108.22	105.07
3	L	201	KT1	C05-C06-N07	-3.04	117.72	121.32
4	C	202	HEM	CMA-C3A-C4A	-3.01	123.84	128.46
4	L	202	HEM	CAD-CBD-CGD	-2.99	107.16	113.60
3	C	201	KT1	C04-N03-C02	-2.99	109.98	112.52
4	C	202	HEM	CAD-CBD-CGD	-2.98	107.18	113.60
4	C	202	HEM	C4D-ND-C1D	2.96	108.13	105.07
4	H	202	HEM	C1B-NB-C4B	2.95	108.12	105.07
4	F	202	HEM	CBA-CAA-C2A	-2.92	107.63	112.62
3	J	201	KT1	O18-C17-C16	-2.91	119.11	124.12
4	B	203	HEM	C4D-ND-C1D	2.88	108.04	105.07
4	H	202	HEM	C4D-ND-C1D	2.86	108.03	105.07

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	203	HEM	CBA-CAA-C2A	-2.83	107.80	112.62
4	A	203	HEM	C1B-NB-C4B	2.82	107.99	105.07
4	H	202	HEM	C4C-CHD-C1D	2.79	126.24	122.56
3	L	201	KT1	C23-C05-C06	-2.75	120.02	121.91
4	H	202	HEM	CBA-CAA-C2A	-2.70	108.02	112.62
4	B	203	HEM	C2C-C3C-C4C	2.69	108.78	106.90
4	A	203	HEM	CMC-C2C-C3C	2.66	129.65	124.68
4	C	202	HEM	CBA-CAA-C2A	-2.64	108.11	112.62
3	A	202	KT1	C23-C05-C06	-2.63	120.10	121.91
4	C	202	HEM	CMC-C2C-C3C	2.60	129.55	124.68
4	A	203	HEM	C3D-C4D-ND	-2.55	107.32	110.17
4	D	203	HEM	C4B-CHC-C1C	2.52	125.88	122.56
4	L	202	HEM	C1B-NB-C4B	2.48	107.64	105.07
4	B	203	HEM	C4B-CHC-C1C	2.48	125.83	122.56
4	F	202	HEM	CMA-C3A-C2A	2.48	129.61	124.94
3	G	201	KT1	C23-C05-C06	-2.46	120.21	121.91
4	C	202	HEM	C4B-CHC-C1C	2.46	125.81	122.56
3	G	201	KT1	C23-C02-N03	2.46	108.15	105.89
4	D	203	HEM	C1B-NB-C4B	2.45	107.60	105.07
4	F	202	HEM	C2C-C3C-C4C	2.41	108.58	106.90
3	F	201	KT1	C08-C09-C10	-2.41	108.66	112.95
3	H	201	KT1	C23-C02-N03	2.37	108.06	105.89
4	C	202	HEM	C1B-NB-C4B	2.36	107.51	105.07
4	B	203	HEM	CAA-CBA-CGA	-2.35	107.17	113.76
4	F	202	HEM	C3D-C4D-ND	-2.34	107.56	110.17
4	L	202	HEM	CMC-C2C-C3C	2.34	129.06	124.68
4	A	203	HEM	CBA-CAA-C2A	-2.34	108.63	112.62
4	A	203	HEM	C2C-C3C-C4C	2.33	108.53	106.90
4	A	203	HEM	C4B-C3B-C2B	2.31	108.95	107.11
4	C	202	HEM	CHC-C4B-NB	2.31	126.94	124.43
3	C	201	KT1	C08-C09-C10	-2.29	108.87	112.95
3	B	202	KT1	C22-C23-C02	2.28	133.93	129.37
3	A	202	KT1	C10-C11-C17	-2.27	117.63	121.14
3	H	201	KT1	C12-C11-C17	2.27	121.36	118.37
3	H	201	KT1	C08-C09-C10	-2.25	108.95	112.95
4	B	203	HEM	CHD-C1D-ND	2.24	126.86	124.43
3	D	202	KT1	C23-C05-C06	-2.22	120.38	121.91
4	B	203	HEM	CHA-C4D-ND	2.21	127.11	124.38
4	H	202	HEM	C3D-C4D-ND	-2.20	107.72	110.17
3	C	201	KT1	C22-C23-C02	2.19	133.74	129.37
4	F	202	HEM	C4B-C3B-C2B	2.19	108.85	107.11
4	C	202	HEM	CMA-C3A-C2A	2.18	129.06	124.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	201	KT1	C22-C23-C02	2.17	133.72	129.37
4	F	202	HEM	C4C-CHD-C1D	2.17	125.42	122.56
4	C	202	HEM	C2C-C3C-C4C	2.16	108.40	106.90
4	H	202	HEM	CMC-C2C-C3C	2.16	128.71	124.68
4	A	203	HEM	C4C-CHD-C1D	2.15	125.40	122.56
4	B	203	HEM	C3D-C4D-ND	-2.15	107.78	110.17
4	B	203	HEM	CBD-CAD-C3D	-2.14	106.68	112.63
4	L	202	HEM	C2D-C1D-ND	-2.14	107.32	109.88
4	D	203	HEM	CMC-C2C-C3C	2.14	128.67	124.68
3	J	201	KT1	C19-O18-C17	2.13	120.75	117.53
3	D	202	KT1	C12-C11-C17	2.13	121.18	118.37
4	A	203	HEM	CBD-CAD-C3D	-2.13	106.72	112.63
4	B	203	HEM	CMC-C2C-C3C	2.11	128.63	124.68
3	B	202	KT1	C23-C02-N03	2.11	107.83	105.89
3	J	201	KT1	C23-C02-N03	2.10	107.82	105.89
3	I	201	KT1	O18-C17-C11	2.10	118.90	115.97
4	H	202	HEM	CHB-C1B-NB	2.09	126.96	124.38
4	A	203	HEM	CHC-C4B-NB	2.09	126.70	124.43
4	A	203	HEM	CBB-CAB-C3B	-2.08	117.29	127.62
3	F	201	KT1	O18-C17-C11	2.07	118.86	115.97
4	B	203	HEM	C4B-C3B-C2B	2.07	108.75	107.11
3	L	201	KT1	C09-C08-N07	-2.06	105.94	111.49
4	A	203	HEM	CHB-C1B-NB	2.06	126.92	124.38
4	L	202	HEM	C3D-C4D-ND	-2.03	107.91	110.17
4	D	203	HEM	CAD-CBD-CGD	-2.03	109.24	113.60
3	L	201	KT1	C08-C09-C10	-2.02	109.36	112.95
4	H	202	HEM	CBB-CAB-C3B	-2.01	117.63	127.62
4	H	202	HEM	C4B-C3B-C2B	2.01	108.71	107.11

There are no chirality outliers.

All (64) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	I	201	KT1	C20-C06-N07-C08
3	I	201	KT1	C05-C06-N07-C08
3	J	201	KT1	C11-C17-O18-C19
5	J	203	PG4	O3-C5-C6-O4
3	A	202	KT1	N07-C08-C09-C10
5	B	205	PG4	O2-C3-C4-O3
3	J	201	KT1	C16-C17-O18-C19
3	K	201	KT1	C16-C17-O18-C19
3	H	201	KT1	N07-C08-C09-C10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	I	201	KT1	C08-C09-C10-C11
3	K	201	KT1	C11-C17-O18-C19
5	D	205	PG4	O3-C5-C6-O4
3	D	202	KT1	N07-C08-C09-C10
3	B	202	KT1	C16-C17-O18-C19
3	I	201	KT1	N07-C08-C09-C10
3	B	202	KT1	C11-C17-O18-C19
5	J	203	PG4	O4-C7-C8-O5
3	H	201	KT1	C09-C10-C11-C12
3	H	201	KT1	C09-C08-N07-C06
5	B	206	PG4	C4-C3-O2-C2
5	J	202	PG4	O4-C7-C8-O5
5	J	203	PG4	C6-C5-O3-C4
3	A	202	KT1	C09-C10-C11-C12
5	B	206	PG4	C3-C4-O3-C5
3	A	202	KT1	C09-C10-C11-C17
5	E	203	PG4	O2-C3-C4-O3
4	H	202	HEM	CAD-CBD-CGD-O2D
4	F	202	HEM	CAD-CBD-CGD-O1D
4	F	202	HEM	CAD-CBD-CGD-O2D
4	L	202	HEM	CAA-CBA-CGA-O2A
4	D	203	HEM	CAD-CBD-CGD-O1D
5	J	203	PG4	C1-C2-O2-C3
4	D	203	HEM	CAD-CBD-CGD-O2D
4	A	203	HEM	CAD-CBD-CGD-O1D
4	A	203	HEM	CAD-CBD-CGD-O2D
4	L	202	HEM	CAA-CBA-CGA-O1A
4	B	203	HEM	CAA-CBA-CGA-O2A
4	C	202	HEM	CAD-CBD-CGD-O1D
4	H	202	HEM	CAA-CBA-CGA-O1A
4	H	202	HEM	CAA-CBA-CGA-O2A
4	C	202	HEM	CAD-CBD-CGD-O2D
4	F	202	HEM	CAA-CBA-CGA-O2A
5	A	204	PG4	C3-C4-O3-C5
3	B	202	KT1	N07-C08-C09-C10
4	C	202	HEM	CAA-CBA-CGA-O2A
4	F	202	HEM	CAA-CBA-CGA-O1A
4	H	202	HEM	CAD-CBD-CGD-O1D
4	C	202	HEM	CAA-CBA-CGA-O1A
5	B	205	PG4	C3-C4-O3-C5
4	L	202	HEM	CAD-CBD-CGD-O1D
4	B	203	HEM	CAA-CBA-CGA-O1A

Continued on next page...



Continued from previous page...



Mol	Chain	Res	Type	Atoms
4	L	202	HEM	CAD-CBD-CGD-O2D
4	A	203	HEM	CAA-CBA-CGA-O1A
4	D	203	HEM	CAA-CBA-CGA-O1A
4	B	203	HEM	CAD-CBD-CGD-O2D
5	C	203	PG4	C4-C3-O2-C2
4	A	203	HEM	CAA-CBA-CGA-O2A
4	D	203	HEM	CAA-CBA-CGA-O2A
4	B	203	HEM	CAD-CBD-CGD-O1D
4	D	203	HEM	C4D-C3D-CAD-CBD
4	D	203	HEM	C2D-C3D-CAD-CBD
5	J	203	PG4	O1-C1-C2-O2
5	K	202	PG4	O4-C7-C8-O5
3	E	201	KT1	C16-C17-O18-C19



There are no ring outliers.



No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






























4.7 Other polymers [i](#)

There are no such residues in this entry.

4.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

5 Fit of model and data

5.1 Protein, DNA and RNA chains

EDS failed to run properly - this section is therefore empty.

5.2 Non-standard residues in protein, DNA, RNA chains

EDS failed to run properly - this section is therefore empty.

5.3 Carbohydrates

EDS failed to run properly - this section is therefore empty.

5.4 Ligands

EDS failed to run properly - this section is therefore empty.

5.5 Other polymers

EDS failed to run properly - this section is therefore empty.