



## Full wwPDB EM Validation Report ⓘ

Mar 11, 2024 – 02:34 AM EDT

PDB ID : 6OIS  
EMDB ID : EMD-20080  
Title : CryoEM structure of Arabidopsis DR complex (DMS3-RDM1)  
Authors : Wongpalee, S.P.; Liu, S.; Zhou, Z.H.; Jacobsen, S.E.  
Deposited on : 2019-04-09  
Resolution : 3.60 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev70  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	175	
1	B	175	
2	C	449	
2	D	449	
2	E	449	
2	F	449	

## 2 Entry composition i

There are 2 unique types of molecules in this entry. The entry contains 10732 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein RDM1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	123	Total	C	N	O	S	0	0
			1016	653	175	183	5		
1	B	125	Total	C	N	O	S	0	0
			1034	664	178	187	5		

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	MET	-	initiating methionine	UNP Q9LUJ3
A	-10	GLY	-	expression tag	UNP Q9LUJ3
A	-9	SER	-	expression tag	UNP Q9LUJ3
A	-8	SER	-	expression tag	UNP Q9LUJ3
A	-7	HIS	-	expression tag	UNP Q9LUJ3
A	-6	HIS	-	expression tag	UNP Q9LUJ3
A	-5	HIS	-	expression tag	UNP Q9LUJ3
A	-4	HIS	-	expression tag	UNP Q9LUJ3
A	-3	HIS	-	expression tag	UNP Q9LUJ3
A	-2	HIS	-	expression tag	UNP Q9LUJ3
A	-1	SER	-	expression tag	UNP Q9LUJ3
A	0	GLN	-	expression tag	UNP Q9LUJ3
A	1	ASP	-	expression tag	UNP Q9LUJ3
A	2	PRO	-	expression tag	UNP Q9LUJ3
B	-11	MET	-	initiating methionine	UNP Q9LUJ3
B	-10	GLY	-	expression tag	UNP Q9LUJ3
B	-9	SER	-	expression tag	UNP Q9LUJ3
B	-8	SER	-	expression tag	UNP Q9LUJ3
B	-7	HIS	-	expression tag	UNP Q9LUJ3
B	-6	HIS	-	expression tag	UNP Q9LUJ3
B	-5	HIS	-	expression tag	UNP Q9LUJ3
B	-4	HIS	-	expression tag	UNP Q9LUJ3
B	-3	HIS	-	expression tag	UNP Q9LUJ3
B	-2	HIS	-	expression tag	UNP Q9LUJ3
B	-1	SER	-	expression tag	UNP Q9LUJ3
B	0	GLN	-	expression tag	UNP Q9LUJ3

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	1	ASP	-	expression tag	UNP Q9LUJ3
B	2	PRO	-	expression tag	UNP Q9LUJ3

- Molecule 2 is a protein called Protein DEFECTIVE IN MERISTEM SILENCING 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	C	330	Total	C	N	O	S	0	0
			2591	1629	456	490	16		
2	D	229	Total	C	N	O	S	0	0
			1754	1107	306	331	10		
2	E	329	Total	C	N	O	S	0	0
			2583	1625	454	488	16		
2	F	229	Total	C	N	O	S	0	0
			1754	1107	306	331	10		

There are 120 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-2	MET	-	initiating methionine	UNP Q94A79
C	-1	ALA	-	expression tag	UNP Q94A79
C	0	ASP	-	expression tag	UNP Q94A79
C	1	LEU	-	expression tag	UNP Q94A79
C	421	GLY	-	expression tag	UNP Q94A79
C	422	THR	-	expression tag	UNP Q94A79
C	423	LEU	-	expression tag	UNP Q94A79
C	424	GLU	-	expression tag	UNP Q94A79
C	425	SER	-	expression tag	UNP Q94A79
C	426	GLY	-	expression tag	UNP Q94A79
C	427	LYS	-	expression tag	UNP Q94A79
C	428	GLU	-	expression tag	UNP Q94A79
C	429	THR	-	expression tag	UNP Q94A79
C	430	ALA	-	expression tag	UNP Q94A79
C	431	ALA	-	expression tag	UNP Q94A79
C	432	ALA	-	expression tag	UNP Q94A79
C	433	LYS	-	expression tag	UNP Q94A79
C	434	PHE	-	expression tag	UNP Q94A79
C	435	GLU	-	expression tag	UNP Q94A79
C	436	ARG	-	expression tag	UNP Q94A79
C	437	GLN	-	expression tag	UNP Q94A79
C	438	HIS	-	expression tag	UNP Q94A79
C	439	MET	-	expression tag	UNP Q94A79
C	440	ASP	-	expression tag	UNP Q94A79

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	441	SER	-	expression tag	UNP Q94A79
C	442	SER	-	expression tag	UNP Q94A79
C	443	THR	-	expression tag	UNP Q94A79
C	444	SER	-	expression tag	UNP Q94A79
C	445	ALA	-	expression tag	UNP Q94A79
C	446	ALA	-	expression tag	UNP Q94A79
D	-2	MET	-	initiating methionine	UNP Q94A79
D	-1	ALA	-	expression tag	UNP Q94A79
D	0	ASP	-	expression tag	UNP Q94A79
D	1	LEU	-	expression tag	UNP Q94A79
D	421	GLY	-	expression tag	UNP Q94A79
D	422	THR	-	expression tag	UNP Q94A79
D	423	LEU	-	expression tag	UNP Q94A79
D	424	GLU	-	expression tag	UNP Q94A79
D	425	SER	-	expression tag	UNP Q94A79
D	426	GLY	-	expression tag	UNP Q94A79
D	427	LYS	-	expression tag	UNP Q94A79
D	428	GLU	-	expression tag	UNP Q94A79
D	429	THR	-	expression tag	UNP Q94A79
D	430	ALA	-	expression tag	UNP Q94A79
D	431	ALA	-	expression tag	UNP Q94A79
D	432	ALA	-	expression tag	UNP Q94A79
D	433	LYS	-	expression tag	UNP Q94A79
D	434	PHE	-	expression tag	UNP Q94A79
D	435	GLU	-	expression tag	UNP Q94A79
D	436	ARG	-	expression tag	UNP Q94A79
D	437	GLN	-	expression tag	UNP Q94A79
D	438	HIS	-	expression tag	UNP Q94A79
D	439	MET	-	expression tag	UNP Q94A79
D	440	ASP	-	expression tag	UNP Q94A79
D	441	SER	-	expression tag	UNP Q94A79
D	442	SER	-	expression tag	UNP Q94A79
D	443	THR	-	expression tag	UNP Q94A79
D	444	SER	-	expression tag	UNP Q94A79
D	445	ALA	-	expression tag	UNP Q94A79
D	446	ALA	-	expression tag	UNP Q94A79
E	-2	MET	-	initiating methionine	UNP Q94A79
E	-1	ALA	-	expression tag	UNP Q94A79
E	0	ASP	-	expression tag	UNP Q94A79
E	1	LEU	-	expression tag	UNP Q94A79
E	421	GLY	-	expression tag	UNP Q94A79
E	422	THR	-	expression tag	UNP Q94A79

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	423	LEU	-	expression tag	UNP Q94A79
E	424	GLU	-	expression tag	UNP Q94A79
E	425	SER	-	expression tag	UNP Q94A79
E	426	GLY	-	expression tag	UNP Q94A79
E	427	LYS	-	expression tag	UNP Q94A79
E	428	GLU	-	expression tag	UNP Q94A79
E	429	THR	-	expression tag	UNP Q94A79
E	430	ALA	-	expression tag	UNP Q94A79
E	431	ALA	-	expression tag	UNP Q94A79
E	432	ALA	-	expression tag	UNP Q94A79
E	433	LYS	-	expression tag	UNP Q94A79
E	434	PHE	-	expression tag	UNP Q94A79
E	435	GLU	-	expression tag	UNP Q94A79
E	436	ARG	-	expression tag	UNP Q94A79
E	437	GLN	-	expression tag	UNP Q94A79
E	438	HIS	-	expression tag	UNP Q94A79
E	439	MET	-	expression tag	UNP Q94A79
E	440	ASP	-	expression tag	UNP Q94A79
E	441	SER	-	expression tag	UNP Q94A79
E	442	SER	-	expression tag	UNP Q94A79
E	443	THR	-	expression tag	UNP Q94A79
E	444	SER	-	expression tag	UNP Q94A79
E	445	ALA	-	expression tag	UNP Q94A79
E	446	ALA	-	expression tag	UNP Q94A79
F	-2	MET	-	initiating methionine	UNP Q94A79
F	-1	ALA	-	expression tag	UNP Q94A79
F	0	ASP	-	expression tag	UNP Q94A79
F	1	LEU	-	expression tag	UNP Q94A79
F	421	GLY	-	expression tag	UNP Q94A79
F	422	THR	-	expression tag	UNP Q94A79
F	423	LEU	-	expression tag	UNP Q94A79
F	424	GLU	-	expression tag	UNP Q94A79
F	425	SER	-	expression tag	UNP Q94A79
F	426	GLY	-	expression tag	UNP Q94A79
F	427	LYS	-	expression tag	UNP Q94A79
F	428	GLU	-	expression tag	UNP Q94A79
F	429	THR	-	expression tag	UNP Q94A79
F	430	ALA	-	expression tag	UNP Q94A79
F	431	ALA	-	expression tag	UNP Q94A79
F	432	ALA	-	expression tag	UNP Q94A79
F	433	LYS	-	expression tag	UNP Q94A79
F	434	PHE	-	expression tag	UNP Q94A79

*Continued on next page...*


*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	435	GLU	-	expression tag	UNP Q94A79
F	436	ARG	-	expression tag	UNP Q94A79
F	437	GLN	-	expression tag	UNP Q94A79
F	438	HIS	-	expression tag	UNP Q94A79
F	439	MET	-	expression tag	UNP Q94A79
F	440	ASP	-	expression tag	UNP Q94A79
F	441	SER	-	expression tag	UNP Q94A79
F	442	SER	-	expression tag	UNP Q94A79
F	443	THR	-	expression tag	UNP Q94A79
F	444	SER	-	expression tag	UNP Q94A79
F	445	ALA	-	expression tag	UNP Q94A79
F	446	ALA	-	expression tag	UNP Q94A79


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Protein RDM1



- Molecule 1: Protein RDM1



- Molecule 2: Protein DEFECTIVE IN MERISTEM SILENCING 3








PHE  
GLU  
GLY  
ARG  
GLN  
HIS  
MET  
ASP  
SER  
SER  
THR  
THR  
ALA  
ALA

● Molecule 2: Protein DEFECTIVE IN MERISTEM SILENCING 3



MET  
ALA  
ASP  
LEU  
TYR  
PRO  
THR  
THR  
GLY  
GLN  
ILE  
LYS  
SER  
PHE  
GLN  
THR  
THR  
PRO  
LEU  
LEU  
ASN  
VAL  
GLN  
ASP  
PRO  
THR  
ARG  
MET  
MET  
ASN  
LEU  
ASP  
GLN  
SER  
SER  
PRO  
VAL  
ALA  
ARG  
ASN  
GLU  
THR  
GLN  
ASN  
GLY  
GLY  
GLY  
ILE  
ALA  
HIS  
HIS  
GLU  
PHE  
ALA  
MET  
PHE  
ASN  
SER  
LYS  
ARG  
LEU  
GLU

SER  
ASP  
LEU  
GLU  
ALA  
MET  
GLY  
ASN  
ASN  
LYS  
ILE  
LYS  
GLN  
HIS  
GLU  
ASP  
ASN  
LEU  
LYS  
PHE  
LEU  
LYS  
SER  
GLN  
SER  
LYS  
ASN  
LYS  
MET  
MET  
ASP  
GLU  
ALA  
ILE  
VAL  
ASP  
LEU  
GLN  
VAL  
VAL  
HIS  
MET  
SER  
LYS  
LEU  
ASN  
SER  
SER  
SER  
PRO  
THR  
ARG  
SER  
GLU  
ASN  
SER  
SER  
SER  
SER  
GLY  
GLU  
GLU  
D117

I118  
N119  
A120  
L123  
R124  
H125  
E126  
N127  
S128  
A129  
A130  
L133  
S134  
L135  
V136  
E137  
T138  
L139  
HIS  
GLY  
ALA  
GLN  
ALA  
SER  
GLN  
L147  
M148  
L149  
T150  
K151  
K159  
K162  
V163  
N164  
D165  
E166  
Q170  
M174  
Y175  
L182  
R187  
E190  
L195  
E196  
A197  
Y198  
D199  
N200  
H201  
G202

N203  
L204  
D205  
L206  
N207  
A208  
G209  
L210  
H211  
C212  
L213  
G214  
S215  
S216  
I217  
G218  
R219  
E220  
L221  
G222  
D223  
S224  
F225  
D226  
A227  
L228  
E231  
R234  
P235  
Y236  
V237  
H240  
D243  
D244  
L245  
L249  
D250  
P257  
N258  
G259  
E260  
I273  
D276  
C282  
G287  
R291  
E292  
T293

Y296  
N297  
R301  
R308  
I329  
I330  
F336  
N340  
R341  
D342  
E343  
Y346  
A349  
K350  
P351  
T352  
ALA  
SER  
ARG  
THR  
MET  
ASP  
ASN  
TYR  
SER  
GLU  
GLU  
ALA  
GLU  
LYS  
LYS  
MET  
LYS  
LYS  
GLU  
LEU  
LYS  
TRP  
LYS  
LYS  
GLU  
LYS  
THR  
LEU  
GLU  
ASP  
SER  
SER  
THR  
SER  
LYS  
ARG  
GLU  
GLN  
LEU  
ARG  
GLU

HIS  
ALA  
VAL  
PHE  
ASN  
GLY  
LYS  
LYS  
GLU  
GLU  
PHE  
VAL  
ARG  
CYS  
LEU  
ALA  
GLN  
SER  
SER  
CYS  
THR  
ASN  
GLN  
PRO  
MET  
ASN  
THR  
PRO  
ARG  
GLY  
THR  
LEU  
SER  
GLU  
SER  
GLY  
LYS  
GLU  
THR  
ALA  
ALA  
LYS  
LYS  
PHE  
GLU  
ARG  
GLN  
HIS  
MET  
ASP  
SER  
SER  
THR  
SER  
SER  
ALA  
ALA

## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	314414	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	52.4	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.227	Depositor
Minimum map value	-0.140	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.007	Depositor
Recommended contour level	0.05	Depositor
Map size (Å)	273.92, 273.92, 273.92	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.07, 1.07, 1.07	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.52	0/1047	0.64	0/1425
1	B	0.51	0/1065	0.62	0/1448
2	C	0.42	0/2626	0.59	0/3529
2	D	0.40	0/1780	0.60	0/2410
2	E	0.39	0/2618	0.58	0/3518
2	F	0.40	0/1780	0.60	0/2410
All	All	0.43	0/10916	0.60	0/14740

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1016	0	995	17	0
1	B	1034	0	1014	12	0
2	C	2591	0	2625	27	0
2	D	1754	0	1771	29	0
2	E	2583	0	2619	36	0
2	F	1754	0	1771	31	0
All	All	10732	0	10795	127	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:236:TYR:CE2	2:F:249:LEU:HD22	1.72	1.23
2:E:247:ARG:NE	2:E:281:LEU:HD21	1.80	0.97
2:F:236:TYR:HE2	2:F:249:LEU:HD22	1.13	0.93
2:F:236:TYR:CD2	2:F:249:LEU:HD22	2.08	0.88
1:A:100:ASP:CB	2:C:237:VAL:HG21	2.08	0.83
1:A:100:ASP:HB3	2:C:237:VAL:CG2	2.08	0.81
2:E:315:LEU:HD12	2:E:318:ILE:HD11	1.61	0.80
2:E:247:ARG:CZ	2:E:281:LEU:HD21	2.11	0.80
2:D:239:GLN:O	2:D:250:ASP:HB3	1.84	0.77
1:A:100:ASP:HB3	2:C:237:VAL:HG21	1.66	0.75
2:F:236:TYR:HE2	2:F:249:LEU:CD2	1.97	0.72
2:F:236:TYR:CE2	2:F:249:LEU:CD2	2.65	0.70
1:A:100:ASP:OD2	2:C:237:VAL:HG21	1.94	0.66
2:E:237:VAL:O	2:E:237:VAL:HG23	1.96	0.66
1:A:93:ASN:ND2	1:A:155:PHE:O	2.31	0.63
2:D:239:GLN:HA	2:D:239:GLN:OE1	2.00	0.62
1:A:100:ASP:HB3	2:C:237:VAL:HG22	1.80	0.62
2:F:237:VAL:O	2:F:237:VAL:HG12	2.02	0.60
1:A:128:LEU:HB3	1:B:125:THR:HG22	1.83	0.60
2:C:237:VAL:HG22	2:C:237:VAL:O	2.02	0.60
1:B:135:LEU:HD23	1:B:135:LEU:N	2.18	0.59
2:C:273:ILE:O	2:C:291:ARG:NH2	2.36	0.59
2:E:221:ILE:O	2:F:340:ASN:ND2	2.36	0.58
2:D:240:HIS:NE2	2:D:292:GLU:OE2	2.35	0.58
1:B:110:GLU:HB2	2:F:234:ARG:HH22	1.68	0.58
2:E:240:HIS:NE2	2:E:292:GLU:OE2	2.36	0.58
2:F:240:HIS:NE2	2:F:292:GLU:OE2	2.35	0.58
2:C:149:LEU:HD22	2:C:195:LEU:HD23	1.85	0.57
2:D:296:TYR:OH	2:D:301:ARG:NH1	2.38	0.57
2:F:296:TYR:OH	2:F:301:ARG:NH1	2.38	0.56
1:B:100:ASP:OD2	2:E:237:VAL:HG21	2.05	0.56
2:E:136:VAL:HG21	2:E:213:LEU:HD21	1.88	0.56
2:F:273:ILE:O	2:F:291:ARG:NH1	2.39	0.56
1:B:46:ARG:NH1	2:E:73:ASN:OD1	2.39	0.55
2:E:340:ASN:HD22	2:F:222:GLY:HA2	1.71	0.55
2:E:247:ARG:CZ	2:E:281:LEU:CD2	2.82	0.55
2:D:273:ILE:O	2:D:291:ARG:NH1	2.39	0.55
1:A:100:ASP:CB	2:C:237:VAL:CG2	2.74	0.55
2:C:293:THR:O	2:C:297:ASN:ND2	2.40	0.55
2:F:164:ASN:O	2:F:350:LYS:NZ	2.36	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:136:VAL:HG21	2:C:213:LEU:HD21	1.88	0.54
1:A:60:ILE:HG12	1:A:64:ARG:HH21	1.73	0.53
2:D:330:ILE:HG22	2:D:336:PHE:HA	1.90	0.53
1:B:66:SER:HB3	2:F:257:PRO:HA	1.91	0.53
2:E:118:ILE:HD12	2:E:159:LYS:HG2	1.91	0.53
1:B:76:LEU:HD22	1:B:126:ILE:HD12	1.91	0.52
2:F:162:LYS:HD3	2:F:351:PRO:HA	1.91	0.52
2:F:330:ILE:HG22	2:F:336:PHE:HA	1.90	0.52
2:D:162:LYS:HD3	2:D:351:PRO:HA	1.91	0.52
2:E:247:ARG:CD	2:E:281:LEU:HD21	2.39	0.52
2:F:170:GLN:HE21	2:F:174:ASN:HD21	1.58	0.52
1:A:110:GLU:HB2	2:D:234:ARG:HH22	1.74	0.52
2:E:330:ILE:HG22	2:E:336:PHE:HA	1.91	0.51
2:E:293:THR:O	2:E:297:ASN:ND2	2.43	0.51
2:D:182:LEU:HD21	2:D:346:VAL:HG21	1.92	0.51
2:F:182:LEU:HD21	2:F:346:VAL:HG21	1.92	0.51
1:A:100:ASP:CG	2:C:237:VAL:HG21	2.31	0.51
2:E:303:GLN:HE21	2:E:318:ILE:HG22	1.75	0.51
2:D:170:GLN:HE21	2:D:174:ASN:HD21	1.58	0.51
2:F:170:GLN:NE2	2:F:343:GLU:OE1	2.44	0.51
2:D:170:GLN:NE2	2:D:343:GLU:OE1	2.44	0.51
2:F:236:TYR:CD2	2:F:249:LEU:CD2	2.89	0.51
2:D:164:ASN:O	2:D:350:LYS:NZ	2.36	0.51
1:A:47:ARG:NH2	2:C:80:GLN:OE1	2.33	0.50
2:C:221:ILE:O	2:D:340:ASN:ND2	2.42	0.50
1:A:76:LEU:HD22	1:A:126:ILE:HD12	1.93	0.50
2:C:246:GLN:O	2:C:291:ARG:NH1	2.45	0.49
2:E:71:GLU:OE2	2:E:388:ARG:NH1	2.45	0.49
2:E:251:LEU:HD23	2:E:301:ARG:HD3	1.94	0.49
2:C:340:ASN:ND2	2:D:221:ILE:O	2.46	0.48
2:D:293:THR:O	2:D:297:ASN:ND2	2.45	0.48
2:F:293:THR:O	2:F:297:ASN:ND2	2.45	0.48
2:D:282:CYS:HA	2:D:287:GLY:HA2	1.96	0.48
2:D:239:GLN:O	2:D:250:ASP:CB	2.59	0.48
1:B:130:GLU:OE2	1:B:134:ARG:NH2	2.47	0.48
2:D:236:TYR:CE2	2:D:249:LEU:HD22	2.49	0.48
2:C:228:ILE:HG12	2:D:335:ILE:HG12	1.97	0.47
2:E:246:GLN:HE22	2:E:274:GLN:HG3	1.80	0.47
1:A:132:ILE:HD11	1:B:125:THR:HG21	1.96	0.47
2:C:250:ASP:OD1	2:C:250:ASP:N	2.46	0.46
2:E:282:CYS:HA	2:E:287:GLY:HA2	1.96	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:149:LEU:HD13	2:F:210:LEU:HD12	1.96	0.46
2:D:149:LEU:HD13	2:D:210:LEU:HD12	1.96	0.46
2:E:74:LEU:HD21	2:E:388:ARG:HG2	1.98	0.46
2:C:340:ASN:HD22	2:D:222:GLY:HA2	1.80	0.46
2:C:338:LEU:HB2	2:D:196:GLU:HG3	1.97	0.45
2:D:237:VAL:HG12	2:D:237:VAL:O	2.16	0.45
2:F:118:ILE:HD13	2:F:349:ALA:HB2	1.97	0.45
2:D:118:ILE:HD13	2:D:349:ALA:HB2	1.98	0.45
2:F:282:CYS:HA	2:F:287:GLY:HA2	1.98	0.45
2:C:241:ILE:HD12	2:C:248:ARG:HG3	1.98	0.45
2:D:258:ASN:OD1	2:D:259:GLY:N	2.50	0.44
2:D:236:TYR:O	2:D:236:TYR:CD2	2.70	0.44
2:F:258:ASN:OD1	2:F:259:GLY:N	2.51	0.44
2:E:243:ASP:OD1	2:E:243:ASP:N	2.51	0.44
2:E:280:LEU:O	2:E:281:LEU:HD23	2.17	0.44
2:F:236:TYR:CG	2:F:236:TYR:O	2.70	0.44
2:C:275:ILE:HG12	2:C:291:ARG:HH21	1.82	0.44
2:E:315:LEU:O	2:E:318:ILE:HG12	2.17	0.43
1:A:125:THR:HG21	1:B:132:ILE:HD11	2.00	0.43
2:C:135:LEU:O	2:C:138:THR:OG1	2.32	0.43
2:C:308:ARG:HE	2:C:312:ILE:HD11	1.84	0.43
2:E:342:ASP:OD1	2:E:342:ASP:N	2.50	0.43
2:E:170:GLN:HE21	2:E:174:ASN:ND2	2.18	0.42
2:C:252:LEU:HD23	2:C:252:LEU:HA	1.86	0.42
2:F:149:LEU:HD22	2:F:195:LEU:HD23	2.01	0.42
2:D:149:LEU:HD22	2:D:195:LEU:HD23	2.01	0.42
1:A:107:ASP:N	1:A:107:ASP:OD1	2.53	0.42
1:B:121:LYS:O	1:B:125:THR:HG23	2.20	0.42
1:B:64:ARG:HD2	1:B:127:TRP:CD1	2.55	0.41
2:C:147:LEU:HB3	2:C:148:MET:H	1.63	0.41
2:E:352:THR:HG22	2:E:354:SER:H	1.85	0.41
2:F:341:ARG:HA	2:F:341:ARG:HD2	1.81	0.41
2:F:175:TYR:HD1	2:F:329:ILE:HD12	1.84	0.41
2:E:315:LEU:CD1	2:E:318:ILE:HD11	2.41	0.41
2:E:74:LEU:HD22	2:E:384:GLU:HG3	2.03	0.41
2:D:175:TYR:HD1	2:D:329:ILE:HD12	1.85	0.41
2:E:256:LEU:HD23	2:E:317:CYS:SG	2.61	0.40
2:E:222:GLY:HA2	2:F:340:ASN:HD22	1.86	0.40
2:C:244:ASP:OD2	2:C:248:ARG:NH1	2.54	0.40
1:A:70:PHE:CE2	1:A:113:LEU:HD22	2.57	0.40
2:D:341:ARG:HA	2:D:341:ARG:HD2	1.81	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:135:LEU:O	2:E:138:THR:OG1	2.36	0.40
2:E:170:GLN:HE21	2:E:174:ASN:HD21	1.69	0.40
2:E:233:LEU:HB3	2:E:297:ASN:ND2	2.37	0.40
2:E:236:TYR:CZ	2:E:238:GLY:HA3	2.57	0.40
2:E:335:ILE:HG12	2:F:228:ILE:HG12	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	121/175 (69%)	117 (97%)	4 (3%)	0	100	100
1	B	123/175 (70%)	120 (98%)	3 (2%)	0	100	100
2	C	324/449 (72%)	308 (95%)	16 (5%)	0	100	100
2	D	225/449 (50%)	213 (95%)	12 (5%)	0	100	100
2	E	323/449 (72%)	314 (97%)	9 (3%)	0	100	100
2	F	225/449 (50%)	213 (95%)	12 (5%)	0	100	100
All	All	1341/2146 (62%)	1285 (96%)	56 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	113/160 (71%)	113 (100%)	0	100	100
1	B	115/160 (72%)	115 (100%)	0	100	100
2	C	285/384 (74%)	283 (99%)	2 (1%)	84	93
2	D	192/384 (50%)	191 (100%)	1 (0%)	88	95
2	E	284/384 (74%)	281 (99%)	3 (1%)	73	88
2	F	192/384 (50%)	191 (100%)	1 (0%)	88	95
All	All	1181/1856 (64%)	1174 (99%)	7 (1%)	86	94

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	C	219	ARG
2	C	357	MET
2	D	236	TYR
2	E	52	ASN
2	E	219	ARG
2	E	388	ARG
2	F	236	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	133	HIS
1	B	101	GLN
1	B	111	GLN
1	B	133	HIS
2	C	232	ASN
2	C	240	HIS
2	C	297	ASN
2	C	340	ASN
2	D	170	GLN
2	D	211	HIS
2	D	337	ASN
2	E	52	ASN
2	E	125	HIS
2	E	170	GLN
2	E	211	HIS
2	E	239	GLN
2	E	303	GLN
2	E	340	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	F	170	GLN
2	F	337	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-20080. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 134



Y Index: 129




Z Index: 125


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 47 nm<sup>3</sup>; this corresponds to an approximate mass of 42 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [\(i\)](#)



\*Reported resolution corresponds to spatial frequency of 0.278 Å<sup>-1</sup>




## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-20080 and PDB model 6OIS. Per-residue inclusion information can be found in section 3 on page 8.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.05 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.05).















## 9.4 Atom inclusion [i](#)



At the recommended contour level, 71% of all backbone atoms, 59% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.05) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5880	 0.4440
A	 0.7710	 0.5060
B	 0.7190	 0.4960
C	 0.6320	 0.4530
D	 0.5110	 0.4060
E	 0.5000	 0.4250
F	 0.5490	 0.4290

