



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 7, 2020 – 02:53 PM BST

PDB ID : 6P72
Title : Crystal Structure of the Cedar henipavirus Attachment G Glycoprotein global domain
Authors : Xu, K.; Nikolov, D.B.; Xu, Y.
Deposited on : 2019-06-04
Resolution : 3.28 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 3.28 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.








Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1177 (3.32-3.24)
Clashscore	141614	1044 (3.30-3.26)
Ramachandran outliers	138981	1026 (3.30-3.26)
Sidechain outliers	138945	1025 (3.30-3.26)
RSRZ outliers	127900	1141 (3.32-3.24)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	429	
1	C	429	
2	B	2	
2	D	2	
2	E	2	
2	F	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	G	2	 100%
2	H	2	 100%
2	I	2	 50% 50%
3	J	4	 75% 25%
4	K	5	 20% 80%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	B	2	-	-	-	X
2	NAG	G	1	X	-	-	-
2	NAG	I	1	X	-	-	-
4	NAG	K	1	X	-	-	-
5	NAG	A	705	X	-	-	-
5	NAG	A	706	X	-	-	-
5	NAG	A	709	X	-	-	-
5	NAG	C	706	X	-	-	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 7197 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Attachment glycoprotein.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	426	3410	2165	562	659	24	0	0	0
1	C	426	3410	2165	562	659	24	0	0	0

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	B	2	28	16	2	10	0	0	0
2	D	2	28	16	2	10	0	0	0
2	E	2	28	16	2	10	0	0	0
2	F	2	28	16	2	10	0	0	0
2	G	2	28	16	2	10	0	0	0
2	H	2	28	16	2	10	0	0	0
2	I	2	28	16	2	10	0	0	0

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	J	4	50	28	2	20	0	0	0

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	K	5	61	34	2	25	0	0	0

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
5	A	1	14	8	1	5	0	0
5	A	1	14	8	1	5	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	C	1	Total	C	N	O	0	0
			14	8	1	5		
5	C	1	Total	C	N	O	0	0
			14	8	1	5		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Attachment glycoprotein



- Molecule 1: Attachment glycoprotein



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  50% 50%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  50% 50%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  100%

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I: 50% 50%

MAG1
MAG2

- Molecule 3: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  75% 25%

MAG1
MAG2
BMA3
MAN4

- Molecule 4: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  20% 80%

MAG1
MAG2
BMA3
MAN4
MAN5

4 Data and refinement statistics

Property	Value	Source
Space group	P 65	Depositor
Cell constants a, b, c, α , β , γ	211.68Å 211.68Å 113.19Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	45.83 – 3.28 48.16 – 3.28	Depositor EDS
% Data completeness (in resolution range)	99.0 (45.83-3.28) 92.1 (48.16-3.28)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.02 (at 3.25Å)	Xtrriage
Refinement program	PHENIX 1.8.2_1309	Depositor
R, R_{free}	0.206 , 0.232 0.207 , 0.231	Depositor DCC
R_{free} test set	1996 reflections (4.55%)	wwPDB-VP
Wilson B-factor (Å ²)	98.8	Xtrriage
Anisotropy	0.217	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 34.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.037 for h,-h-k,-l	Xtrriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	7197	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.35% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.53	0/3496	0.69	1/4746 (0.0%)
1	C	0.48	0/3496	0.67	1/4746 (0.0%)
All	All	0.50	0/6992	0.68	2/9492 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	244	LEU	CA-CB-CG	5.63	128.25	115.30
1	A	244	LEU	CA-CB-CG	5.36	127.63	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3410	0	3281	85	0
1	C	3410	0	3282	78	0
2	B	28	0	25	0	0
2	D	28	0	25	1	0
2	E	28	0	25	0	0
2	F	28	0	25	0	0
2	G	28	0	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	H	28	0	25	0	0
2	I	28	0	25	1	0
3	J	50	0	43	1	0
4	K	61	0	52	0	0
5	A	42	0	39	0	0
5	C	28	0	26	0	0
All	All	7197	0	6898	162	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (162) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:535:LEU:HD21	1:A:543:VAL:HG23	1.59	0.84
1:C:362:ASN:HD22	1:C:363:ARG:H	1.30	0.79
1:C:244:LEU:HD23	1:C:307:PRO:HD3	1.66	0.77
1:A:240:MET:HG2	1:A:258:GLU:HG2	1.68	0.76
1:C:454:TYR:HA	1:C:457:LEU:HD13	1.68	0.74
1:C:362:ASN:HD22	1:C:363:ARG:N	1.86	0.73
1:C:362:ASN:ND2	1:C:363:ARG:H	1.86	0.73
1:C:396:HIS:CE1	1:C:417:SER:HA	2.24	0.72
1:C:352:LYS:H	1:C:352:LYS:HD3	1.54	0.71
1:C:233:GLN:OE1	1:C:234:GLN:NE2	2.24	0.71
1:A:478:SER:O	1:A:508:ARG:NH1	2.24	0.70
1:C:492:LYS:HB3	1:C:497:THR:HG23	1.74	0.70
1:A:343:ASN:ND2	1:A:346:ASP:OD2	2.21	0.69
1:A:297:PRO:HG3	1:A:350:THR:HG21	1.78	0.66
1:C:255:ILE:HD11	1:C:316:VAL:HG22	1.78	0.65
1:A:362:ASN:OD1	1:A:363:ARG:N	2.28	0.65
1:C:430:ASN:HB2	1:C:459:PHE:CE1	2.31	0.64
1:A:281:ARG:NH2	1:C:361:ASP:O	2.31	0.64
1:C:396:HIS:HE1	1:C:417:SER:HA	1.61	0.64
1:C:326:THR:O	1:C:327:LEU:HB2	1.98	0.62
1:A:244:LEU:HD23	1:A:307:PRO:HD3	1.82	0.62
1:C:453:THR:HB	1:C:497:THR:HB	1.83	0.61
1:C:320:ILE:HD12	1:C:338:TYR:HD2	1.66	0.61
1:C:337:TYR:O	1:C:353:ILE:HG22	2.01	0.60
1:C:389:ILE:HG21	1:C:394:PHE:HZ	1.67	0.60
1:C:482:ASP:OD1	1:C:519:LYS:HE3	2.02	0.60
1:A:198:THR:HG23	1:A:201:TYR:H	1.67	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:468:THR:HG21	1:A:534:PRO:HD2	1.84	0.59
1:C:543:VAL:HG22	1:C:560:VAL:HG22	1.84	0.59
1:A:516:ARG:HG2	1:A:517:TYR:CD2	2.37	0.59
1:C:320:ILE:HD12	1:C:338:TYR:CD2	2.39	0.57
1:C:423:PRO:HB3	1:C:525:TYR:HD2	1.69	0.56
1:C:508:ARG:HB2	1:C:528:THR:HG22	1.85	0.56
1:C:423:PRO:HB3	1:C:525:TYR:CD2	2.41	0.56
1:A:602:ASN:HD21	1:A:605:ASN:HA	1.71	0.56
1:C:329:ASN:ND2	2:I:1:NAG:O7	2.39	0.55
1:A:452:ILE:HG13	1:A:496:PHE:HD2	1.71	0.55
1:C:478:SER:O	1:C:508:ARG:NH1	2.39	0.55
1:C:483:THR:HB	1:C:508:ARG:NE	2.23	0.54
1:C:392:ASP:HB2	1:C:429:TYR:CZ	2.43	0.54
1:A:420:LEU:HD22	1:A:459:PHE:HA	1.89	0.53
1:A:465:LEU:HD21	1:A:496:PHE:HZ	1.73	0.53
1:A:557:GLU:OE2	1:A:569:LYS:HD2	2.09	0.53
1:C:492:LYS:HB3	1:C:497:THR:CG2	2.38	0.53
1:A:211:PHE:HA	1:A:620:LYS:HA	1.91	0.53
1:C:330:SER:OG	1:C:331:ASP:N	2.42	0.53
1:A:255:ILE:HD11	1:A:316:VAL:HG22	1.92	0.53
1:A:438:SER:HB2	1:A:446:LYS:HB2	1.91	0.52
1:A:465:LEU:HD21	1:A:496:PHE:CZ	2.44	0.52
1:C:332:TYR:HD1	1:C:355:ILE:HD11	1.74	0.52
1:C:557:GLU:OE1	1:C:569:LYS:HD2	2.10	0.52
1:A:322:ASN:ND2	2:D:1:NAG:O7	2.43	0.51
1:A:435:MET:CE	1:A:437:ILE:HD11	2.41	0.51
1:A:607:LYS:HE2	1:A:608:SER:H	1.75	0.51
1:A:241:ASN:OD1	1:A:257:TYR:HB2	2.11	0.51
1:A:423:PRO:HD3	1:A:525:TYR:CE2	2.46	0.51
1:A:343:ASN:OD1	1:A:345:ILE:HG22	2.10	0.51
1:A:483:THR:OG1	1:A:508:ARG:NE	2.44	0.51
1:A:414:GLU:O	1:A:418:GLU:HG3	2.11	0.51
1:C:222:ARG:O	1:C:285:ARG:NH1	2.44	0.50
1:A:351:LYS:HE2	1:A:442:MET:HB3	1.93	0.50
1:A:507:SER:HB3	1:A:516:ARG:HG3	1.94	0.50
1:A:395:THR:O	1:A:395:THR:OG1	2.28	0.50
1:A:461:SER:HB2	1:A:462:PRO:HD2	1.91	0.50
1:A:542:TYR:HB2	1:A:561:PHE:CE1	2.47	0.50
1:A:339:ILE:HG13	1:A:353:ILE:HD11	1.93	0.50
1:A:392:ASP:OD2	1:A:417:SER:OG	2.27	0.50
1:A:483:THR:HG21	1:A:518:HIS:H	1.77	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:495:PRO:O	1:C:497:THR:HG22	2.11	0.49
1:C:389:ILE:HG21	1:C:394:PHE:CZ	2.48	0.49
1:A:483:THR:HG21	1:A:518:HIS:N	2.27	0.49
1:A:482:ASP:OD1	1:A:519:LYS:HE3	2.13	0.49
1:C:443:THR:OG1	1:C:444:ASP:N	2.45	0.49
1:C:240:MET:HB2	1:C:609:ILE:O	2.13	0.49
1:A:228:TYR:HE1	1:A:288:LEU:O	1.94	0.49
1:A:481:TRP:CD2	1:A:521:PRO:HA	2.48	0.49
1:C:469:LEU:HD13	1:C:537:LEU:HG	1.95	0.48
1:C:211:PHE:HA	1:C:620:LYS:HA	1.94	0.48
1:A:392:ASP:HB2	1:A:429:TYR:CZ	2.49	0.48
1:C:507:SER:HB3	1:C:516:ARG:HG3	1.96	0.48
1:A:340:THR:HG23	1:A:350:THR:HG22	1.96	0.48
1:C:343:ASN:ND2	1:C:346:ASP:OD2	2.46	0.48
1:C:542:TYR:HB2	1:C:561:PHE:CE1	2.48	0.48
1:A:214:SER:OG	1:A:215:VAL:N	2.48	0.47
1:A:430:ASN:HB2	1:A:459:PHE:CE1	2.49	0.47
1:C:508:ARG:NH2	1:C:514:CYS:O	2.48	0.47
1:A:511:GLN:HG2	1:A:551:GLN:HB3	1.97	0.47
1:C:235:ASP:O	1:C:238:ILE:HG22	2.15	0.47
1:A:256:HIS:CD2	1:A:256:HIS:C	2.88	0.47
1:A:342:PHE:HB3	1:A:348:PRO:HA	1.96	0.47
1:C:233:GLN:HG2	1:C:238:ILE:HG21	1.96	0.47
1:C:387:THR:OG1	1:C:431:LEU:O	2.30	0.47
1:C:292:SER:HB3	1:C:344:GLY:HA2	1.97	0.47
1:C:453:THR:N	1:C:496:PHE:O	2.48	0.46
1:C:430:ASN:HB2	1:C:459:PHE:HE1	1.80	0.46
1:A:574:LYS:HD2	1:A:574:LYS:N	2.30	0.46
1:C:552:LEU:HD23	1:C:552:LEU:HA	1.80	0.46
1:A:271:VAL:HG22	1:A:296:HIS:HB2	1.97	0.46
1:C:461:SER:HB2	1:C:462:PRO:HD2	1.98	0.46
1:A:513:ASN:C	1:A:515:PRO:HD3	2.37	0.45
1:A:292:SER:HB3	1:A:344:GLY:HA2	1.99	0.45
1:A:604:PHE:HB2	1:A:607:LYS:HB2	1.96	0.45
1:C:353:ILE:O	1:C:355:ILE:HG22	2.16	0.45
1:A:481:TRP:CG	1:A:521:PRO:HA	2.51	0.45
1:A:317:PHE:HE2	1:A:437:ILE:HD12	1.81	0.45
1:A:452:ILE:HG13	1:A:496:PHE:CD2	2.51	0.45
1:C:400:GLU:HA	1:C:412:LEU:CD2	2.47	0.45
1:C:352:LYS:HD3	1:C:352:LYS:N	2.27	0.45
1:A:542:TYR:HB2	1:A:561:PHE:CZ	2.52	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:353:ILE:O	1:C:355:ILE:N	2.48	0.44
1:A:222:ARG:O	1:A:285:ARG:NH1	2.46	0.44
1:A:443:THR:OG1	1:A:444:ASP:N	2.51	0.44
1:C:204:LEU:HA	1:C:588:LEU:HG	1.98	0.44
1:A:330:SER:OG	1:A:331:ASP:N	2.50	0.44
1:C:540:ASP:O	1:C:562:ASN:HA	2.18	0.44
1:A:435:MET:HE3	1:A:437:ILE:HD11	2.00	0.44
1:C:414:GLU:O	1:C:418:GLU:HG3	2.18	0.44
1:A:481:TRP:HA	1:A:514:CYS:SG	2.58	0.44
1:C:353:ILE:HD12	1:C:354:PRO:HD2	2.00	0.44
1:C:481:TRP:CD2	1:C:521:PRO:HA	2.53	0.44
1:C:198:THR:HB	1:C:201:TYR:H	1.83	0.43
1:C:332:TYR:CD1	1:C:355:ILE:HD11	2.53	0.43
1:C:362:ASN:ND2	1:C:363:ARG:N	2.55	0.43
3:J:2:NAG:H4	3:J:3:BMA:H2	1.74	0.43
1:A:387:THR:OG1	1:A:431:LEU:O	2.33	0.43
1:C:398:TYR:OH	1:C:519:LYS:HE2	2.18	0.43
1:C:270:LYS:HA	1:C:299:SER:HB3	2.00	0.43
1:A:578:ASN:HB3	1:A:602:ASN:O	2.19	0.43
1:A:533:ALA:HA	1:A:534:PRO:HD3	1.87	0.43
1:A:594:TRP:CE2	1:A:617:LYS:HB2	2.54	0.43
1:A:242:ASN:O	1:A:244:LEU:HD13	2.19	0.43
1:A:292:SER:CB	1:A:344:GLY:HA2	2.49	0.43
1:A:411:SER:OG	1:A:414:GLU:HB2	2.20	0.42
1:C:509:PRO:HG3	1:C:547:LEU:HB2	2.01	0.42
1:C:516:ARG:HG2	1:C:517:TYR:CD2	2.54	0.42
1:A:303:ILE:HA	1:A:303:ILE:HD13	1.85	0.42
1:A:535:LEU:HD21	1:A:543:VAL:CG2	2.38	0.42
1:A:543:VAL:HG22	1:A:560:VAL:HG22	2.00	0.42
1:C:241:ASN:OD1	1:C:257:TYR:HB2	2.19	0.42
1:A:341:TYR:CZ	1:A:349:LYS:HG3	2.55	0.42
1:A:320:ILE:HD12	1:A:338:TYR:CE2	2.55	0.42
1:A:315:PHE:CE2	1:A:442:MET:HE3	2.55	0.42
1:C:392:ASP:OD2	1:C:417:SER:OG	2.34	0.42
1:A:257:TYR:OH	1:A:305:CYS:HB2	2.19	0.42
1:C:411:SER:O	1:C:415:ILE:HG23	2.20	0.42
1:A:540:ASP:O	1:A:562:ASN:HA	2.20	0.41
1:C:595:CYS:HB2	1:C:616:TYR:CE2	2.54	0.41
1:A:340:THR:OG1	1:A:350:THR:HB	2.20	0.41
1:A:214:SER:O	1:A:567:LEU:HB3	2.21	0.41
1:C:506:ILE:HG13	1:C:561:PHE:CE2	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:281:ARG:HG2	1:C:454:TYR:CZ	2.55	0.41
1:A:516:ARG:O	1:A:517:TYR:HB2	2.19	0.41
1:A:595:CYS:HB2	1:A:616:TYR:CE2	2.55	0.41
1:A:292:SER:OG	1:A:344:GLY:HA2	2.20	0.41
1:C:452:ILE:HG13	1:C:496:PHE:HD2	1.87	0.40
1:A:245:LEU:HD12	1:A:253:THR:O	2.21	0.40
1:A:594:TRP:CZ2	1:A:617:LYS:HB2	2.57	0.40
1:C:533:ALA:HA	1:C:534:PRO:HD3	1.97	0.40
1:A:552:LEU:HD23	1:A:552:LEU:HA	1.94	0.40
1:C:342:PHE:HB3	1:C:348:PRO:HA	2.02	0.40
1:C:371:GLY:HA3	1:C:463:GLY:O	2.22	0.40
1:C:469:LEU:CD1	1:C:537:LEU:HG	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	424/429 (99%)	409 (96%)	15 (4%)	0	100	100
1	C	424/429 (99%)	405 (96%)	19 (4%)	0	100	100
All	All	848/858 (99%)	814 (96%)	34 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	396/398 (100%)	367 (93%)	29 (7%)	14	40
1	C	396/398 (100%)	360 (91%)	36 (9%)	9	31
All	All	792/796 (100%)	727 (92%)	65 (8%)	11	36

All (65) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	222	ARG
1	A	227	ASP
1	A	244	LEU
1	A	256	HIS
1	A	269	PHE
1	A	281	ARG
1	A	308	VAL
1	A	320	ILE
1	A	324	THR
1	A	350	THR
1	A	355	ILE
1	A	357	ASN
1	A	359	THR
1	A	363	ARG
1	A	366	HIS
1	A	385	VAL
1	A	390	ASN
1	A	412	LEU
1	A	420	LEU
1	A	431	LEU
1	A	439	GLN
1	A	483	THR
1	A	505	VAL
1	A	508	ARG
1	A	522	GLU
1	A	541	MET
1	A	574	LYS
1	A	604	PHE
1	A	607	LYS
1	C	210	ILE
1	C	215	VAL
1	C	234	GLN
1	C	244	LEU
1	C	256	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	267	ASP
1	C	269	PHE
1	C	270	LYS
1	C	274	SER
1	C	303	ILE
1	C	308	VAL
1	C	324	THR
1	C	334	SER
1	C	352	LYS
1	C	355	ILE
1	C	362	ASN
1	C	363	ARG
1	C	366	HIS
1	C	401	SER
1	C	407	GLN
1	C	419	SER
1	C	431	LEU
1	C	439	GLN
1	C	449	LEU
1	C	468	THR
1	C	480	SER
1	C	486	LYS
1	C	497	THR
1	C	505	VAL
1	C	508	ARG
1	C	522	GLU
1	C	528	THR
1	C	604	PHE
1	C	605	ASN
1	C	607	LYS
1	C	608	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	407	GLN
1	A	602	ASN
1	C	275	HIS
1	C	362	ASN
1	C	407	GLN
1	C	439	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

23 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	B	1	1,2	14,14,15	0.22	0	17,19,21	0.62	0
2	NAG	B	2	2	14,14,15	0.34	0	17,19,21	0.50	0
2	NAG	D	1	1,2	14,14,15	0.53	0	17,19,21	0.61	0
2	NAG	D	2	2	14,14,15	0.32	0	17,19,21	0.38	0
2	NAG	E	1	1,2	14,14,15	0.72	1 (7%)	17,19,21	0.64	0
2	NAG	E	2	2	14,14,15	0.56	0	17,19,21	0.44	0
2	NAG	F	1	1,2	14,14,15	0.31	0	17,19,21	0.50	0
2	NAG	F	2	2	14,14,15	0.33	0	17,19,21	0.56	0
2	NAG	G	1	1,2	14,14,15	0.48	0	17,19,21	0.52	0
2	NAG	G	2	2	14,14,15	0.51	0	17,19,21	0.40	0
2	NAG	H	1	1,2	14,14,15	0.29	0	17,19,21	0.54	0
2	NAG	H	2	2	14,14,15	0.49	0	17,19,21	0.59	0
2	NAG	I	1	1,2	14,14,15	0.64	0	17,19,21	0.84	1 (5%)
2	NAG	I	2	2	14,14,15	0.56	0	17,19,21	0.52	0
3	NAG	J	1	1,3	14,14,15	1.12	1 (7%)	17,19,21	0.66	0
3	NAG	J	2	3	14,14,15	0.34	0	17,19,21	0.77	0
3	BMA	J	3	3	11,11,12	1.49	2 (18%)	15,15,17	1.31	3 (20%)
3	MAN	J	4	3	11,11,12	0.76	0	15,15,17	1.73	2 (13%)
4	NAG	K	1	1,4	14,14,15	0.76	1 (7%)	17,19,21	1.19	1 (5%)
4	NAG	K	2	4	14,14,15	0.36	0	17,19,21	0.65	0
4	BMA	K	3	4	11,11,12	1.57	2 (18%)	15,15,17	1.54	3 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	MAN	K	4	4	11,11,12	1.23	1 (9%)	15,15,17	1.63	1 (6%)
4	MAN	K	5	4	11,11,12	1.06	2 (18%)	15,15,17	1.02	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	B	2	2	-	2/6/23/26	0/1/1/1
2	NAG	D	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	D	2	2	-	2/6/23/26	0/1/1/1
2	NAG	E	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	E	2	2	-	2/6/23/26	0/1/1/1
2	NAG	F	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	F	2	2	-	2/6/23/26	0/1/1/1
2	NAG	G	1	1,2	1/1/5/7	1/6/23/26	0/1/1/1
2	NAG	G	2	2	-	2/6/23/26	0/1/1/1
2	NAG	H	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	H	2	2	-	3/6/23/26	0/1/1/1
2	NAG	I	1	1,2	1/1/5/7	0/6/23/26	0/1/1/1
2	NAG	I	2	2	-	4/6/23/26	0/1/1/1
3	NAG	J	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	J	2	3	-	1/6/23/26	0/1/1/1
3	BMA	J	3	3	-	2/2/19/22	0/1/1/1
3	MAN	J	4	3	-	1/2/19/22	0/1/1/1
4	NAG	K	1	1,4	1/1/5/7	4/6/23/26	0/1/1/1
4	NAG	K	2	4	-	4/6/23/26	0/1/1/1
4	BMA	K	3	4	-	0/2/19/22	0/1/1/1
4	MAN	K	4	4	-	2/2/19/22	1/1/1/1
4	MAN	K	5	4	-	2/2/19/22	0/1/1/1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	J	1	NAG	O5-C1	-4.12	1.37	1.43
4	K	3	BMA	O5-C1	-3.64	1.37	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	1	NAG	O5-C1	-2.64	1.39	1.43
3	J	3	BMA	C1-C2	2.64	1.58	1.52
3	J	3	BMA	C4-C5	2.37	1.58	1.53
4	K	5	MAN	C4-C3	2.37	1.58	1.52
4	K	4	MAN	O5-C5	2.34	1.48	1.43
4	K	5	MAN	O5-C1	-2.17	1.40	1.43
4	K	3	BMA	C4-C3	2.11	1.57	1.52
4	K	1	NAG	O5-C1	2.03	1.47	1.43

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	J	4	MAN	C1-O5-C5	5.31	119.39	112.19
4	K	4	MAN	C1-O5-C5	4.80	118.69	112.19
4	K	1	NAG	C1-O5-C5	4.38	118.12	112.19
4	K	3	BMA	C2-C3-C4	3.86	117.57	110.89
4	K	3	BMA	C3-C4-C5	2.88	115.38	110.24
3	J	3	BMA	C1-C2-C3	-2.81	106.21	109.67
3	J	4	MAN	O5-C1-C2	2.57	114.74	110.77
4	K	5	MAN	O2-C2-C3	-2.37	105.40	110.14
3	J	3	BMA	O2-C2-C1	2.29	113.84	109.15
4	K	3	BMA	C1-C2-C3	2.24	112.41	109.67
2	I	1	NAG	C1-O5-C5	2.18	115.14	112.19
3	J	3	BMA	O3-C3-C4	2.16	115.35	110.35

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	G	1	NAG	C1
2	I	1	NAG	C1
4	K	1	NAG	C1

All (42) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	I	2	NAG	C4-C5-C6-O6
2	E	2	NAG	C4-C5-C6-O6
2	I	2	NAG	O5-C5-C6-O6
2	E	2	NAG	O5-C5-C6-O6
2	B	1	NAG	O5-C5-C6-O6
3	J	3	BMA	O5-C5-C6-O6
2	E	1	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	1	NAG	C4-C5-C6-O6
4	K	2	NAG	O5-C5-C6-O6
2	G	2	NAG	C4-C5-C6-O6
2	D	2	NAG	C4-C5-C6-O6
4	K	2	NAG	C4-C5-C6-O6
4	K	2	NAG	C8-C7-N2-C2
4	K	2	NAG	O7-C7-N2-C2
2	F	2	NAG	C8-C7-N2-C2
2	F	2	NAG	O7-C7-N2-C2
4	K	1	NAG	C8-C7-N2-C2
4	K	1	NAG	O7-C7-N2-C2
2	H	2	NAG	C8-C7-N2-C2
2	H	2	NAG	O7-C7-N2-C2
2	H	1	NAG	C8-C7-N2-C2
2	H	1	NAG	O7-C7-N2-C2
2	I	2	NAG	C8-C7-N2-C2
2	I	2	NAG	O7-C7-N2-C2
2	G	2	NAG	O5-C5-C6-O6
3	J	3	BMA	C4-C5-C6-O6
2	E	1	NAG	O5-C5-C6-O6
2	D	2	NAG	O5-C5-C6-O6
4	K	4	MAN	O5-C5-C6-O6
4	K	4	MAN	C4-C5-C6-O6
2	G	1	NAG	O5-C5-C6-O6
2	B	2	NAG	C4-C5-C6-O6
3	J	4	MAN	O5-C5-C6-O6
3	J	2	NAG	O5-C5-C6-O6
3	J	1	NAG	C4-C5-C6-O6
2	B	2	NAG	O5-C5-C6-O6
4	K	1	NAG	O5-C5-C6-O6
3	J	1	NAG	O5-C5-C6-O6
4	K	1	NAG	C4-C5-C6-O6
4	K	5	MAN	C4-C5-C6-O6
4	K	5	MAN	O5-C5-C6-O6
2	H	2	NAG	C4-C5-C6-O6


All (1) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	K	4	MAN	C1-C2-C3-C4-C5-O5


4 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	1	NAG	1	0
3	J	3	BMA	1	0
2	I	1	NAG	1	0
3	J	2	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

















5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	NAG	A	709	1	14,14,15	0.52	0	17,19,21	0.42	0
5	NAG	C	706	1	14,14,15	0.54	0	17,19,21	0.51	0
5	NAG	A	706	1	14,14,15	0.69	0	17,19,21	0.50	0
5	NAG	A	705	1	14,14,15	0.42	0	17,19,21	0.44	0
5	NAG	C	703	1	14,14,15	0.79	1 (7%)	17,19,21	0.63	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	A	709	1	1/1/5/7	1/6/23/26	0/1/1/1
5	NAG	C	706	1	1/1/5/7	1/6/23/26	0/1/1/1
5	NAG	A	706	1	1/1/5/7	2/6/23/26	0/1/1/1
5	NAG	A	705	1	1/1/5/7	0/6/23/26	0/1/1/1
5	NAG	C	703	1	-	1/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	C	703	NAG	C1-C2	2.38	1.55	1.52

There are no bond angle outliers.

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	A	709	NAG	C1
5	C	706	NAG	C1
5	A	706	NAG	C1
5	A	705	NAG	C1

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	C	703	NAG	O5-C5-C6-O6
5	A	706	NAG	C4-C5-C6-O6
5	A	706	NAG	O5-C5-C6-O6
5	A	709	NAG	C1-C2-N2-C7
5	C	706	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	426/429 (99%)	-0.11	5 (1%) 79 78	25, 50, 97, 148	0
1	C	426/429 (99%)	-0.15	4 (0%) 84 84	30, 61, 110, 145	0
All	All	852/858 (99%)	-0.13	9 (1%) 80 80	25, 55, 106, 148	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	408	THR	4.2
1	A	379	GLU	3.3
1	C	407	GLN	2.9
1	A	406	VAL	2.3
1	C	405	SER	2.3
1	A	407	GLN	2.3
1	C	406	VAL	2.2
1	A	351	LYS	2.2
1	A	355	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MAN	J	4	11/12	0.67	0.20	87,113,126,129	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	F	2	14/15	0.79	0.20	107,114,117,119	0
2	NAG	D	1	14/15	0.80	0.19	65,90,108,113	0
2	NAG	I	2	14/15	0.80	0.26	97,102,105,106	0
2	NAG	B	2	14/15	0.80	0.42	109,116,122,122	0
2	NAG	D	2	14/15	0.84	0.20	118,125,132,133	0
4	MAN	K	4	11/12	0.86	0.22	90,99,120,121	0
3	NAG	J	2	14/15	0.86	0.15	97,102,110,118	0
3	BMA	J	3	11/12	0.87	0.15	108,120,161,162	0
2	NAG	H	2	14/15	0.88	0.26	104,112,114,114	0
2	NAG	B	1	14/15	0.88	0.20	79,91,104,110	0
2	NAG	E	2	14/15	0.89	0.26	84,93,102,106	0
4	BMA	K	3	11/12	0.90	0.17	79,100,107,116	0
2	NAG	G	2	14/15	0.91	0.14	82,92,95,96	0
4	NAG	K	2	14/15	0.93	0.17	69,82,94,95	0
2	NAG	G	1	14/15	0.93	0.22	82,89,96,98	0
4	MAN	K	5	11/12	0.94	0.42	79,91,95,95	0
2	NAG	H	1	14/15	0.95	0.13	70,87,96,98	0
4	NAG	K	1	14/15	0.95	0.20	57,67,75,82	0
2	NAG	F	1	14/15	0.96	0.12	66,76,81,94	0
2	NAG	I	1	14/15	0.96	0.14	57,71,85,86	0
3	NAG	J	1	14/15	0.96	0.20	55,71,81,88	0
2	NAG	E	1	14/15	0.97	0.17	44,46,70,70	0



The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain D:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain E:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain J:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NAG	A	706	14/15	0.63	0.31	114,123,130,130	0
5	NAG	A	709	14/15	0.80	0.34	127,138,145,145	0
5	NAG	A	705	14/15	0.82	0.38	107,116,121,122	0
5	NAG	C	706	14/15	0.83	0.38	119,125,129,129	0
5	NAG	C	703	14/15	0.86	0.12	74,90,92,93	0

6.5 Other polymers [i](#)

There are no such residues in this entry.