



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 4, 2023 – 06:45 PM EDT

PDB ID : 6PGM
Title : PirF geranyltransferase
Authors : Nair, S.K.; Hao, Y.; Estrada, P.
Deposited on : 2019-06-24
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtrriage (Phenix) : 1.13
EDS : **FAILED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 5047 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PirF Geranyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	291	2437	1584	405	441	7	0	0	0
1	B	291	2433	1582	404	440	7	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	190	LYS	GLU	conflict	UNP J3S802
B	190	LYS	GLU	conflict	UNP J3S802

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	98	Total	O	0	0
			98	98		
2	B	79	Total	O	0	0
			79	79		

SEQUENCE-PLOTS INFOmissingINFO

3 Data and refinement statistics i

EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	122.90Å 93.91Å 93.83Å 90.00° 128.51° 90.00°	Depositor
Resolution (Å)	48.08 – 2.30	Depositor
% Data completeness (in resolution range)	99.6 (48.08-2.30)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.69 (at 2.29Å)	Xtrriage
Refinement program	PHENIX (1.11.1_2575: ???)	Depositor
R, R_{free}	0.224 , 0.268	Depositor
Wilson B-factor (Å ²)	38.0	Xtrriage
Anisotropy	0.137	Xtrriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.012 for h,-k,-h-l	Xtrriage
Total number of atoms	5047	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 23.73 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.3981e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

4 Model quality [i](#)

4.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.46	0/2494	0.61	0/3360
1	B	0.43	0/2490	0.59	0/3355
All	All	0.44	0/4984	0.60	0/6715

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

4.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2437	0	2421	52	1
1	B	2433	0	2415	56	1
2	A	98	0	0	12	1
2	B	79	0	0	11	0
All	All	5047	0	4836	99	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2:MET:N	2:B:301:HOH:O	2.01	0.92

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:110:ASN:OD1	2:A:301:HOH:O	1.87	0.91
1:A:43:MET:HG3	1:B:36:ARG:HH22	1.45	0.82
1:A:9:LYS:NZ	2:A:305:HOH:O	2.15	0.79
1:A:2:MET:N	2:A:308:HOH:O	2.20	0.73
1:B:46:GLU:OE1	2:B:302:HOH:O	2.07	0.73
1:B:195:LYS:N	2:B:307:HOH:O	2.22	0.72
1:B:139:ARG:NH1	1:B:187:GLU:OE2	2.24	0.70
1:A:242:ASP:OD2	2:A:302:HOH:O	2.10	0.69
1:A:39:GLU:OE1	2:A:303:HOH:O	2.10	0.69
1:B:10:ASN:O	2:B:303:HOH:O	2.10	0.68
1:A:36:ARG:HH21	1:B:43:MET:HG3	1.59	0.67
1:A:71:PHE:O	2:A:304:HOH:O	2.15	0.65
1:A:115:LYS:HE3	2:A:356:HOH:O	1.98	0.63
1:B:124:ASP:OD2	1:B:126:ARG:NH1	2.32	0.62
1:B:12:LEU:HD21	1:B:294:PHE:HB3	1.79	0.62
1:A:42:VAL:HG22	1:A:69:LEU:HD13	1.81	0.62
1:B:11:SER:HA	2:B:303:HOH:O	2.00	0.62
1:B:75:GLU:HB3	1:B:78:LYS:HE2	1.82	0.61
1:A:56:LYS:HG2	1:A:63:ILE:HG22	1.81	0.60
1:B:273:THR:HG22	1:B:274:THR:H	1.66	0.59
1:A:22:ASN:OD1	2:A:306:HOH:O	2.17	0.59
1:A:194:PHE:HA	2:A:317:HOH:O	2.02	0.59
1:B:118:VAL:HB	1:B:139:ARG:HB2	1.85	0.58
1:B:135:LYS:NZ	2:B:310:HOH:O	2.28	0.58
1:A:45:VAL:HG21	1:A:69:LEU:HD21	1.85	0.58
1:A:9:LYS:O	1:A:10:ASN:HB2	2.04	0.58
1:A:73:ASP:HB2	1:A:79:TYR:OH	2.06	0.56
1:A:36:ARG:HD2	1:B:39:GLU:OE2	2.06	0.55
1:A:98:LEU:HD11	1:A:134:LEU:HD12	1.87	0.55
1:A:25:GLN:CD	1:B:25:GLN:HB2	2.27	0.55
1:B:98:LEU:HD11	1:B:134:LEU:HD12	1.89	0.54
1:A:270:TRP:HB2	1:A:289:TYR:HB2	1.89	0.54
1:B:231:PRO:HD2	1:B:275:GLN:HB3	1.89	0.54
1:A:190:LYS:HE3	1:A:238:LYS:HZ1	1.73	0.54
1:A:287:ARG:HG2	1:A:289:TYR:CE2	2.42	0.53
1:A:231:PRO:HD2	1:A:275:GLN:HB3	1.90	0.53
1:B:39:GLU:OE1	2:B:304:HOH:O	2.18	0.53
1:A:12:LEU:HD13	1:A:15:GLN:OE1	2.08	0.53
1:A:116:LEU:HD21	1:A:138:ILE:HG12	1.90	0.53
1:A:127:THR:O	2:A:307:HOH:O	2.19	0.52
1:B:66:ARG:HD3	1:B:124:ASP:OD1	2.09	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:258:SER:HA	1:B:261:GLN:HG2	1.91	0.52
1:B:277:GLU:HG2	1:B:283:ILE:HG23	1.91	0.52
1:A:116:LEU:HD21	1:A:138:ILE:CG1	2.40	0.51
1:B:250:ASN:HA	1:B:282:ARG:HD3	1.92	0.51
1:A:2:MET:N	2:A:314:HOH:O	2.44	0.51
1:A:32:ILE:HD12	1:B:18:LYS:HG3	1.92	0.51
1:B:268:ASN:CB	2:B:306:HOH:O	2.59	0.51
1:A:36:ARG:NH2	1:B:43:MET:HG3	2.25	0.50
1:A:2:MET:HG3	1:B:130:ALA:HB2	1.94	0.50
1:B:10:ASN:HA	1:B:13:LYS:HD2	1.94	0.49
1:A:43:MET:HG3	1:B:36:ARG:NH2	2.21	0.49
1:A:66:ARG:HD3	1:A:124:ASP:OD1	2.13	0.49
1:B:248:LYS:HB2	1:B:248:LYS:HE2	1.58	0.48
1:A:138:ILE:HG22	1:A:170:VAL:HB	1.96	0.48
1:B:46:GLU:OE1	1:B:46:GLU:N	2.42	0.48
1:B:268:ASN:HB2	2:B:306:HOH:O	2.12	0.48
1:B:125:LEU:HD23	1:B:125:LEU:HA	1.80	0.47
1:A:56:LYS:HB3	1:A:64:ALA:HB3	1.96	0.47
1:A:2:MET:CE	1:A:7:ILE:HD11	2.45	0.47
1:A:248:LYS:HD2	1:A:281:THR:O	2.14	0.47
1:B:143:TYR:CZ	1:B:146:LYS:HG2	2.49	0.47
1:A:295:LYS:NZ	2:A:319:HOH:O	2.48	0.47
1:B:77:GLU:HB3	1:B:78:LYS:NZ	2.30	0.46
1:A:35:LEU:HD21	1:A:67:PHE:CE2	2.51	0.46
1:B:273:THR:HG23	1:B:285:ASN:O	2.15	0.46
1:A:115:LYS:HD3	1:A:143:TYR:CG	2.51	0.46
1:B:276:LYS:HD3	1:B:276:LYS:HA	1.79	0.46
1:A:255:ARG:HB3	1:A:255:ARG:NH1	2.31	0.46
1:B:190:LYS:HE3	1:B:238:LYS:HE2	1.98	0.45
1:B:71:PHE:O	2:B:305:HOH:O	2.20	0.45
1:A:56:LYS:HG2	1:A:63:ILE:CG2	2.46	0.45
1:A:66:ARG:NH1	1:A:135:LYS:HE3	2.31	0.44
1:B:8:GLN:HA	1:B:11:SER:HB3	1.99	0.44
1:B:2:MET:C	1:B:3:ILE:HG13	2.38	0.44
1:B:39:GLU:O	1:B:43:MET:HG2	2.17	0.44
1:A:167:LEU:HD23	1:A:186:PRO:HB3	1.99	0.44
1:B:128:ASN:N	2:B:318:HOH:O	2.38	0.44
1:B:117:GLU:OE1	1:B:141:LYS:HE3	2.18	0.43
1:B:73:ASP:HB2	1:B:79:TYR:OH	2.18	0.43
1:B:78:LYS:N	1:B:78:LYS:HD3	2.34	0.43
1:A:13:LYS:HD3	1:A:43:MET:SD	2.58	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:72:LYS:HA	1:A:72:LYS:HD3	1.72	0.43
1:A:148:ASN:OD1	1:A:164:ARG:NH1	2.52	0.43
1:B:124:ASP:HB2	1:B:135:LYS:HE2	2.01	0.43
1:A:2:MET:HE2	1:A:7:ILE:HD11	2.00	0.42
1:B:52:GLU:HB2	1:B:291:TYR:CE1	2.54	0.42
1:B:270:TRP:HB2	1:B:289:TYR:HB2	2.01	0.42
1:B:119:LEU:HD13	1:B:138:ILE:HG22	2.02	0.42
1:B:146:LYS:HD3	1:B:146:LYS:HA	1.94	0.41
1:A:159:ASP:OD1	1:A:159:ASP:N	2.52	0.41
1:A:161:THR:HG22	1:A:164:ARG:NH2	2.36	0.41
1:B:54:SER:OG	1:B:66:ARG:HB3	2.20	0.41
1:B:64:ALA:HB2	1:B:126:ARG:HD3	2.02	0.41
1:A:15:GLN:H	1:A:15:GLN:HG3	1.66	0.41
1:A:43:MET:HG3	1:B:36:ARG:HH12	1.86	0.40
1:B:63:ILE:HA	1:B:63:ILE:HD13	1.75	0.40
1:B:75:GLU:HB3	1:B:78:LYS:CE	2.49	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:372:HOH:O	2:A:384:HOH:O[2_555]	2.07	0.13
1:A:281:THR:OG1	1:B:112:ASP:OD1[3_555]	2.17	0.03

4.3 Torsion angles [i](#)

4.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	287/295 (97%)	273 (95%)	13 (4%)	1 (0%)	41	50
1	B	287/295 (97%)	271 (94%)	15 (5%)	1 (0%)	41	50
All	All	574/590 (97%)	544 (95%)	28 (5%)	2 (0%)	41	50

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	10	ASN
1	B	224	PHE

4.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	268/273 (98%)	265 (99%)	3 (1%)	73	86
1	B	267/273 (98%)	257 (96%)	10 (4%)	34	48
All	All	535/546 (98%)	522 (98%)	13 (2%)	49	66

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	143	TYR
1	A	159	ASP
1	A	273	THR
1	B	60	ASP
1	B	78	LYS
1	B	88	ARG
1	B	93	ARG
1	B	115	LYS
1	B	126	ARG
1	B	139	ARG
1	B	143	TYR
1	B	213	PRO
1	B	224	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	149	GLN

4.3.3 RNA [i](#)

There are no RNA molecules in this entry.

4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

4.6 Ligand geometry [i](#)

There are no ligands in this entry.

4.7 Other polymers [i](#)

There are no such residues in this entry.

4.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

5 Fit of model and data

5.1 Protein, DNA and RNA chains

EDS failed to run properly - this section is therefore empty.

5.2 Non-standard residues in protein, DNA, RNA chains

EDS failed to run properly - this section is therefore empty.

5.3 Carbohydrates

EDS failed to run properly - this section is therefore empty.

5.4 Ligands

EDS failed to run properly - this section is therefore empty.

5.5 Other polymers

EDS failed to run properly - this section is therefore empty.