



Full wwPDB EM Validation Report ⓘ

Dec 14, 2023 – 02:44 pm GMT

PDB ID : 8Q85
EMDB ID : EMD-18247
Title : Outer kinetochore Dam1 protomer monomer Ndc80-Nuf2 coiled-coil complex
Authors : Muir, K.W.; Barford, D.
Deposited on : 2023-08-17
Resolution : 3.97 Å(reported)
Based on initial model : .

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev70
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.97 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	F	691	
2	G	451	
3	U	343	
4	V	247	
5	W	133	
6	X	94	
7	Y	72	
8	Z	94	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	a	295	 <p>75% 21%</p>
10	b	292	 <p>21% 76%</p>
11	c	69	 <p>90% 7%</p>
12	d	165	 <p>64% 35%</p>

2 Entry composition [i](#)

There are 12 unique types of molecules in this entry. The entry contains 10299 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Kinetochore protein NDC80.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
1	F	230	1145	685	230	230	0	0

- Molecule 2 is a protein called Kinetochore protein NUF2.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
2	G	178	886	530	178	178	0	0

- Molecule 3 is a protein called DASH complex subunit DAM1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	U	95	757	474	126	153	4	0	0

- Molecule 4 is a protein called DASH complex subunit DUO1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	V	117	935	580	167	185	3	0	0

- Molecule 5 is a protein called DASH complex subunit DAD2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	W	106	837	519	139	174	5	0	0

- Molecule 6 is a protein called DASH complex subunit DAD1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	X	68	535	334	86	114	1	0	0

- Molecule 7 is a protein called DASH complex subunit DAD4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	Y	72	571	351	106	111	3	0	0

- Molecule 8 is a protein called DASH complex subunit DAD3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	Z	94	761	471	132	156	2	0	0

- Molecule 9 is a protein called DASH complex subunit SPC34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	a	234	1925	1211	341	366	7	0	0

- Molecule 10 is a protein called DASH complex subunit ASK1.


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	b	70	561	352	88	116	5	0	0

- Molecule 11 is a protein called DASH complex subunit HSK3.


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	c	64	527	327	94	101	5	0	0

- Molecule 12 is a protein called DASH complex subunit SPC19.


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	d	108	859	532	149	172	6	0	0



• Molecule 3: DASH complex subunit DAM1



• Molecule 4: DASH complex subunit DUO1



• Molecule 5: DASH complex subunit DAD2



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	77272	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.077	Depositor
Minimum map value	-0.047	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.006	Depositor
Map size (\AA)	317.99997, 317.99997, 317.99997	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.06, 1.06, 1.06	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	F	0.21	0/1144	0.41	0/1597
2	G	0.21	0/885	0.38	0/1235
3	U	0.28	0/766	0.64	1/1034 (0.1%)
4	V	0.27	0/945	0.63	1/1275 (0.1%)
5	W	0.27	0/844	0.57	0/1135
6	X	0.25	0/540	0.56	1/730 (0.1%)
7	Y	0.29	0/577	0.47	0/779
8	Z	0.32	0/768	0.81	4/1029 (0.4%)
9	a	0.27	0/1958	0.58	2/2633 (0.1%)
10	b	0.31	0/569	0.72	4/768 (0.5%)
11	c	0.26	0/534	0.48	0/716
12	d	0.30	0/864	0.61	0/1161
All	All	0.27	0/10394	0.58	13/14092 (0.1%)

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	Z	23	LEU	CA-CB-CG	8.03	133.77	115.30
8	Z	7	PRO	CA-N-CD	-7.98	100.33	111.50
10	b	13	LEU	CA-CB-CG	7.31	132.12	115.30
9	a	240	LEU	CA-CB-CG	6.43	130.10	115.30
4	V	77	MET	CA-CB-CG	6.15	123.75	113.30
6	X	39	LEU	CA-CB-CG	6.05	129.23	115.30
10	b	25	ASP	CB-CG-OD1	5.73	123.46	118.30
10	b	69	LEU	CA-CB-CG	5.64	128.27	115.30
8	Z	85	GLU	CA-CB-CG	5.34	125.15	113.40
10	b	60	LEU	CA-CB-CG	5.33	127.56	115.30
3	U	120	ASP	CB-CG-OD1	5.12	122.91	118.30
9	a	181	LEU	CA-CB-CG	5.09	127.00	115.30
8	Z	17	LYS	CA-CB-CG	5.00	124.41	113.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	1145	0	475	1	0
2	G	886	0	361	3	0
3	U	757	0	753	30	0
4	V	935	0	952	42	0
5	W	837	0	837	26	0
6	X	535	0	522	21	0
7	Y	571	0	578	10	0
8	Z	761	0	772	49	0
9	a	1925	0	1926	0	0
10	b	561	0	548	0	0
11	c	527	0	520	0	0
12	d	859	0	897	0	0
All	All	10299	0	9141	168	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (168) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:Z:7:PRO:HD2	8:Z:8:LEU:H	1.40	0.87
8:Z:54:LEU:HG	8:Z:58:ARG:HD2	1.63	0.81
8:Z:19:LEU:O	8:Z:23:LEU:HD22	1.83	0.79
4:V:73:LYS:NZ	4:V:73:LYS:O	2.17	0.76
2:G:336:LEU:O	2:G:341:MET:N	2.19	0.74
3:U:63:LEU:HA	3:U:66:LYS:HE3	1.70	0.73
6:X:52:SER:HB3	8:Z:53:ILE:HG23	1.71	0.72
4:V:78:ILE:O	4:V:82:THR:HG23	1.91	0.70
8:Z:7:PRO:HD2	8:Z:8:LEU:N	2.08	0.69
3:U:108:ASN:HD21	5:W:55:ASN:HB3	1.56	0.69
4:V:165:ASP:O	4:V:168:GLN:NE2	2.27	0.68
4:V:75:THR:O	4:V:79:LYS:HG2	1.96	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:Z:53:ILE:HG22	8:Z:54:LEU:H	1.62	0.65
7:Y:45:GLU:N	7:Y:45:GLU:OE1	2.31	0.64
5:W:3:SER:OG	5:W:5:ASP:OD1	2.15	0.64
3:U:136:ASP:O	3:U:140:ASN:ND2	2.31	0.63
5:W:36:ASN:OD1	5:W:37:GLU:N	2.32	0.63
4:V:107:LEU:O	4:V:111:ILE:HG13	1.99	0.61
3:U:59:ILE:O	3:U:63:LEU:HG	2.01	0.60
5:W:3:SER:O	5:W:7:GLN:NE2	2.35	0.60
3:U:83:ARG:HD3	6:X:53:ILE:HG21	1.82	0.59
6:X:71:ASP:OD1	6:X:72:GLY:N	2.35	0.59
8:Z:35:TYR:CE1	8:Z:37:GLN:HB2	2.38	0.58
4:V:85:LEU:HA	4:V:89:LEU:HD23	1.86	0.57
3:U:66:LYS:HA	3:U:69:GLU:HG3	1.87	0.56
7:Y:19:ASN:OD1	7:Y:20:VAL:N	2.39	0.56
8:Z:53:ILE:O	8:Z:56:GLU:N	2.36	0.55
5:W:26:ASP:O	5:W:30:ILE:HD12	2.06	0.55
7:Y:57:SER:HB3	8:Z:70:LEU:HD11	1.88	0.55
4:V:85:LEU:HD13	4:V:89:LEU:HG	1.89	0.55
5:W:27:GLY:O	5:W:31:GLN:HG2	2.07	0.55
7:Y:43:ASN:O	7:Y:46:ILE:HB	2.08	0.54
3:U:108:ASN:ND2	5:W:55:ASN:HB3	2.22	0.54
8:Z:47:THR:O	8:Z:49:SER:OG	2.20	0.53
4:V:64:LEU:O	4:V:68:SER:OG	2.19	0.53
5:W:10:ILE:O	5:W:13:LYS:HG2	2.09	0.53
5:W:81:GLY:O	5:W:84:LYS:NZ	2.42	0.53
8:Z:48:VAL:HG22	8:Z:53:ILE:HD11	1.91	0.53
3:U:130:GLN:O	3:U:134:LEU:HG	2.09	0.53
8:Z:26:LEU:O	8:Z:30:ILE:HG12	2.08	0.53
1:F:577:LYS:O	1:F:581:SER:CB	2.57	0.53
4:V:73:LYS:HZ1	4:V:77:MET:HB3	1.73	0.52
4:V:75:THR:HG21	8:Z:18:GLN:HE22	1.73	0.52
4:V:78:ILE:HA	4:V:81:VAL:HG12	1.91	0.52
2:G:335:VAL:O	2:G:340:ILE:N	2.32	0.52
8:Z:17:LYS:HD3	8:Z:17:LYS:N	2.25	0.52
7:Y:54:TYR:O	7:Y:58:VAL:HG13	2.10	0.51
3:U:60:GLN:HG3	4:V:66:LYS:HZ1	1.76	0.51
8:Z:82:ARG:HA	8:Z:85:GLU:OE2	2.11	0.51
6:X:28:LEU:HA	6:X:31:ILE:HG12	1.93	0.51
4:V:168:GLN:NE2	4:V:169:LYS:HG3	2.26	0.51
4:V:164:LEU:HA	4:V:167:ARG:HG2	1.93	0.51
6:X:27:VAL:O	6:X:31:ILE:HG12	2.11	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:U:69:GLU:HA	3:U:72:ASP:OD1	2.11	0.50
3:U:83:ARG:HD3	6:X:53:ILE:HG13	1.93	0.50
5:W:38:GLN:O	5:W:42:MET:HG3	2.11	0.50
8:Z:71:LEU:O	8:Z:74:SER:OG	2.29	0.50
4:V:168:GLN:HA	4:V:171:GLU:HG3	1.93	0.50
4:V:92:TYR:O	4:V:96:VAL:HG12	2.12	0.50
8:Z:81:GLN:HG2	8:Z:85:GLU:OE1	2.11	0.50
4:V:74:ILE:O	4:V:78:ILE:HG12	2.12	0.50
4:V:109:SER:O	4:V:113:ILE:HG12	2.11	0.49
4:V:135:ASP:OD1	4:V:135:ASP:N	2.45	0.49
8:Z:32:GLU:O	8:Z:35:TYR:HB3	2.12	0.49
3:U:88:HIS:NE2	4:V:99:VAL:HG21	2.28	0.49
5:W:18:LEU:O	5:W:22:THR:HG23	2.12	0.49
6:X:20:PHE:CZ	6:X:24:ARG:HD3	2.47	0.49
8:Z:13:LEU:HD12	8:Z:17:LYS:NZ	2.27	0.49
3:U:70:LEU:O	3:U:74:ILE:HG12	2.13	0.49
4:V:159:LYS:O	4:V:163:ILE:HG13	2.12	0.48
6:X:75:SER:O	6:X:78:ASP:HB3	2.13	0.48
4:V:67:GLU:O	4:V:71:LEU:HG	2.12	0.48
3:U:79:SER:O	3:U:83:ARG:HG2	2.14	0.48
3:U:57:ASN:OD1	3:U:57:ASN:N	2.47	0.48
4:V:161:LYS:O	4:V:164:LEU:HG	2.14	0.48
8:Z:13:LEU:HA	8:Z:16:TYR:HD1	1.79	0.48
6:X:20:PHE:O	6:X:24:ARG:HG3	2.15	0.47
4:V:126:ASP:CG	4:V:128:THR:HG1	2.18	0.47
8:Z:15:LYS:HA	8:Z:18:GLN:HG3	1.96	0.47
8:Z:83:LYS:HE2	8:Z:83:LYS:HA	1.97	0.47
6:X:43:ASN:O	6:X:47:ILE:HG13	2.15	0.47
5:W:7:GLN:HA	5:W:10:ILE:HD12	1.97	0.47
5:W:128:ARG:NH2	5:W:132:ASN:HB2	2.31	0.46
6:X:61:SER:O	6:X:65:LEU:HG	2.16	0.46
3:U:66:LYS:HD2	3:U:67:ILE:N	2.31	0.46
8:Z:20:SER:O	8:Z:24:LYS:HG3	2.15	0.46
7:Y:55:HIS:O	7:Y:58:VAL:HG22	2.15	0.46
5:W:128:ARG:HH21	5:W:132:ASN:HB2	1.81	0.46
4:V:122:LYS:HA	4:V:122:LYS:HD2	1.76	0.45
4:V:128:THR:O	4:V:132:LEU:HD23	2.17	0.45
6:X:21:ILE:HA	6:X:24:ARG:NH1	2.31	0.45
3:U:125:LEU:O	3:U:129:LYS:HG2	2.16	0.45
5:W:5:ASP:OD1	5:W:5:ASP:N	2.49	0.45
8:Z:23:LEU:O	8:Z:26:LEU:HG	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:U:122:GLN:O	3:U:126:ILE:HG22	2.16	0.45
5:W:8:ILE:O	5:W:12:ARG:HG2	2.16	0.45
4:V:71:LEU:HD13	8:Z:19:LEU:CD2	2.47	0.45
4:V:75:THR:O	4:V:78:ILE:HG13	2.17	0.45
5:W:69:GLY:HA2	5:W:72:GLN:HB3	1.99	0.45
6:X:76:LEU:HD12	6:X:76:LEU:HA	1.81	0.45
8:Z:49:SER:O	8:Z:52:GLU:N	2.41	0.45
3:U:69:GLU:OE1	3:U:70:LEU:N	2.50	0.44
6:X:36:ASN:O	6:X:40:ASN:ND2	2.33	0.44
8:Z:12:VAL:HG12	8:Z:16:TYR:CE1	2.52	0.44
4:V:168:GLN:HE22	4:V:169:LYS:HG3	1.81	0.44
7:Y:37:ILE:HD13	7:Y:37:ILE:HA	1.89	0.44
5:W:118:VAL:HA	5:W:119:PRO:HD3	1.89	0.44
3:U:80:ASN:O	3:U:83:ARG:HG3	2.18	0.43
5:W:34:GLU:O	5:W:38:GLN:HG2	2.18	0.43
5:W:10:ILE:HA	5:W:13:LYS:HE3	1.99	0.43
7:Y:41:ASN:HA	7:Y:44:LEU:HD23	1.99	0.43
8:Z:18:GLN:HA	8:Z:21:LEU:HG	2.01	0.43
3:U:72:ASP:OD2	3:U:73:SER:N	2.52	0.43
8:Z:9:GLN:O	8:Z:13:LEU:HD23	2.19	0.43
8:Z:11:GLU:O	8:Z:15:LYS:HG2	2.19	0.43
8:Z:70:LEU:HD12	8:Z:70:LEU:HA	1.82	0.43
5:W:10:ILE:O	5:W:14:GLU:HG3	2.19	0.43
6:X:31:ILE:O	6:X:35:MET:HG3	2.19	0.43
6:X:71:ASP:OD2	6:X:75:SER:OG	2.35	0.43
3:U:98:LEU:HD13	3:U:98:LEU:HA	1.87	0.43
3:U:132:LYS:HD3	3:U:136:ASP:OD2	2.18	0.42
4:V:89:LEU:O	4:V:93:VAL:HG22	2.18	0.42
3:U:125:LEU:O	3:U:129:LYS:HE2	2.19	0.42
3:U:147:ASN:OD1	3:U:150:ARG:NH2	2.39	0.42
5:W:18:LEU:HD23	5:W:18:LEU:HA	1.89	0.42
8:Z:12:VAL:HA	8:Z:15:LYS:HG2	2.00	0.42
3:U:120:ASP:O	3:U:123:ASP:N	2.52	0.42
4:V:63:SER:O	4:V:67:GLU:HG3	2.19	0.42
4:V:111:ILE:HD11	8:Z:63:LYS:HG2	2.02	0.42
8:Z:15:LYS:HE3	8:Z:18:GLN:HE21	1.85	0.42
8:Z:35:TYR:CZ	8:Z:37:GLN:HB2	2.54	0.42
8:Z:82:ARG:HG3	8:Z:86:GLN:OE1	2.19	0.42
8:Z:13:LEU:HD12	8:Z:17:LYS:HZ1	1.85	0.42
6:X:24:ARG:HA	6:X:27:VAL:HG22	2.01	0.41
8:Z:17:LYS:HD3	8:Z:17:LYS:H	1.84	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:V:101:LYS:HE2	4:V:101:LYS:HB3	1.92	0.41
4:V:151:THR:HG1	4:V:154:ASN:H	1.66	0.41
5:W:79:GLU:HB3	5:W:83:TRP:O	2.20	0.41
4:V:120:ILE:HD13	4:V:120:ILE:HA	1.86	0.41
4:V:116:GLN:HA	4:V:116:GLN:OE1	2.20	0.41
5:W:79:GLU:OE2	5:W:79:GLU:N	2.40	0.41
3:U:72:ASP:HA	3:U:75:ILE:HG22	2.02	0.41
4:V:143:ASN:OD1	4:V:143:ASN:N	2.52	0.41
4:V:153:HIS:O	4:V:156:ILE:HG13	2.20	0.41
7:Y:13:LEU:HD23	7:Y:13:LEU:HA	1.85	0.41
8:Z:18:GLN:O	8:Z:21:LEU:HG	2.20	0.41
2:G:304:ILE:O	2:G:309:GLN:N	2.32	0.41
8:Z:81:GLN:O	8:Z:84:GLN:HB3	2.20	0.41
4:V:71:LEU:HD13	8:Z:19:LEU:HD23	2.02	0.41
8:Z:7:PRO:CD	8:Z:8:LEU:N	2.80	0.41
3:U:141:LEU:O	3:U:145:LEU:HG	2.21	0.41
8:Z:49:SER:O	8:Z:53:ILE:HG13	2.21	0.41
3:U:93:ASP:OD1	3:U:93:ASP:N	2.54	0.41
4:V:74:ILE:O	4:V:77:MET:SD	2.79	0.41
4:V:127:GLN:NE2	4:V:131:LYS:HE2	2.35	0.41
8:Z:16:TYR:O	8:Z:19:LEU:HG	2.20	0.41
5:W:4:ILE:HA	5:W:7:GLN:OE1	2.20	0.41
8:Z:12:VAL:HG12	8:Z:16:TYR:HE1	1.86	0.41
5:W:15:LEU:O	5:W:19:GLN:HG3	2.20	0.40
3:U:124:ASP:O	3:U:128:ILE:HG22	2.21	0.40
4:V:155:VAL:O	4:V:158:LEU:HG	2.20	0.40
6:X:20:PHE:CE1	8:Z:13:LEU:HD21	2.56	0.40
7:Y:21:LYS:O	7:Y:24:ASN:HB3	2.21	0.40
8:Z:54:LEU:HD21	8:Z:58:ARG:HH11	1.86	0.40
6:X:16:THR:OG1	8:Z:3:HIS:HB3	2.20	0.40
6:X:39:LEU:HD12	6:X:40:ASN:N	2.36	0.40
6:X:28:LEU:HA	6:X:28:LEU:HD13	1.93	0.40
8:Z:6:SER:O	8:Z:9:GLN:HB2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	F	228/691 (33%)	227 (100%)	1 (0%)	0	100	100
2	G	176/451 (39%)	171 (97%)	5 (3%)	0	100	100
3	U	93/343 (27%)	92 (99%)	1 (1%)	0	100	100
4	V	115/247 (47%)	114 (99%)	1 (1%)	0	100	100
5	W	102/133 (77%)	95 (93%)	7 (7%)	0	100	100
6	X	66/94 (70%)	66 (100%)	0	0	100	100
7	Y	70/72 (97%)	64 (91%)	6 (9%)	0	100	100
8	Z	92/94 (98%)	84 (91%)	8 (9%)	0	100	100
9	a	230/295 (78%)	220 (96%)	10 (4%)	0	100	100
10	b	68/292 (23%)	68 (100%)	0	0	100	100
11	c	62/69 (90%)	61 (98%)	1 (2%)	0	100	100
12	d	106/165 (64%)	105 (99%)	1 (1%)	0	100	100
All	All	1408/2946 (48%)	1367 (97%)	41 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	U	89/309 (29%)	79 (89%)	10 (11%)	6	25
4	V	109/222 (49%)	101 (93%)	8 (7%)	14	42

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	W	95/120 (79%)	93 (98%)	2 (2%)	53	72
6	X	62/87 (71%)	62 (100%)	0	100	100
7	Y	66/66 (100%)	65 (98%)	1 (2%)	65	79
8	Z	89/89 (100%)	87 (98%)	2 (2%)	52	71
9	a	217/269 (81%)	203 (94%)	14 (6%)	17	45
10	b	66/259 (26%)	59 (89%)	7 (11%)	6	27
11	c	58/62 (94%)	56 (97%)	2 (3%)	37	61
12	d	101/153 (66%)	99 (98%)	2 (2%)	55	73
All	All	952/1636 (58%)	904 (95%)	48 (5%)	28	52

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	U	66	LYS
3	U	69	GLU
3	U	81	PHE
3	U	83	ARG
3	U	86	PHE
3	U	91	LEU
3	U	93	ASP
3	U	110	TRP
3	U	111	CYS
3	U	120	ASP
4	V	67	GLU
4	V	77	MET
4	V	114	HIS
4	V	116	GLN
4	V	124	MET
4	V	136	ARG
4	V	152	LEU
4	V	153	HIS
5	W	72	GLN
5	W	116	ASP
7	Y	39	ASN
8	Z	1	MET
8	Z	28	GLU
9	a	17	ASP
9	a	23	TYR
9	a	61	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	a	65	LYS
9	a	83	PHE
9	a	161	PHE
9	a	181	LEU
9	a	188	MET
9	a	205	PHE
9	a	233	LEU
9	a	235	HIS
9	a	240	LEU
9	a	264	TYR
9	a	265	HIS
10	b	1	MET
10	b	2	ASP
10	b	13	LEU
10	b	29	SER
10	b	30	PHE
10	b	38	ASP
10	b	55	ASP
11	c	6	GLN
11	c	64	MET
12	d	65	GLU
12	d	84	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
4	V	134	ASN
4	V	168	GLN
5	W	38	GLN
9	a	235	HIS
9	a	239	GLN
10	b	27	ASN
12	d	30	ASN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-18247. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 140




Y Index: 156



Z Index: 139


6.3.2 Raw map



X Index: 0



Y Index: 156




Z Index: 140


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.006. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 312 nm³; this corresponds to an approximate mass of 282 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.252 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.252 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.97	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	6.03	8.25	6.51

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 6.03 differs from the reported value 3.97 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-18247 and PDB model 8Q85. Per-residue inclusion information can be found in section 3 on page 6.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.006 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.006).



























9.4 Atom inclusion [i](#)



At the recommended contour level, 94% of all backbone atoms, 90% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.006) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9010	 0.2770
F	 0.8100	 0.1380
G	 0.8500	 0.1760
U	 0.9560	 0.3010
V	 0.9300	 0.2690
W	 0.9530	 0.3730
X	 0.8790	 0.2680
Y	 0.9790	 0.4170
Z	 0.8400	 0.2570
a	 0.8890	 0.2630
b	 0.9370	 0.3740
c	 0.9750	 0.4080
d	 0.9140	 0.2820

