



Full wwPDB EM Validation Report ⓘ

Nov 26, 2022 – 10:59 AM EST

PDB ID : 7SSL
EMDB ID : EMD-25409
Title : Pre translocation intermediate with EF-G bound to GDP and Pi (Structure III)
Authors : Carbone, C.E.; Korostelev, A.A.
Deposited on : 2021-11-11
Resolution : 3.80 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	3	1539	
2	1	2903	
3	2	120	
4	5	77	
5	8	697	
6	b	271	
7	c	209	
8	d	201	

























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	e	177	 98%
10	f	176	 99%
11	g	149	 31% 96%
12	a	223	 6% 59% 41%
13	i	141	 46% 99%
14	j	142	 98%
15	k	122	 99%
16	l	143	 100%
17	m	136	 99%
18	n	120	 98%
19	o	116	 100%
20	p	114	 99%
21	q	117	 99%
22	r	103	 99%
23	s	110	 96%
24	t	93	 98%
25	u	102	 98%
26	v	94	 100%
27	w	75	 99%
28	x	77	 97%
29	y	63	 100%
30	z	58	 98%
31	A	66	 68% 30%
32	B	56	 100%
33	C	50	 10% 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	D	46	 96%
35	E	64	 95% 5%
36	F	38	 100%
37	4	35	 9% 49% 6% 46%
38	6	77	 82% 18%
39	G	225	 94%
40	H	206	 5% 100%
41	I	205	 5% 98%
42	J	157	 96%
43	K	100	 97%
44	L	151	 6% 98%
45	M	129	 99%
46	N	127	 6% 98%
47	O	98	 13% 99%
48	P	116	 96%
49	Q	123	 7% 99%
50	R	114	 100%
51	S	100	 97%
52	T	88	 99%
53	U	82	 99%
54	V	80	 99%
55	W	65	 100%
56	X	79	 9% 100%
57	Y	85	 5% 100%
58	Z	65	92% 8%

2 Entry composition

There are 60 unique types of molecules in this entry. The entry contains 153348 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	3	1539	33012	14725	6052	10697	1538	0	0

- Molecule 2 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	1	2903	62317	27801	11468	20146	2902	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
1	747	C	U	conflict	GB 802133627

- Molecule 3 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	2	120	2568	1145	471	833	119	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
2	120	A	-	insertion	GB 1266961702

- Molecule 4 is a RNA chain called tRNA Pro.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
4	5	77	1647	733	295	542	77	0	0

- Molecule 5 is a protein called Elongation factor G.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	8	697	5400	3403	929	1043	25	0	0

- Molecule 6 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	b	271	2083	1288	423	365	7	0	0

- Molecule 7 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	c	209	1565	979	288	294	4	0	0

- Molecule 8 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	d	201	1552	974	283	290	5	0	0

- Molecule 9 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	e	177	1411	899	249	257	6	0	0

- Molecule 10 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	f	176	1323	832	243	246	2	0	0

- Molecule 11 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	g	149	1111	699	197	214	1	0	0

- Molecule 12 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	a	132	1014	638	183	191	2	0	0

- Molecule 13 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	i	141	1032	651	179	196	6	0	0

- Molecule 14 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	j	142	1129	714	212	199	4	0	0

- Molecule 15 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	k	122	939	587	180	166	6	0	0

- Molecule 16 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	l	143	1045	649	206	189	1	0	0

- Molecule 17 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	m	136	1074	686	205	177	6	0	0

- Molecule 18 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	n	120	961	593	196	167	5	0	0

- Molecule 19 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
19	o	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 20 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	p	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 21 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
21	q	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 22 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	r	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 23 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	s	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 24 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	t	93	Total	C	N	O	S	0	0
			739	466	139	132	2		

- Molecule 25 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
25	u	102	Total	C	N	O	0	0
			780	492	146	142		

- Molecule 26 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	v	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 27 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	w	75	Total	C	N	O	S	0	0
			575	356	116	102	1		

- Molecule 28 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	x	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 29 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	y	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 30 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	z	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 31 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	A	46	Total	C	N	O	S	0	0
			355	221	62	66	6		

- Molecule 32 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	B	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 33 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
33	C	50	Total	C	N	O	0	0
			410	263	75	72		

- Molecule 34 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	D	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 35 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	E	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 36 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	F	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 37 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	4	19	Total	C	N	O	P	0	0
			413	186	85	124	18		

- Molecule 38 is a RNA chain called tRNA fMet.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	6	77	Total	C	N	O	P	0	0
			1640	732	297	535	76		

- Molecule 39 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	G	218	Total	C	N	O	S	0	0
			1705	1081	305	312	7		

- Molecule 40 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	H	206	Total	C	N	O	S	0	0
			1625	1028	305	289	3		

- Molecule 41 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	I	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 42 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	J	157	Total	C	N	O	S	0	0
			1157	719	218	214	6		

- Molecule 43 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	K	100	Total	C	N	O	S	0	0
			818	515	148	149	6		

- Molecule 44 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	L	151	Total	C	N	O	S	0	0
			1182	735	227	216	4		

- Molecule 45 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	M	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 46 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	N	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 47 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	O	98	Total	C	N	O	S	0	0
			787	493	150	143	1		

- Molecule 48 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	P	116	Total	C	N	O	S	0	0
			870	535	173	159	3		

- Molecule 49 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	Q	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 50 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	R	114	Total	C	N	O	S	0	0
			884	546	178	157	3		

- Molecule 51 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	S	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 52 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	T	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 53 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	U	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 54 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	V	80	Total	C	N	O	S	0	0
			649	411	121	114	3		

- Molecule 55 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	W	65	Total	C	N	O	S	0	0
			536	339	100	96	1		

- Molecule 56 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	X	79	Total	C	N	O	S	0	0
			638	408	120	108	2		


- Molecule 57 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	Y	85	Total	C	N	O	S	0	0
			665	411	137	114	3		

- Molecule 58 is a protein called 30S ribosomal protein S21.


Mol	Chain	Residues	Atoms					AltConf	Trace
58	Z	65	Total	C	N	O	S	0	0
			545	335	117	92	1		

- Molecule 59 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula: $C_{10}H_{15}N_5O_{11}P_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
59	8	1	28	10	5	11	2	0

- Molecule 60 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
			Total	O	P	
60	8	1	5	4	1	0

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 16S rRNA




- Molecule 2: 23S rRNA






• Molecule 3: 5S rRNA




• Molecule 4: tRNA Pro




- Molecule 5: Elongation factor G



- Molecule 6: 50S ribosomal protein L2




- Molecule 7: 50S ribosomal protein L3




- Molecule 8: 50S ribosomal protein L4







• Molecule 9: 50S ribosomal protein L5




• Molecule 10: 50S ribosomal protein L6



• Molecule 11: 50S ribosomal protein L9




• Molecule 12: 50S ribosomal protein L1



• Molecule 13: 50S ribosomal protein L11






- Molecule 14: 50S ribosomal protein L13

Chain j: 98%




- Molecule 15: 50S ribosomal protein L14

Chain k: 99%



- Molecule 16: 50S ribosomal protein L15

Chain l: 100%



- Molecule 17: 50S ribosomal protein L16

Chain m: 99%




- Molecule 18: 50S ribosomal protein L17

Chain n: 98%




- Molecule 19: 50S ribosomal protein L18

Chain o: 100%



- Molecule 20: 50S ribosomal protein L19




- Molecule 21: 50S ribosomal protein L20



- Molecule 22: 50S ribosomal protein L21



- Molecule 23: 50S ribosomal protein L22




- Molecule 24: 50S ribosomal protein L23




- Molecule 25: 50S ribosomal protein L24




- Molecule 26: 50S ribosomal protein L25



- Molecule 27: 50S ribosomal protein L27



- Molecule 28: 50S ribosomal protein L28




- Molecule 29: 50S ribosomal protein L29



- Molecule 30: 50S ribosomal protein L30




- Molecule 31: 50S ribosomal protein L31




- Molecule 32: 50S ribosomal protein L32




- Molecule 33: 50S ribosomal protein L33



- Molecule 34: 50S ribosomal protein L34



- Molecule 35: 50S ribosomal protein L35




- Molecule 36: 50S ribosomal protein L36




There are no outlier residues recorded for this chain.


- Molecule 37: mRNA




- Molecule 38: tRNA fMet



- Molecule 39: 30S ribosomal protein S2



- Molecule 40: 30S ribosomal protein S3




- Molecule 41: 30S ribosomal protein S4




- Molecule 42: 30S ribosomal protein S5




- Molecule 43: 30S ribosomal protein S6



- Molecule 44: 30S ribosomal protein S7




- Molecule 45: 30S ribosomal protein S8



- Molecule 46: 30S ribosomal protein S9




- Molecule 47: 30S ribosomal protein S10




- Molecule 48: 30S ribosomal protein S11




- Molecule 49: 30S ribosomal protein S12




- Molecule 50: 30S ribosomal protein S13



- Molecule 51: 30S ribosomal protein S14




- Molecule 52: 30S ribosomal protein S15



- Molecule 53: 30S ribosomal protein S16






- Molecule 54: 30S ribosomal protein S17

Chain V: 99%




- Molecule 55: 30S ribosomal protein S18

Chain W: 100%




- Molecule 56: 30S ribosomal protein S19

Chain X: 9%
100%



- Molecule 57: 30S ribosomal protein S20

Chain Y: 5%
100%



- Molecule 58: 30S ribosomal protein S21

Chain Z: 92%
8%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	1657	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	47.6	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	21.111	Depositor
Minimum map value	-12.565	Depositor
Average map value	0.116	Depositor
Map value standard deviation	0.863	Depositor
Recommended contour level	1.25	Depositor
Map size (\AA)	370.5408, 370.5408, 370.5408	wwPDB
Map dimensions	448, 448, 448	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	0.8271, 0.8271, 0.8271	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, GDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	3	0.64	0/36963	0.69	1/57662 (0.0%)
2	1	0.62	3/69796 (0.0%)	0.73	23/108888 (0.0%)
3	2	0.63	0/2872	0.69	0/4479
4	5	0.83	1/1840 (0.1%)	0.77	2/2868 (0.1%)
5	8	0.34	0/5502	0.62	3/7446 (0.0%)
6	b	0.48	0/2122	0.64	0/2852
7	c	0.46	0/1586	0.62	0/2134
8	d	0.39	0/1571	0.63	0/2113
9	e	0.34	0/1435	0.56	1/1926 (0.1%)
10	f	0.33	0/1343	0.55	0/1816
11	g	0.33	0/1122	0.67	2/1515 (0.1%)
12	a	0.28	0/1021	0.60	0/1370
13	i	0.30	0/1046	0.58	0/1410
14	j	0.45	0/1152	0.59	0/1551
15	k	0.41	0/948	0.68	0/1268
16	l	0.40	0/1054	0.66	0/1403
17	m	0.44	0/1093	0.65	0/1460
18	n	0.44	0/974	0.67	0/1301
19	o	0.37	0/902	0.58	0/1209
20	p	0.41	0/929	0.60	0/1242
21	q	0.52	0/960	0.53	0/1278
22	r	0.42	0/829	0.68	1/1107 (0.1%)
23	s	0.40	0/864	0.63	1/1156 (0.1%)
24	t	0.39	0/745	0.70	1/994 (0.1%)
25	u	0.35	0/788	0.60	1/1051 (0.1%)
26	v	0.41	0/766	0.59	0/1025
27	w	0.46	0/582	0.64	0/769
28	x	0.42	0/635	0.79	2/848 (0.2%)
29	y	0.30	0/510	0.52	0/677
30	z	0.36	0/453	0.60	0/605
31	A	0.31	0/362	0.64	0/485
32	B	0.39	0/450	0.56	0/599

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	C	0.38	0/417	0.56	0/554
34	D	0.46	0/380	0.63	0/498
35	E	0.41	0/513	0.64	0/676
36	F	0.41	0/303	0.65	0/397
37	4	0.66	0/465	0.66	0/725
38	6	0.68	0/1832	0.69	0/2855
39	G	0.30	0/1736	0.62	1/2338 (0.0%)
40	H	0.31	0/1652	0.57	0/2225
41	I	0.31	0/1665	0.62	1/2227 (0.0%)
42	J	0.35	0/1170	0.62	0/1573
43	K	0.34	0/836	0.68	0/1128
44	L	0.35	0/1196	0.62	1/1602 (0.1%)
45	M	0.33	0/989	0.60	0/1326
46	N	0.30	0/1034	0.59	0/1375
47	O	0.30	0/797	0.64	0/1077
48	P	0.36	0/886	0.66	2/1195 (0.2%)
49	Q	0.36	0/969	0.64	0/1300
50	R	0.31	0/893	0.55	0/1193
51	S	0.29	0/817	0.56	0/1088
52	T	0.36	0/722	0.55	0/964
53	U	0.33	0/659	0.59	0/884
54	V	0.34	0/658	0.60	0/881
55	W	0.33	0/545	0.50	0/731
56	X	0.30	0/653	0.57	0/877
57	Y	0.29	0/671	0.48	0/888
58	Z	0.34	0/551	0.70	0/728
All	All	0.56	4/166224 (0.0%)	0.69	43/247812 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	3	0	1
2	1	0	9
5	8	0	1
8	d	0	1
11	g	0	1
13	i	0	1
14	j	0	1
18	n	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
23	s	0	1
35	E	0	1
39	G	0	3
42	J	0	2
43	K	0	1
49	Q	0	1
58	Z	0	3
All	All	0	28

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	1	2064	C	O3'-P	-9.65	1.49	1.61
2	1	2102	G	O3'-P	-8.03	1.51	1.61
2	1	905	A	O3'-P	-6.31	1.53	1.61
4	5	75	C	O3'-P	6.20	1.68	1.61

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	1	2102	G	O3'-P-O5'	-40.98	26.14	104.00
2	1	2187	U	P-O3'-C3'	26.47	151.47	119.70
2	1	2102	G	P-O3'-C3'	-24.90	89.82	119.70
2	1	2578	G	P-O3'-C3'	-18.68	97.28	119.70
2	1	905	A	P-O3'-C3'	15.81	138.67	119.70
2	1	2187	U	OP1-P-O3'	12.15	131.94	105.20
2	1	2603	G	P-O3'-C3'	9.37	130.94	119.70
2	1	2064	C	O3'-P-O5'	-8.03	88.74	104.00
48	P	112	VAL	C-N-CA	7.84	141.31	121.70
2	1	2578	G	OP2-P-O3'	7.82	122.39	105.20
2	1	2603	G	O3'-P-O5'	7.53	118.31	104.00
4	5	75	C	OP1-P-O3'	-7.27	89.21	105.20
5	8	299	LEU	CA-CB-CG	7.09	131.61	115.30
23	s	62	ASP	CB-CG-OD1	6.85	124.46	118.30
2	1	2603	G	OP2-P-O3'	-6.84	90.16	105.20
24	t	11	LEU	CA-CB-CG	6.59	130.46	115.30
28	x	14	GLY	N-CA-C	-6.33	97.28	113.10
1	3	1301	U	N1-C1'-C2'	6.16	122.01	114.00
2	1	905	A	OP1-P-O3'	6.07	118.55	105.20
4	5	75	C	OP2-P-O3'	5.95	118.28	105.20
5	8	464	LEU	CA-CB-CG	5.94	128.97	115.30
2	1	2187	U	OP2-P-O3'	-5.94	92.13	105.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	g	9	VAL	CG1-CB-CG2	-5.86	101.53	110.90
2	1	2187	U	O3'-P-O5'	-5.84	92.91	104.00
2	1	490	C	N1-C1'-C2'	5.83	121.57	114.00
41	I	18	LEU	CA-CB-CG	5.82	128.69	115.30
2	1	2064	C	OP2-P-O3'	5.72	117.79	105.20
2	1	980	A	N9-C1'-C2'	5.66	121.36	114.00
5	8	406	LEU	CA-CB-CG	5.63	128.25	115.30
9	e	90	LEU	CA-CB-CG	5.53	128.03	115.30
48	P	81	LEU	CA-CB-CG	5.51	127.98	115.30
2	1	2102	G	OP1-P-O3'	5.50	117.29	105.20
2	1	2425	A	O3'-P-O5'	-5.49	93.57	104.00
25	u	51	LEU	CA-CB-CG	5.45	127.83	115.30
39	G	190	SER	C-N-CA	5.42	135.26	121.70
2	1	2102	G	OP2-P-O3'	5.40	117.08	105.20
28	x	30	PRO	N-CA-C	5.33	125.94	112.10
44	L	92	PRO	N-CA-C	-5.21	98.56	112.10
2	1	1816	C	N1-C1'-C2'	5.13	120.67	114.00
22	r	51	VAL	N-CA-C	-5.12	97.16	111.00
11	g	12	LEU	CA-CB-CG	5.12	127.07	115.30
2	1	2428	G	O3'-P-O5'	-5.05	94.41	104.00
2	1	1106	G	C2'-C3'-O3'	5.03	121.74	113.70

There are no chirality outliers.

All (28) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	1	1275	A	Sidechain
2	1	1779	U	Sidechain
2	1	1991	U	Sidechain
2	1	2017	U	Sidechain
2	1	2662	A	Sidechain
2	1	2847	U	Sidechain
2	1	702	U	Sidechain
2	1	761	A	Sidechain
2	1	980	A	Sidechain
1	3	533	A	Sidechain
5	8	197	ASP	Peptide
35	E	30	HIS	Peptide
39	G	14	HIS	Peptide
39	G	17	HIS	Peptide
39	G	87	ASP	Peptide
42	J	121	ASN	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
42	J	74	ALA	Peptide
43	K	53	LYS	Peptide
49	Q	89	LEU	Peptide
58	Z	22	CYS	Peptide
58	Z	45	LYS	Peptide
58	Z	7	GLU	Peptide
8	d	82	GLY	Peptide
11	g	93	SER	Peptide
13	i	21	PRO	Peptide
14	j	80	HIS	Peptide
18	n	70	THR	Peptide
23	s	93	ALA	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	8	695/697 (100%)	617 (89%)	74 (11%)	4 (1%)	25	62
6	b	269/271 (99%)	227 (84%)	42 (16%)	0	100	100
7	c	207/209 (99%)	178 (86%)	29 (14%)	0	100	100
8	d	199/201 (99%)	181 (91%)	18 (9%)	0	100	100
9	e	175/177 (99%)	164 (94%)	11 (6%)	0	100	100
10	f	174/176 (99%)	157 (90%)	17 (10%)	0	100	100
11	g	147/149 (99%)	125 (85%)	22 (15%)	0	100	100
12	a	128/223 (57%)	105 (82%)	23 (18%)	0	100	100
13	i	139/141 (99%)	124 (89%)	15 (11%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
14	j	140/142 (99%)	120 (86%)	20 (14%)	0	100	100
15	k	120/122 (98%)	98 (82%)	22 (18%)	0	100	100
16	l	141/143 (99%)	117 (83%)	24 (17%)	0	100	100
17	m	134/136 (98%)	116 (87%)	18 (13%)	0	100	100
18	n	118/120 (98%)	102 (86%)	16 (14%)	0	100	100
19	o	114/116 (98%)	103 (90%)	11 (10%)	0	100	100
20	p	112/114 (98%)	105 (94%)	7 (6%)	0	100	100
21	q	115/117 (98%)	108 (94%)	7 (6%)	0	100	100
22	r	101/103 (98%)	88 (87%)	13 (13%)	0	100	100
23	s	108/110 (98%)	93 (86%)	15 (14%)	0	100	100
24	t	91/93 (98%)	77 (85%)	14 (15%)	0	100	100
25	u	100/102 (98%)	83 (83%)	17 (17%)	0	100	100
26	v	92/94 (98%)	79 (86%)	13 (14%)	0	100	100
27	w	73/75 (97%)	63 (86%)	10 (14%)	0	100	100
28	x	75/77 (97%)	68 (91%)	7 (9%)	0	100	100
29	y	61/63 (97%)	61 (100%)	0	0	100	100
30	z	56/58 (97%)	50 (89%)	6 (11%)	0	100	100
31	A	44/66 (67%)	38 (86%)	6 (14%)	0	100	100
32	B	54/56 (96%)	48 (89%)	6 (11%)	0	100	100
33	C	48/50 (96%)	37 (77%)	11 (23%)	0	100	100
34	D	44/46 (96%)	35 (80%)	9 (20%)	0	100	100
35	E	62/64 (97%)	50 (81%)	10 (16%)	2 (3%)	4	32
36	F	36/38 (95%)	29 (81%)	7 (19%)	0	100	100
39	G	216/225 (96%)	186 (86%)	30 (14%)	0	100	100
40	H	204/206 (99%)	184 (90%)	20 (10%)	0	100	100
41	I	203/205 (99%)	172 (85%)	30 (15%)	1 (0%)	29	66
42	J	155/157 (99%)	129 (83%)	24 (16%)	2 (1%)	12	48
43	K	98/100 (98%)	79 (81%)	18 (18%)	1 (1%)	15	52
44	L	149/151 (99%)	130 (87%)	19 (13%)	0	100	100
45	M	127/129 (98%)	110 (87%)	17 (13%)	0	100	100
46	N	125/127 (98%)	110 (88%)	15 (12%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
47	O	96/98 (98%)	83 (86%)	12 (12%)	1 (1%)	15	52
48	P	114/116 (98%)	104 (91%)	10 (9%)	0	100	100
49	Q	121/123 (98%)	98 (81%)	23 (19%)	0	100	100
50	R	112/114 (98%)	99 (88%)	13 (12%)	0	100	100
51	S	98/100 (98%)	86 (88%)	12 (12%)	0	100	100
52	T	86/88 (98%)	80 (93%)	6 (7%)	0	100	100
53	U	80/82 (98%)	69 (86%)	11 (14%)	0	100	100
54	V	78/80 (98%)	69 (88%)	9 (12%)	0	100	100
55	W	63/65 (97%)	59 (94%)	4 (6%)	0	100	100
56	X	77/79 (98%)	70 (91%)	7 (9%)	0	100	100
57	Y	83/85 (98%)	77 (93%)	6 (7%)	0	100	100
58	Z	63/65 (97%)	46 (73%)	16 (25%)	1 (2%)	9	44
All	All	6520/6744 (97%)	5686 (87%)	822 (13%)	12 (0%)	50	79

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	8	489	ALA
5	8	664	PHE
35	E	31	ILE
43	K	54	LEU
47	O	89	ARG
58	Z	24	LYS
42	J	122	VAL
5	8	198	GLN
42	J	121	ASN
35	E	16	THR
41	I	126	GLY
5	8	121	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	8	574/574 (100%)	566 (99%)	8 (1%)	67	81
6	b	216/216 (100%)	216 (100%)	0	100	100
7	c	164/164 (100%)	161 (98%)	3 (2%)	59	77
8	d	165/165 (100%)	160 (97%)	5 (3%)	41	66
9	e	148/148 (100%)	145 (98%)	3 (2%)	55	75
10	f	137/137 (100%)	136 (99%)	1 (1%)	84	91
11	g	114/114 (100%)	111 (97%)	3 (3%)	46	69
12	a	109/174 (63%)	108 (99%)	1 (1%)	78	88
13	i	109/109 (100%)	109 (100%)	0	100	100
14	j	116/116 (100%)	114 (98%)	2 (2%)	60	78
15	k	103/103 (100%)	102 (99%)	1 (1%)	76	86
16	l	102/102 (100%)	102 (100%)	0	100	100
17	m	109/109 (100%)	107 (98%)	2 (2%)	59	77
18	n	100/100 (100%)	99 (99%)	1 (1%)	76	86
19	o	86/86 (100%)	86 (100%)	0	100	100
20	p	99/99 (100%)	98 (99%)	1 (1%)	76	86
21	q	89/89 (100%)	88 (99%)	1 (1%)	73	85
22	r	84/84 (100%)	84 (100%)	0	100	100
23	s	93/93 (100%)	91 (98%)	2 (2%)	52	72
24	t	80/80 (100%)	79 (99%)	1 (1%)	69	82
25	u	83/83 (100%)	82 (99%)	1 (1%)	71	84
26	v	78/78 (100%)	78 (100%)	0	100	100
27	w	57/57 (100%)	56 (98%)	1 (2%)	59	77
28	x	67/67 (100%)	67 (100%)	0	100	100
29	y	55/55 (100%)	55 (100%)	0	100	100
30	z	48/48 (100%)	47 (98%)	1 (2%)	53	74
31	A	42/59 (71%)	41 (98%)	1 (2%)	49	71
32	B	47/47 (100%)	47 (100%)	0	100	100
33	C	45/45 (100%)	45 (100%)	0	100	100
34	D	38/38 (100%)	36 (95%)	2 (5%)	22	54
35	E	51/51 (100%)	51 (100%)	0	100	100
36	F	34/34 (100%)	34 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
39	G	180/186 (97%)	177 (98%)	3 (2%)	60	78
40	H	170/170 (100%)	169 (99%)	1 (1%)	86	92
41	I	172/172 (100%)	170 (99%)	2 (1%)	71	84
42	J	119/119 (100%)	116 (98%)	3 (2%)	47	70
43	K	87/87 (100%)	86 (99%)	1 (1%)	73	85
44	L	124/124 (100%)	122 (98%)	2 (2%)	62	79
45	M	104/104 (100%)	103 (99%)	1 (1%)	76	86
46	N	105/105 (100%)	103 (98%)	2 (2%)	57	76
47	O	86/86 (100%)	85 (99%)	1 (1%)	71	84
48	P	89/89 (100%)	86 (97%)	3 (3%)	37	64
49	Q	103/103 (100%)	103 (100%)	0	100	100
50	R	92/92 (100%)	92 (100%)	0	100	100
51	S	83/83 (100%)	80 (96%)	3 (4%)	35	63
52	T	76/76 (100%)	75 (99%)	1 (1%)	69	82
53	U	65/65 (100%)	64 (98%)	1 (2%)	65	81
54	V	74/74 (100%)	73 (99%)	1 (1%)	67	81
55	W	56/56 (100%)	56 (100%)	0	100	100
56	X	70/70 (100%)	70 (100%)	0	100	100
57	Y	65/65 (100%)	65 (100%)	0	100	100
58	Z	55/55 (100%)	54 (98%)	1 (2%)	59	77
All	All	5417/5505 (98%)	5350 (99%)	67 (1%)	72	84

All (67) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	8	147	MET
5	8	195	ASP
5	8	360	PHE
5	8	390	ASP
5	8	485	LYS
5	8	515	TYR
5	8	594	LYS
5	8	611	VAL
7	c	62	LYS
7	c	94	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	c	197	THR
8	d	6	LYS
8	d	48	THR
8	d	61	ARG
8	d	116	ASP
8	d	134	LEU
9	e	47	LYS
9	e	89	THR
9	e	151	LEU
10	f	36	LEU
11	g	41	LYS
11	g	51	ARG
11	g	97	ARG
12	a	198	LYS
14	j	27	ARG
14	j	35	ARG
15	k	56	ASP
17	m	68	PHE
17	m	88	ASN
18	n	35	LYS
20	p	15	ASP
21	q	2	ARG
23	s	22	ASP
23	s	97	LEU
24	t	37	ASP
25	u	27	VAL
27	w	10	ARG
30	z	26	LEU
31	A	39	LYS
34	D	24	THR
34	D	43	THR
39	G	34	ARG
39	G	36	LYS
39	G	67	LEU
40	H	106	ARG
41	I	62	ARG
41	I	127	ARG
42	J	89	THR
42	J	116	VAL
42	J	130	THR
43	K	92	THR
44	L	4	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
44	L	84	TYR
45	M	100	ILE
46	N	105	ARG
46	N	126	PHE
47	O	89	ARG
48	P	107	THR
48	P	124	LYS
48	P	125	LYS
51	S	27	LYS
51	S	40	ARG
51	S	45	LEU
52	T	57	ARG
53	U	35	ARG
54	V	10	ARG
58	Z	36	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (75) such sidechains are listed below:

Mol	Chain	Res	Type
5	8	57	GLN
5	8	92	HIS
5	8	157	GLN
5	8	192	ASN
5	8	198	GLN
5	8	272	ASN
5	8	351	ASN
5	8	455	GLN
5	8	487	GLN
5	8	505	HIS
5	8	514	GLN
5	8	530	ASN
6	b	14	HIS
6	b	24	HIS
6	b	142	ASN
6	b	250	GLN
7	c	49	GLN
7	c	130	GLN
7	c	136	ASN
7	c	148	GLN
7	c	164	GLN
7	c	185	ASN
9	e	22	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	f	21	GLN
10	f	63	GLN
11	g	18	GLN
11	g	66	ASN
12	a	24	ASN
12	a	47	ASN
12	a	172	HIS
14	j	130	HIS
14	j	135	GLN
16	l	93	ASN
17	m	22	GLN
18	n	23	ASN
18	n	107	ASN
19	o	38	GLN
19	o	104	GLN
20	p	74	GLN
21	q	65	ASN
23	s	31	GLN
25	u	68	ASN
25	u	73	ASN
26	v	24	ASN
26	v	88	HIS
28	x	31	ASN
39	G	14	HIS
39	G	57	ASN
39	G	169	HIS
40	H	18	ASN
40	H	122	GLN
40	H	139	ASN
40	H	184	ASN
41	I	125	ASN
41	I	130	ASN
41	I	197	HIS
42	J	77	ASN
42	J	121	ASN
43	K	94	HIS
44	L	27	ASN
44	L	85	GLN
45	M	15	ASN
48	P	27	ASN
49	Q	72	ASN
49	Q	76	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
50	R	13	HIS
51	S	48	GLN
52	T	45	HIS
53	U	26	ASN
53	U	29	ASN
54	V	46	HIS
55	W	53	GLN
57	Y	12	GLN
57	Y	60	GLN
57	Y	83	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	3	1538/1539 (99%)	191 (12%)	1 (0%)
2	1	2902/2903 (99%)	435 (14%)	6 (0%)
3	2	119/120 (99%)	18 (15%)	0
37	4	18/35 (51%)	2 (11%)	0
38	6	76/77 (98%)	14 (18%)	0
4	5	76/77 (98%)	18 (23%)	3 (3%)
All	All	4729/4751 (99%)	678 (14%)	10 (0%)

All (678) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	3	3	A
1	3	6	G
1	3	8	A
1	3	9	G
1	3	32	A
1	3	39	G
1	3	47	C
1	3	48	C
1	3	51	A
1	3	54	C
1	3	56	U
1	3	58	C
1	3	61	G
1	3	71	A
1	3	81	A
1	3	87	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	3	92	U
1	3	93	U
1	3	94	G
1	3	95	C
1	3	100	G
1	3	110	C
1	3	134	G
1	3	154	U
1	3	183	C
1	3	184	G
1	3	197	A
1	3	208	U
1	3	210	C
1	3	240	G
1	3	246	A
1	3	247	G
1	3	251	G
1	3	266	G
1	3	280	C
1	3	281	G
1	3	289	G
1	3	308	C
1	3	316	C
1	3	328	C
1	3	352	C
1	3	354	G
1	3	367	U
1	3	369	G
1	3	372	C
1	3	397	A
1	3	406	G
1	3	408	A
1	3	413	G
1	3	414	A
1	3	422	C
1	3	429	U
1	3	430	A
1	3	439	U
1	3	445	G
1	3	448	A
1	3	462	G
1	3	467	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	3	468	A
1	3	479	U
1	3	486	U
1	3	494	G
1	3	497	G
1	3	509	A
1	3	510	A
1	3	511	C
1	3	512	U
1	3	518	C
1	3	531	U
1	3	532	A
1	3	547	A
1	3	555	U
1	3	559	A
1	3	566	G
1	3	572	A
1	3	573	A
1	3	575	G
1	3	576	C
1	3	577	G
1	3	596	A
1	3	633	G
1	3	642	A
1	3	653	U
1	3	665	A
1	3	675	A
1	3	702	A
1	3	703	G
1	3	710	G
1	3	713	G
1	3	721	G
1	3	748	G
1	3	755	G
1	3	777	A
1	3	793	U
1	3	794	A
1	3	815	A
1	3	817	C
1	3	818	G
1	3	819	A
1	3	821	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	3	826	C
1	3	832	G
1	3	836	G
1	3	841	C
1	3	843	U
1	3	844	G
1	3	846	G
1	3	851	G
1	3	872	A
1	3	884	U
1	3	889	A
1	3	902	G
1	3	907	A
1	3	913	A
1	3	934	C
1	3	935	A
1	3	938	A
1	3	960	U
1	3	961	U
1	3	966	G
1	3	968	A
1	3	969	A
1	3	971	G
1	3	974	A
1	3	975	A
1	3	976	G
1	3	977	A
1	3	992	U
1	3	993	G
1	3	994	A
1	3	1004	A
1	3	1012	A
1	3	1029	U
1	3	1031	C
1	3	1033	G
1	3	1053	G
1	3	1054	C
1	3	1064	G
1	3	1077	G
1	3	1094	G
1	3	1095	U
1	3	1101	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	3	1136	C
1	3	1137	C
1	3	1138	G
1	3	1139	G
1	3	1159	U
1	3	1168	U
1	3	1182	G
1	3	1184	G
1	3	1196	A
1	3	1212	U
1	3	1213	A
1	3	1225	A
1	3	1226	C
1	3	1238	A
1	3	1241	G
1	3	1256	A
1	3	1257	A
1	3	1261	A
1	3	1262	C
1	3	1275	A
1	3	1278	G
1	3	1280	A
1	3	1282	C
1	3	1286	U
1	3	1287	A
1	3	1290	G
1	3	1300	G
1	3	1301	U
1	3	1317	C
1	3	1345	U
1	3	1363	A
1	3	1364	U
1	3	1378	C
1	3	1398	A
1	3	1422	G
1	3	1432	G
1	3	1441	A
1	3	1446	A
1	3	1452	C
1	3	1471	U
1	3	1492	A
1	3	1503	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	3	1505	G
1	3	1506	U
1	3	1507	A
1	3	1517	G
1	3	1529	G
1	3	1530	G
1	3	1540	U
2	1	10	A
2	1	12	U
2	1	23	G
2	1	34	U
2	1	35	G
2	1	51	G
2	1	63	A
2	1	71	A
2	1	75	G
2	1	102	U
2	1	103	A
2	1	113	U
2	1	118	A
2	1	119	A
2	1	120	U
2	1	125	A
2	1	126	A
2	1	139	U
2	1	140	C
2	1	141	G
2	1	143	C
2	1	163	C
2	1	196	A
2	1	199	A
2	1	204	A
2	1	205	G
2	1	215	G
2	1	216	A
2	1	218	A
2	1	221	A
2	1	225	C
2	1	228	C
2	1	229	C
2	1	233	A
2	1	248	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	1	255	A
2	1	266	G
2	1	276	U
2	1	277	G
2	1	294	A
2	1	311	A
2	1	323	C
2	1	324	A
2	1	329	G
2	1	330	A
2	1	331	C
2	1	355	U
2	1	361	G
2	1	371	A
2	1	372	G
2	1	380	G
2	1	386	G
2	1	404	A
2	1	405	U
2	1	411	G
2	1	412	A
2	1	424	G
2	1	431	U
2	1	451	U
2	1	455	C
2	1	456	C
2	1	457	A
2	1	458	G
2	1	480	A
2	1	481	G
2	1	490	C
2	1	491	G
2	1	504	A
2	1	505	A
2	1	532	A
2	1	544	C
2	1	548	G
2	1	560	C
2	1	563	A
2	1	568	U
2	1	573	U
2	1	574	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	1	586	A
2	1	603	A
2	1	609	A
2	1	610	C
2	1	615	U
2	1	627	A
2	1	637	A
2	1	646	U
2	1	654	A
2	1	655	A
2	1	686	U
2	1	690	G
2	1	714	U
2	1	717	C
2	1	730	A
2	1	740	C
2	1	747	C
2	1	752	A
2	1	757	G
2	1	762	U
2	1	764	A
2	1	765	C
2	1	774	G
2	1	775	G
2	1	776	G
2	1	782	A
2	1	783	A
2	1	784	G
2	1	793	A
2	1	805	G
2	1	806	C
2	1	812	C
2	1	819	A
2	1	827	U
2	1	829	A
2	1	830	G
2	1	845	A
2	1	846	U
2	1	858	G
2	1	859	G
2	1	865	C
2	1	878	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	1	883	G
2	1	887	U
2	1	890	C
2	1	896	A
2	1	897	C
2	1	898	C
2	1	902	C
2	1	910	A
2	1	941	A
2	1	945	A
2	1	946	C
2	1	953	G
2	1	961	C
2	1	974	G
2	1	983	A
2	1	989	G
2	1	995	C
2	1	996	A
2	1	1005	C
2	1	1012	U
2	1	1013	C
2	1	1021	A
2	1	1022	G
2	1	1025	G
2	1	1026	G
2	1	1033	U
2	1	1045	C
2	1	1046	A
2	1	1054	A
2	1	1055	G
2	1	1056	G
2	1	1057	A
2	1	1058	U
2	1	1059	G
2	1	1060	U
2	1	1062	G
2	1	1065	U
2	1	1066	U
2	1	1068	G
2	1	1069	A
2	1	1070	A
2	1	1071	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	1	1073	A
2	1	1078	U
2	1	1081	U
2	1	1084	A
2	1	1088	A
2	1	1104	C
2	1	1105	U
2	1	1106	G
2	1	1107	G
2	1	1111	A
2	1	1130	U
2	1	1132	U
2	1	1133	A
2	1	1134	A
2	1	1135	C
2	1	1143	A
2	1	1155	A
2	1	1172	C
2	1	1173	U
2	1	1175	A
2	1	1178	C
2	1	1180	U
2	1	1206	G
2	1	1212	G
2	1	1225	G
2	1	1236	G
2	1	1248	G
2	1	1253	A
2	1	1256	G
2	1	1271	G
2	1	1272	A
2	1	1275	A
2	1	1287	A
2	1	1300	G
2	1	1301	A
2	1	1312	U
2	1	1313	U
2	1	1321	A
2	1	1325	U
2	1	1326	U
2	1	1342	A
2	1	1365	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	1	1378	A
2	1	1379	U
2	1	1383	A
2	1	1397	U
2	1	1416	G
2	1	1417	C
2	1	1419	A
2	1	1420	A
2	1	1428	C
2	1	1453	A
2	1	1461	C
2	1	1478	G
2	1	1482	G
2	1	1490	A
2	1	1504	A
2	1	1515	A
2	1	1524	G
2	1	1534	U
2	1	1535	A
2	1	1537	G
2	1	1548	A
2	1	1555	G
2	1	1559	U
2	1	1566	A
2	1	1569	A
2	1	1608	A
2	1	1609	A
2	1	1616	A
2	1	1617	C
2	1	1618	A
2	1	1647	U
2	1	1648	U
2	1	1654	A
2	1	1674	G
2	1	1694	C
2	1	1698	A
2	1	1707	G
2	1	1715	G
2	1	1730	C
2	1	1738	G
2	1	1758	U
2	1	1764	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	1	1773	A
2	1	1781	U
2	1	1784	A
2	1	1800	C
2	1	1801	A
2	1	1802	A
2	1	1808	A
2	1	1816	C
2	1	1827	U
2	1	1829	A
2	1	1833	C
2	1	1869	G
2	1	1870	C
2	1	1901	A
2	1	1902	C
2	1	1912	A
2	1	1913	A
2	1	1930	G
2	1	1936	A
2	1	1937	A
2	1	1938	A
2	1	1939	U
2	1	1955	U
2	1	1963	U
2	1	1964	G
2	1	1966	A
2	1	1967	C
2	1	1970	A
2	1	1971	U
2	1	1972	G
2	1	1991	U
2	1	1993	U
2	1	1996	C
2	1	1997	C
2	1	2022	U
2	1	2023	C
2	1	2031	A
2	1	2034	U
2	1	2043	C
2	1	2049	G
2	1	2055	C
2	1	2056	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	1	2060	A
2	1	2061	G
2	1	2069	G
2	1	2072	C
2	1	2092	U
2	1	2093	G
2	1	2094	A
2	1	2103	C
2	1	2106	U
2	1	2107	G
2	1	2108	A
2	1	2111	U
2	1	2112	G
2	1	2118	U
2	1	2123	G
2	1	2124	G
2	1	2126	A
2	1	2132	U
2	1	2133	G
2	1	2134	A
2	1	2135	A
2	1	2138	G
2	1	2143	C
2	1	2146	C
2	1	2153	C
2	1	2156	G
2	1	2158	A
2	1	2162	G
2	1	2165	C
2	1	2166	U
2	1	2168	G
2	1	2172	U
2	1	2173	A
2	1	2178	C
2	1	2179	C
2	1	2180	U
2	1	2182	U
2	1	2189	U
2	1	2198	A
2	1	2199	A
2	1	2203	U
2	1	2211	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	1	2213	U
2	1	2214	C
2	1	2225	A
2	1	2238	G
2	1	2239	G
2	1	2249	U
2	1	2250	G
2	1	2268	A
2	1	2283	C
2	1	2287	A
2	1	2289	G
2	1	2300	C
2	1	2305	U
2	1	2307	G
2	1	2309	A
2	1	2325	G
2	1	2327	A
2	1	2344	U
2	1	2350	C
2	1	2357	G
2	1	2361	G
2	1	2371	G
2	1	2376	A
2	1	2383	G
2	1	2385	C
2	1	2388	A
2	1	2402	U
2	1	2403	C
2	1	2406	A
2	1	2423	U
2	1	2425	A
2	1	2426	A
2	1	2427	C
2	1	2429	G
2	1	2430	A
2	1	2435	A
2	1	2441	U
2	1	2447	G
2	1	2448	A
2	1	2460	U
2	1	2469	A
2	1	2473	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	1	2476	A
2	1	2497	A
2	1	2502	G
2	1	2505	G
2	1	2518	A
2	1	2520	C
2	1	2525	G
2	1	2529	G
2	1	2531	A
2	1	2535	G
2	1	2547	A
2	1	2554	U
2	1	2564	A
2	1	2565	A
2	1	2567	G
2	1	2572	A
2	1	2573	C
2	1	2574	G
2	1	2578	G
2	1	2585	U
2	1	2602	A
2	1	2603	G
2	1	2605	U
2	1	2609	U
2	1	2613	U
2	1	2634	A
2	1	2654	A
2	1	2655	G
2	1	2662	A
2	1	2673	G
2	1	2677	G
2	1	2682	A
2	1	2685	G
2	1	2689	U
2	1	2690	U
2	1	2713	U
2	1	2714	G
2	1	2715	C
2	1	2718	G
2	1	2726	A
2	1	2732	G
2	1	2744	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	1	2748	A
2	1	2757	A
2	1	2758	A
2	1	2764	A
2	1	2765	A
2	1	2778	A
2	1	2779	U
2	1	2791	G
2	1	2793	C
2	1	2798	U
2	1	2801	G
2	1	2820	A
2	1	2833	U
2	1	2848	G
2	1	2850	A
2	1	2867	G
2	1	2868	A
2	1	2879	A
2	1	2880	C
2	1	2883	A
2	1	2884	U
2	1	2893	A
3	2	4	C
3	2	9	G
3	2	13	G
3	2	35	C
3	2	36	C
3	2	42	C
3	2	44	G
3	2	53	A
3	2	66	A
3	2	67	G
3	2	88	C
3	2	89	U
3	2	90	C
3	2	91	C
3	2	98	G
3	2	108	A
3	2	109	A
3	2	119	A
4	5	3	G
4	5	4	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	5	5	G
4	5	9	A
4	5	10	G
4	5	18	G
4	5	19	G
4	5	20	U
4	5	21	A
4	5	25	C
4	5	42	G
4	5	45	G
4	5	46	G
4	5	47	U
4	5	49	G
4	5	53	G
4	5	69	G
4	5	73	A
37	4	12	A
37	4	20	C
38	6	9	G
38	6	10	G
38	6	19	G
38	6	20	U
38	6	21	A
38	6	22	G
38	6	27	U
38	6	33	U
38	6	45	G
38	6	47	U
38	6	48	C
38	6	58	A
38	6	61	C
38	6	64	G

All (10) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	3	413	G
2	1	858	G
2	1	1020	A
2	1	1106	G
2	1	1801	A
2	1	2326	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	1	2756	U
4	5	2	G
4	5	3	G
4	5	41	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
60	PO4	8	802	-	4,4,4	0.96	0	6,6,6	0.48	0
59	GDP	8	801	-	24,30,30	0.95	1 (4%)	30,47,47	1.34	4 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
59	GDP	8	801	-	-	2/12/32/32	0/3/3/3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
59	8	801	GDP	C6-N1	-2.61	1.34	1.37

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
59	8	801	GDP	PA-O3A-PB	-3.54	120.69	132.83
59	8	801	GDP	C5-C6-N1	2.59	118.52	113.95
59	8	801	GDP	C8-N7-C5	2.56	107.86	102.99
59	8	801	GDP	C3'-C2'-C1'	2.46	104.68	100.98

There are no chirality outliers.


All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
59	8	801	GDP	C5'-O5'-PA-O3A
59	8	801	GDP	C5'-O5'-PA-O1A

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-25409. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 224




Y Index: 224




Z Index: 224


6.2.2 Raw map



X Index: 224



Y Index: 224




Z Index: 224


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 254




Y Index: 207




Z Index: 226


6.3.2 Raw map



X Index: 224



Y Index: 215




Z Index: 220

The images above show the largest variance slices of the map in three orthogonal directions.


6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 1.25. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1914 nm³; this corresponds to an approximate mass of 1729 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.263 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.263 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.80	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.92	8.40	5.20

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.92 differs from the reported value 3.8 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMD map EMD-25409 and PDB model 7SSL. Per-residue inclusion information can be found in section 3 on page 15.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 1.25 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1.25).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 92% of all backbone atoms, 89% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

















































The table lists the average atom inclusion at the recommended contour level (1.25) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8903	 0.3260
1	 0.9379	 0.3480
2	 0.9350	 0.3010
3	 0.9089	 0.2770
4	 0.7046	 0.1450
5	 0.7650	 0.1320
6	 0.9061	 0.2390
8	 0.5500	 0.2430
A	 0.8693	 0.2950
B	 0.9065	 0.4310
C	 0.7711	 0.3500
D	 0.9014	 0.4600
E	 0.9206	 0.4420
F	 0.8801	 0.4160
G	 0.7876	 0.2940
H	 0.8011	 0.2980
I	 0.8126	 0.2910
J	 0.8599	 0.3420
K	 0.9034	 0.3070
L	 0.8009	 0.2670
M	 0.8688	 0.3390
N	 0.8182	 0.2860
O	 0.7152	 0.2680
P	 0.9232	 0.3810
Q	 0.8328	 0.3490
R	 0.8545	 0.2890
S	 0.8398	 0.2830
T	 0.9174	 0.3710
U	 0.8596	 0.3550
V	 0.8768	 0.3380
W	 0.8854	 0.3490
X	 0.7990	 0.2630
Y	 0.8477	 0.3170
Z	 0.8649	 0.3630
a	 0.7593	 0.2680



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
b	 0.9246	 0.4470
c	 0.9252	 0.4330
d	 0.9000	 0.4040
e	 0.8508	 0.3130
f	 0.8712	 0.3300
g	 0.5803	 0.2430
i	 0.4560	 0.1880
j	 0.9245	 0.4230
k	 0.9048	 0.4220
l	 0.9114	 0.4320
m	 0.9060	 0.4250
n	 0.9328	 0.4380
o	 0.8806	 0.3640
p	 0.9133	 0.4100
q	 0.9119	 0.4300
r	 0.9134	 0.4110
s	 0.9127	 0.4190
t	 0.9156	 0.4170
u	 0.8737	 0.3760
v	 0.8875	 0.3460
w	 0.9195	 0.4350
x	 0.9201	 0.3980
y	 0.9095	 0.3770
z	 0.9428	 0.4420