



wwPDB EM Validation Summary Report ⓘ

Nov 27, 2022 – 01:14 AM EST

PDB ID : 5T0G
EMDB ID : EMD-8334
Title : Structural basis for dynamic regulation of the human 26S proteasome
Authors : Chen, S.; Wu, J.; Lu, Y.; Ma, Y.B.; Lee, B.H.; Yu, Z.; Ouyang, Q.; Finley, D.;
Kirschner, M.W.; Mao, Y.
Deposited on : 2016-08-16
Resolution : 4.40 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	G	245	97%
2	H	233	100%
3	I	260	96%
4	J	247	96%
5	K	240	93%
6	L	268	88%
7	M	254	94%
8	N	238	80%
9	O	276	80%
10	P	204	100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
11	Q	201	 99%
12	R	262	 77% 23%
13	S	240	 89% 11%
14	T	263	 82% 18%
15	A	433	 82% 17%
16	B	440	 76% 22%
17	D	418	 88% 9%
18	E	403	 86% 12%
19	F	439	 81% 17%
20	C	398	 94%
21	U	953	 84% 15%
22	V	533	 88% 10%
23	W	456	 98%
24	X	422	 90% 10%
25	Y	389	 96%
26	Z	324	 87% 12%
27	a	376	 98%
28	b	377	 50% 49%
29	c	309	 90% 7%
30	d	349	 72% 26%
31	e	70	 56% 43%
32	f	749	 91% 7%

2 Entry composition i

There are 34 unique types of molecules in this entry. The entry contains 77800 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	G	240	1826	1160	305	348	13	0	0

- Molecule 2 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	H	233	1713	1084	290	334	5	0	0

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	I	250	1912	1204	329	371	8	0	0

- Molecule 4 is a protein called Proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	J	239	1704	1056	308	335	5	0	0

- Molecule 5 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	K	228	1722	1080	284	348	10	0	0

- Molecule 6 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	L	238	1850	1159	334	346	11	0	0

- Molecule 7 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	M	240	1856	1178	314	353	11	0	0

- Molecule 8 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	N	191	1430	893	245	280	12	0	0

- Molecule 9 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	O	220	1643	1033	280	318	12	0	0

- Molecule 10 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	P	204	1585	1010	262	294	19	0	0

- Molecule 11 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	Q	199	1570	1006	265	290	9	0	0

- Molecule 12 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	R	201	1548	974	273	292	9	0	0

- Molecule 13 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	S	213	1641	1036	282	313	10	0	0

- Molecule 14 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	T	215	1667	1052	285	318	12	0	0

- Molecule 15 is a protein called 26S protease regulatory subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	A	361	2835	1788	501	528	18	0	0

- Molecule 16 is a protein called 26S protease regulatory subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	B	341	2662	1671	453	526	12	0	0

- Molecule 17 is a protein called 26S protease regulatory subunit 6B.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	D	380	3040	1923	524	580	13	0	0

- Molecule 18 is a protein called 26S protease regulatory subunit 10B.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	E	353	2790	1755	494	525	16	0	0

- Molecule 19 is a protein called 26S protease regulatory subunit 6A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	F	366	2863	1802	496	549	16	0	0

- Molecule 20 is a protein called 26S protease regulatory subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	C	384	3015	1894	540	564	17	0	0

- Molecule 21 is a protein called 26S proteasome non-ATPase regulatory subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	U	806	6287	3990	1075	1178	44	0	0

- Molecule 22 is a protein called 26S proteasome non-ATPase regulatory subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	V	480	3852	2444	684	710	14	0	0

- Molecule 23 is a protein called 26S proteasome non-ATPase regulatory subunit 12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	W	456	3703	2339	635	704	25	0	0

- Molecule 24 is a protein called 26S proteasome non-ATPase regulatory subunit 11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	X	380	3009	1918	509	570	12	0	0

- Molecule 25 is a protein called 26S proteasome non-ATPase regulatory subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	Y	378	3115	1987	533	578	17	0	0

- Molecule 26 is a protein called 26S proteasome non-ATPase regulatory subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	Z	286	2281	1457	392	427	5	0	0

- Molecule 27 is a protein called 26S proteasome non-ATPase regulatory subunit 13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	a	373	2995	1911	510	559	15	0	0

- Molecule 28 is a protein called 26S proteasome non-ATPase regulatory subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	b	191	Total	C	N	O	S	0	0
			1458	910	261	279	8		

- Molecule 29 is a protein called 26S proteasome non-ATPase regulatory subunit 14.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	c	287	Total	C	N	O	S	0	0
			2260	1430	389	422	19		

- Molecule 30 is a protein called 26S proteasome non-ATPase regulatory subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	d	257	Total	C	N	O	S	0	0
			2116	1371	346	390	9		


- Molecule 31 is a protein called 26S proteasome complex subunit DSS1.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	e	40	Total	C	N	O	S	0	0
			334	200	55	77	2		

- Molecule 32 is a protein called 26S proteasome non-ATPase regulatory subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	f	694	Total	C	N	O	S	0	0
			5331	3364	899	1027	41		

- Molecule 33 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
33	A	1	Total	C	N	O	P	0
			31	10	5	13	3	
33	B	1	Total	C	N	O	P	0
			31	10	5	13	3	
33	D	1	Total	C	N	O	P	0
			31	10	5	13	3	
33	E	1	Total	C	N	O	P	0
			31	10	5	13	3	
33	F	1	Total	C	N	O	P	0
			31	10	5	13	3	
33	C	1	Total	C	N	O	P	0
			31	10	5	13	3	

- Molecule 34 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
			Total	Zn	
34	c	1	Total	Zn	0
			1	1	

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Proteasome subunit alpha type-6

Chain G:  97%




- Molecule 2: Proteasome subunit alpha type-2

Chain H:  100%

There are no outlier residues recorded for this chain.


- Molecule 3: Proteasome subunit alpha type-4

Chain I:  96%



- Molecule 4: Proteasome subunit alpha type-7

Chain J:  96%





- Molecule 5: Proteasome subunit alpha type-5

Chain K:  93% 5%




- Molecule 6: Proteasome subunit alpha type-1

Chain L:  88% 11%




- Molecule 7: Proteasome subunit alpha type-3

Chain M: 94% 6%




- Molecule 8: Proteasome subunit beta type-6

Chain N: 80% 20%



- Molecule 9: Proteasome subunit beta type-7

Chain O: 80% 20%



- Molecule 10: Proteasome subunit beta type-3

Chain P: 100%

There are no outlier residues recorded for this chain.


- Molecule 11: Proteasome subunit beta type-2

Chain Q: 99%




- Molecule 12: Proteasome subunit beta type-5

Chain R: 77% 23%




- Molecule 13: Proteasome subunit beta type-1

Chain S: 89% 11%





- Molecule 14: Proteasome subunit beta type-4

Chain T: 82% 18%





- Molecule 15: 26S protease regulatory subunit 7

Chain A: 82% 17%




- Molecule 16: 26S protease regulatory subunit 4

Chain B: 76% 22%




- Molecule 17: 26S protease regulatory subunit 6B

Chain D: 88% 9%




- Molecule 18: 26S protease regulatory subunit 10B

Chain E: 86% 12%



- Molecule 19: 26S protease regulatory subunit 6A

Chain F: 81% 17%




• Molecule 20: 26S protease regulatory subunit 8

Chain C: 94%




• Molecule 21: 26S proteasome non-ATPase regulatory subunit 1

Chain U: 84% 15%



• Molecule 22: 26S proteasome non-ATPase regulatory subunit 3

Chain V: 88% 10%



• Molecule 23: 26S proteasome non-ATPase regulatory subunit 12

Chain W: 98%



• Molecule 24: 26S proteasome non-ATPase regulatory subunit 11

Chain X: 90% 10%

PHE
ILE
LYS
GLY
ARG
ALA
PRO
ARG
ALA
ALA
PRO
PRO
GLY
ARG
GLY
ARG
ARG
SER
SER
SER
SER
THR
GLY
ARG
GLY
GLN
VAL
VAL
ALA
PRO
PRO
ALA
ARG
ALA
LEU
GLY
SER
THR
SER
ARG
PRO
PHE
HIS
PHE
ARG
ALA
ALA
SER
SER
VAL
CYS
ARG
ARG
ARG
CYS
ARG
ARG
LYS
LYS
SER
GLY
LEU
LEU
ALA
ALA
SER


ARG
LYS
MET
ALA
ALA
ALA
VAL
ASN
GLY
ALA
ALA
GLY
PHE
SER
SER
SER
SER
PRO
ALA
ALA
THR
SER
SER
GLY
ALA
VAL
LEU
GLN
ALA
ALA
THR
GLY
M1
Y2
E3
P37
R213
G214
V257

- Molecule 31: 26S proteasome complex subunit DSS1



M1
K4
D9
LEU
GLY
LEU
LEU
GLU
GLU
ASP
ASP
GLU
PHE
GLU
PHE
PRO
ALA
GLU
ASP
TRP
ALA
GLY
LEU
ASP
GLU
ASP
GLU
ASP
ALA
HIS
VAL
TRP
E40
S70

- Molecule 32: 26S proteasome non-ATPase regulatory subunit 2



M1
I62
L89
L107
V131
M181
I281
L436
V447
E459
T526
L600
G636
L681
V694
GLY
GLN
ALA
GLY
LYS
PRO
LYS
LYS
THR
ILE
THR
GLY
PHE
GLN
THR
HIS
THR
THR
PRO
VAL
VAL
LEU
LEU
ALA
HIS
GLY
GLU
ARG
ALA
GLU
LEU
ALA
THR

GLU
GLU
PHE
LEU
PRO
VAL
THR
PRO
ILE
GLU
GLY
PHE
VAL
ILE
LEU
ARG
LYS
ASN
PRO
ASN
TYR
ASP
LEU

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	139236	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TECNAI ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	30	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	G	0.30	0/1859	0.50	0/2523
2	H	0.30	0/1747	0.49	0/2376
3	I	0.29	0/1942	0.51	0/2628
4	J	0.28	0/1728	0.48	0/2358
5	K	0.28	0/1747	0.48	0/2364
6	L	0.28	0/1885	0.48	0/2552
7	M	0.28	0/1891	0.46	0/2552
8	N	0.28	0/1454	0.48	0/1967
9	O	0.27	0/1670	0.49	0/2265
10	P	0.28	0/1614	0.47	0/2177
11	Q	0.29	0/1603	0.49	0/2174
12	R	0.28	0/1579	0.45	0/2134
13	S	0.28	0/1671	0.47	0/2253
14	T	0.28	0/1700	0.46	0/2305
15	A	0.30	0/2886	0.53	0/3899
16	B	0.29	0/2700	0.51	0/3645
17	D	0.31	0/3090	0.59	2/4168 (0.0%)
18	E	0.30	0/2835	0.52	1/3821 (0.0%)
19	F	0.29	0/2903	0.51	1/3912 (0.0%)
20	C	0.29	0/3054	0.56	3/4107 (0.1%)
21	U	0.29	0/6396	0.49	0/8646
22	V	0.31	0/3929	0.57	0/5309
23	W	0.29	0/3751	0.54	3/5042 (0.1%)
24	X	0.27	0/3053	0.44	0/4115
25	Y	0.30	0/3173	0.53	2/4273 (0.0%)
26	Z	0.27	0/2324	0.55	0/3150
27	a	0.36	1/3053 (0.0%)	0.52	0/4133
28	b	0.27	0/1478	0.48	0/2001
29	c	0.33	0/2302	0.60	1/3110 (0.0%)
30	d	0.30	0/2162	0.57	0/2919
31	e	0.28	0/338	0.56	0/450
32	f	0.33	2/5413 (0.0%)	0.63	3/7317 (0.0%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
All	All	0.30	3/78930 (0.0%)	0.52	16/106645 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
17	D	0	1
20	C	0	1
29	c	0	1
All	All	0	3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
27	a	145	LEU	C-N	11.92	1.56	1.34
32	f	681	LEU	C-N	6.42	1.46	1.34
32	f	181	MET	C-N	-5.33	1.21	1.34

The worst 5 of 16 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	C	167	LEU	CB-CG-CD2	6.98	122.86	111.00
32	f	459	GLU	N-CA-C	6.02	127.25	111.00
20	C	217	SER	C-N-CA	5.95	136.58	121.70
17	D	151	ILE	C-N-CA	5.85	136.32	121.70
32	f	107	LEU	CA-CB-CG	5.62	128.22	115.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
20	C	171	HIS	Peptide
17	D	148	ASP	Peptide
29	c	243	SER	Peptide

5.2 Too-close contacts

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	G	238/245 (97%)	223 (94%)	13 (6%)	2 (1%)	19	60
2	H	230/233 (99%)	216 (94%)	14 (6%)	0	100	100
3	I	248/260 (95%)	230 (93%)	17 (7%)	1 (0%)	34	72
4	J	237/247 (96%)	223 (94%)	12 (5%)	2 (1%)	19	60
5	K	224/240 (93%)	204 (91%)	16 (7%)	4 (2%)	8	42
6	L	236/268 (88%)	218 (92%)	18 (8%)	0	100	100
7	M	238/254 (94%)	219 (92%)	18 (8%)	1 (0%)	34	72
8	N	189/238 (79%)	182 (96%)	7 (4%)	0	100	100
9	O	218/276 (79%)	212 (97%)	6 (3%)	0	100	100
10	P	202/204 (99%)	192 (95%)	10 (5%)	0	100	100
11	Q	197/201 (98%)	185 (94%)	12 (6%)	0	100	100
12	R	199/262 (76%)	191 (96%)	8 (4%)	0	100	100
13	S	211/240 (88%)	203 (96%)	8 (4%)	0	100	100
14	T	213/263 (81%)	207 (97%)	6 (3%)	0	100	100
15	A	359/433 (83%)	317 (88%)	37 (10%)	5 (1%)	11	47
16	B	339/440 (77%)	308 (91%)	27 (8%)	4 (1%)	13	50
17	D	378/418 (90%)	339 (90%)	32 (8%)	7 (2%)	8	41
18	E	351/403 (87%)	321 (92%)	27 (8%)	3 (1%)	17	56
19	F	362/439 (82%)	326 (90%)	33 (9%)	3 (1%)	19	60
20	C	382/398 (96%)	337 (88%)	42 (11%)	3 (1%)	19	60
21	U	798/953 (84%)	762 (96%)	34 (4%)	2 (0%)	41	76
22	V	478/533 (90%)	431 (90%)	39 (8%)	8 (2%)	9	43
23	W	454/456 (100%)	412 (91%)	38 (8%)	4 (1%)	17	56
24	X	378/422 (90%)	363 (96%)	15 (4%)	0	100	100
25	Y	376/389 (97%)	341 (91%)	31 (8%)	4 (1%)	14	52

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
26	Z	284/324 (88%)	257 (90%)	23 (8%)	4 (1%)	11	47
27	a	371/376 (99%)	343 (92%)	23 (6%)	5 (1%)	12	48
28	b	189/377 (50%)	180 (95%)	8 (4%)	1 (0%)	29	68
29	c	285/309 (92%)	253 (89%)	26 (9%)	6 (2%)	7	39
30	d	255/349 (73%)	227 (89%)	25 (10%)	3 (1%)	13	50
31	e	36/70 (51%)	32 (89%)	3 (8%)	1 (3%)	5	33
32	f	686/749 (92%)	571 (83%)	110 (16%)	5 (1%)	22	62
All	All	9841/11269 (87%)	9025 (92%)	738 (8%)	78 (1%)	24	60

5 of 78 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	111	VAL
5	K	12	VAL
21	U	364	VAL
23	W	136	ILE
25	Y	350	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	193/209 (92%)	192 (100%)	1 (0%)	88	93
2	H	164/190 (86%)	164 (100%)	0	100	100
3	I	193/220 (88%)	193 (100%)	0	100	100
4	J	152/210 (72%)	151 (99%)	1 (1%)	84	90
5	K	186/202 (92%)	186 (100%)	0	100	100
6	L	198/229 (86%)	197 (100%)	1 (0%)	88	93
7	M	192/211 (91%)	191 (100%)	1 (0%)	88	93
8	N	148/180 (82%)	148 (100%)	0	100	100
9	O	177/227 (78%)	177 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
10	P	172/173 (99%)	172 (100%)	0	100	100
11	Q	164/171 (96%)	164 (100%)	0	100	100
12	R	153/201 (76%)	153 (100%)	0	100	100
13	S	174/198 (88%)	174 (100%)	0	100	100
14	T	175/214 (82%)	175 (100%)	0	100	100
15	A	308/372 (83%)	306 (99%)	2 (1%)	86	92
16	B	298/385 (77%)	296 (99%)	2 (1%)	84	90
17	D	333/366 (91%)	331 (99%)	2 (1%)	86	92
18	E	308/353 (87%)	306 (99%)	2 (1%)	86	92
19	F	312/379 (82%)	307 (98%)	5 (2%)	62	79
20	C	332/346 (96%)	329 (99%)	3 (1%)	78	88
21	U	685/816 (84%)	681 (99%)	4 (1%)	86	92
22	V	414/459 (90%)	409 (99%)	5 (1%)	71	84
23	W	416/416 (100%)	413 (99%)	3 (1%)	84	90
24	X	327/362 (90%)	325 (99%)	2 (1%)	86	92
25	Y	334/344 (97%)	334 (100%)	0	100	100
26	Z	257/295 (87%)	256 (100%)	1 (0%)	91	94
27	a	333/336 (99%)	333 (100%)	0	100	100
28	b	167/312 (54%)	167 (100%)	0	100	100
29	c	252/267 (94%)	250 (99%)	2 (1%)	81	89
30	d	231/293 (79%)	230 (100%)	1 (0%)	91	94
31	e	38/63 (60%)	38 (100%)	0	100	100
32	f	582/628 (93%)	578 (99%)	4 (1%)	84	90
All	All	8368/9627 (87%)	8326 (100%)	42 (0%)	89	93

5 of 42 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
22	V	324	PHE
29	c	38	LEU
23	W	214	PHE
24	X	62	GLN
30	d	3	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 37 such sidechains are listed below:

Mol	Chain	Res	Type
32	f	269	GLN
32	f	578	ASN
32	f	293	ASN
32	f	406	ASN
19	F	194	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 1 is monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
33	ATP	A	501	-	26,33,33	0.90	1 (3%)	31,52,52	1.84	7 (22%)
33	ATP	D	501	-	26,33,33	0.92	1 (3%)	31,52,52	1.53	5 (16%)
33	ATP	B	501	-	26,33,33	0.91	1 (3%)	31,52,52	1.58	5 (16%)
33	ATP	F	501	-	26,33,33	0.92	1 (3%)	31,52,52	1.60	5 (16%)
33	ATP	C	501	-	26,33,33	0.92	1 (3%)	31,52,52	1.65	6 (19%)
33	ATP	E	401	-	26,33,33	0.94	1 (3%)	31,52,52	1.85	7 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
33	ATP	A	501	-	-	2/18/38/38	0/3/3/3
33	ATP	D	501	-	-	1/18/38/38	0/3/3/3
33	ATP	B	501	-	-	1/18/38/38	0/3/3/3
33	ATP	F	501	-	-	3/18/38/38	0/3/3/3
33	ATP	C	501	-	-	1/18/38/38	0/3/3/3
33	ATP	E	401	-	-	3/18/38/38	0/3/3/3

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
33	E	401	ATP	C5-C4	2.51	1.47	1.40
33	C	501	ATP	C5-C4	2.43	1.47	1.40
33	D	501	ATP	C5-C4	2.40	1.47	1.40
33	F	501	ATP	C5-C4	2.39	1.47	1.40
33	B	501	ATP	C5-C4	2.38	1.47	1.40

The worst 5 of 35 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
33	A	501	ATP	PA-O3A-PB	-5.34	114.50	132.83
33	E	401	ATP	PA-O3A-PB	-4.75	116.52	132.83
33	E	401	ATP	PB-O3B-PG	-4.56	117.17	132.83
33	F	501	ATP	PB-O3B-PG	-4.53	117.29	132.83
33	A	501	ATP	PB-O3B-PG	-4.10	118.75	132.83

There are no chirality outliers.


5 of 11 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
33	A	501	ATP	C5'-O5'-PA-O1A
33	E	401	ATP	C5'-O5'-PA-O3A
33	F	501	ATP	C5'-O5'-PA-O3A
33	F	501	ATP	PA-O3A-PB-O2B
33	E	401	ATP	C5'-O5'-PA-O1A


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
32	f	3
2	H	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	f	110:ALA	C	111:LEU	N	9.72
1	f	79:ASN	C	80:TYR	N	7.23
1	f	348:ASP	C	349:SER	N	5.88
1	H	2:ALA	C	3:GLU	N	5.52

6 Map visualisation

This section contains visualisations of the EMDB entry EMD-8334. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections

This section was not generated.

6.2 Central slices

This section was not generated.

6.3 Largest variance slices

This section was not generated.

6.4 Orthogonal surface views

This section was not generated.

6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution

This section was not generated.

7.2 Volume estimate versus contour level

This section was not generated.

7.3 Rotationally averaged power spectrum

This section was not generated. The rotationally averaged power spectrum had issues being displayed.

8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit

This section was not generated.