



wwPDB EM Validation Summary Report ⓘ

Nov 13, 2023 – 02:41 PM EST

PDB ID : 8UXM
EMDB ID : EMD-42769
Title : Structure of PKA phosphorylated human RyR2-R420W in the open state in the presence of calcium and calmodulin
Authors : Miotto, M.C.; Marks, A.R.
Deposited on : 2023-11-09
Resolution : 3.56 Å(reported)
Based on initial model : 7UA5

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev70
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.56 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	I	149	
1	J	149	
1	K	149	
1	L	149	
2	A	4967	
2	B	4967	
2	C	4967	
2	D	4967	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	E	108	 80% 19% ..
3	F	108	 80% 19% ..
3	G	108	 80% 19% ..
3	H	108	 79% 20% .

2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 143464 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Calmodulin-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	I	143	1131	694	182	246	9	0	0
1	J	143	1131	694	182	246	9	0	0
1	L	143	1131	694	182	246	9	0	0
1	K	143	1131	694	182	246	9	0	0

- Molecule 2 is a protein called Ryanodine receptor 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	A	4231	33849	21572	5764	6283	230	2	0
2	B	4231	33849	21572	5764	6283	230	2	0
2	C	4231	33849	21572	5764	6283	230	2	0
2	D	4231	33849	21572	5764	6283	230	2	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	420	TRP	ARG	variant	UNP Q92736
B	420	TRP	ARG	variant	UNP Q92736
C	420	TRP	ARG	variant	UNP Q92736
D	420	TRP	ARG	variant	UNP Q92736

- Molecule 3 is a protein called Peptidyl-prolyl cis-trans isomerase FKBP1B.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	E	107	Total	C	N	O	S	0	0
			818	516	144	154	4		
3	F	107	Total	C	N	O	S	0	0
			818	516	144	154	4		
3	G	107	Total	C	N	O	S	0	0
			818	516	144	154	4		
3	H	107	Total	C	N	O	S	0	0
			818	516	144	154	4		

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms		AltConf
4	I	4	Total	Ca	0
			4	4	
4	A	1	Total	Ca	0
			1	1	
4	J	4	Total	Ca	0
			4	4	
4	L	4	Total	Ca	0
			4	4	
4	K	4	Total	Ca	0
			4	4	
4	B	1	Total	Ca	0
			1	1	
4	C	1	Total	Ca	0
			1	1	
4	D	1	Total	Ca	0
			1	1	

- Molecule 5 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
5	A	1	Total	Zn	0
			1	1	
5	B	1	Total	Zn	0
			1	1	
5	C	1	Total	Zn	0
			1	1	
5	D	1	Total	Zn	0
			1	1	

- Molecule 6 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula:

C₁₀H₁₆N₅O₁₃P₃ (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
6	A	1	Total 31	C 10	N 5	O 13	P 3	0
6	A	1	Total 31	C 10	N 5	O 13	P 3	0
6	B	1	Total 31	C 10	N 5	O 13	P 3	0
6	B	1	Total 31	C 10	N 5	O 13	P 3	0
6	C	1	Total 31	C 10	N 5	O 13	P 3	0
6	C	1	Total 31	C 10	N 5	O 13	P 3	0
6	D	1	Total 31	C 10	N 5	O 13	P 3	0
6	D	1	Total 31	C 10	N 5	O 13	P 3	0


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Calmodulin-1



- Molecule 1: Calmodulin-1




- Molecule 1: Calmodulin-1





- Molecule 1: Calmodulin-1






• Molecule 2: Ryanodine receptor 2








L3924	R8810	E3656	VAL	LEU	LEU	K3311	R3248	N1885	D3120	A3059	A2986	K2908
Q3925	Q3811	G3657	LEU	ALA	LEU	P3312	W3249	T3186	L3121	D3062	S2987	D2909
G3926	N3812	T3658	LEU	ASN	THR	Q3313	W3250	K3187	T3122	R3063	R2988	L2910
L3935	E3815	K3659	ASN	ARG	THR	L3314	G3253	S3188	L3123	A3064	P2989	E2911
R3939	G3816	R3660	THR	PHE	ARG	L3315	E3255	S3189	E3124	L2990	L2990	L2912
D3942	L3817	V3661	LEU	SER	VAL	K3316	N3256	R3190	D3125	E3066	C2991	D2913
G3946	L3818	L3664	LEU	LEU	TYR	T3317	P3257	E3191	V3126	D3067	S2992	T2914
V3950	G3819	H3665	HIS	SER	TYR	H3318	P3258	A3193	Y3131	L3068	G2993	F2915
M3954	M3819	H3666	THR	ASN	ARG	F3319	E3259	A3194	R3132	E3069	G2994	E2918
Q3955	V3820	L3667	GLU	ALA	ALA	L3320	E3260	A3194	L3133	K3070	G2994	F2921
L3958	T3821	L3668	ASP	ALA	LYS	P3321	A3261	L3195	L3134	T3071	H2995	K0922
S3963	E3822	L3677	VAL	SER	TRP	L3322	E3262	S3196	T3135	M3072	N2998	Y2923
Q3964	G3823	E3678	ARG	ASP	LYS	M3323	W3264	P3196	Y3138	E3073	K3001	S2924
I3965	E3824	E3678	ARG	GLN	GLU	E3324	C3264	T3199	A3139	E3073	F5002	F2925
E3966	G3826	K3687	GLY	ARG	ASN	K3325	A3267	M3200	L3075	M3074	M5003	L2926
L3967	L3830	W3688	ARG	LYS	PRO	L3327	L3268	V3201	L3140	K3076	S3006	O2927
M3972	L3833	K3689	HIS	ASN	ALA	K3328	N3269	E3202	Q3077	C3009	C3009	L2928
Q3975	D3833	D3693	TYR	ILE	GLU	K3329	E3270	D3203	T3142	K3010	K3010	L2929
V3979	D3838	K3697	CYS	HIS	GLU	ALA	E3271	C3204	Q3077	Q3079	V3013	R2931
G3996	L3846	H3700	LEU	LEU	PHE	ALA	H3272	P3206	K3144	F3080	R3016	Y2932
K3997	C3847	D3701	GLY	ASP	ARG	THR	K3273	I3208	I3146	HIS	R3016	F2943
V4000	E3848	E3702	GLU	ARG	ARG	VAL	N3274	P3209	Y3147	THR	H3017	D2944
D4001	M3851	GLU	ASP	TRP	VAL	VAL	T3275	S3210	V3148	ARG	R3018	G2945
M4008	F3854	ASP	PRO	ARG	ALA	GLU	L3276	S3210	E3149	ASN	I3019	G2946
N4009	Q3855	GLY	ARG	GLN	GLU	GLU	L3277	D3204	Q3079	GLN	S3020	G2947
V4010	Q3861	GLU	LYS	LEU	LEU	ASP	L3278	E3212	R3150	PRO	F3022	S2948
E4011	T3867	GLU	ARG	TRP	LYS	HIS	G3278	K3213	Q3151	PRO	L3021	G2949
L4021	L3879	E3715	TRP	ILE	TRP	ALA	N3279	M3215	R3152	G3089	D3025	G2950
L4026	Q3882	A3729	ASP	ARG	LYS	ALA	Y3280	E3216	Q3153	V3090	A3026	G2951
T4027	S3884	H3732	LEU	LEU	ARG	GLU	K3282	E3217	A3154	T3091	I3029	G2952
D4030	D3887	T3743	PRO	PRO	GLU	ALA	L3283	I3218	L3155	Q3092	H3034	H2953
E4034	F3888	P3753	ASN	ASN	GLU	GLU	T3284	V3219	G3156	T3097	I3035	F2954
Y4035	R3604	L3608	THR	THR	LEU	LEU	Y3285	E3222	E3157	T3097	L3036	Y2956
D4036	M3605	R3615	ASP	ASP	VAL	VAL	N3286	A3222	G3158	Y3099	G3037	E2957
P4037	E3650	R3615	PRO	PRO	VAL	VAL	K3287	E3223	F3162	V3099	Q3038	O2958
D4038	P3651	E3650	GLY	GLY	GLU	GLU	L3288	S3224	A3163	A3100	T3039	I2959
G4039	P3652	P3652	LEU	LEU	LEU	LEU	G3289	G3225	G3164	L3102	L3040	I2960
K4040	E3653	E3654	ASN	ASN	ASN	ASN	I3290	I3226	A3165	L3101	D3041	K2961
G4041	E3654	D3655	ASP	ASP	ASP	ASP	D3291	R3227	F3166	L3101	A3042	F2962
T4042	M3806	D3655	LEU	LEU	LEU	LEU	E3292	Y3228	P3167	L3102	R3043	K2965
L4043	M3806	D3655	ALA	ALA	ALA	ALA	E3292	T3229	P3167	L3102	R3043	V2966
							G3293	Q3230	A3169	L3103	M3046	V2967
							W3295	M3231	F3170	M3104	K3047	L2968
							M3296	M3232	L3171	L3105	T3048	L2969
							K3297	H3233	E3172	S3106	L2970	L2970
							R3298	V3234	T3173	S3107	G3049	D2972
							L3299	M3235	H3174	L3108	L3050	Q2973
							A3300	T3238	K3177	F3109	E3051	K2976
							V3301	P3240	H3178	E3110	S3052	
							Q3303	M3241	N3179	H3111	V3053	F2982
							K3304	M3245	T3180	L3112	K3054	
							I3307	S3247	Y3181	G3113	S3055	
							N3308		I3183	G3114	R3058	
							V3310		T3184	H3115		
										F3117		
										G3118		
										E3119		




• Molecule 2: Ryanodine receptor 2











• Molecule 2: Ryanodine receptor 2





L2560	S2560	I2382	E2293	L2062	Q1995	L1898	K1800	F1603	P1434	PRO	L1283	G1129	I1012
L2561	L2561	H2383	N2224	L2080	L1996	V1902	R1807	R1610	G1435	GLU	N1294	G1132	R1013
T2562	T2562	G2384	V2227	M2084	H2000	R1910	V1810	I1611	Q1436	PHE	S1295	E1132	Q1014
Q2565	Q2565	G2385	P2232	V2085	E2001	Q1911	V1817	Q1615	I1446	ASN	M1296	F1135	R1027
R2566	R2566	M2388	A2244	L2087	M2004	C1914	L1817	W1616	Q1452	HIS	I1299	Q1143	R1031
T2569	T2569	I2422	M2248	Q2091	E2010	V1918	F1825	L1618	Y1453	TYR	I1299	R1144	P1034
Q2586	Q2586	S2425	M2249	Q2091	LEU	R1919	M1831	M1636	E1472	ALA	K1316	R1146	L1037
H2587	H2587	L2426	N2250	Y2106	ASP	R1919	M1842	E1649	K1473	GLY	THR	H1146	L1038
L2427	L2427	I2427	L2283	L2123	GLU	L1845	I1842	L1650	R1482	PRO	VAL	D1040	D1039
R2590	R2590	D2431	E2259	M2134	SER	L1845	K1852	L1667	S1483	ARG	GLY	H1151	D1040
R2591	R2591	G2434	P2260	D1930	ASP	D1930	E1853	G1668	N1484	LEU	LEU	E1150	D1040
L2592	L2592	V2435	L2146	F1932	GLY	F1932	A1854	M1669	M1484	PRO	PRO	H1166	T1042
V2593	V2593	I2436	M2150	K1935	ASN	M1939	ALA	M1669	S1495	LYS	GLY	T1172	R1043
P2606	P2606	K2447	M2150	L1936	SER	M1939	THR	M1669	P1496	ALA	ALA	M1173	K1043
L2610	L2610	D2448	K2153	L1936	ASP	L1936	PRO	H1679	G1497	GLY	GLY	T1176	M1046
Y2620	Y2620	G2449	Y2156	L1951	THR	L1951	GLU	L1685	Q1498	LEU	PHE	I1181	K1047
G2628	G2628	M2450	Q2157	L1957	LEU	L1957	GLU	L1685	Q1498	LEU	LEU	I1181	D1048
M2629	M2629	M2456	L2165	T1958	ARG	T1958	GLU	L1685	Q1498	LEU	LEU	I1181	S1049
F2630	F2630	S2457	G2166	R1960	GLY	R1960	GLU	L1685	Q1498	LEU	LEU	I1181	L1050
L2640	L2640	A2458	M2167	K1961	LEU	K1961	GLU	L1685	Q1498	LEU	LEU	I1181	R1051
R2641	R2641	L2302	T2170	L1962	SER	L1962	GLU	L1685	Q1498	LEU	LEU	I1181	R1051
R2642	R2642	G2166	V2171	T1962	THR	T1962	GLU	L1685	Q1498	LEU	LEU	I1181	R1051
R2643	R2643	M2167	V2171	T1962	THR	T1962	GLU	L1685	Q1498	LEU	LEU	I1181	R1051
R2644	R2644	L2344	V2171	T1962	THR	T1962	GLU	L1685	Q1498	LEU	LEU	I1181	R1051
F2645	F2645	K2465	V2171	T1962	THR	T1962	GLU	L1685	Q1498	LEU	LEU	I1181	R1051
W2646	W2646	M2347	V2171	T1962	THR	T1962	GLU	L1685	Q1498	LEU	LEU	I1181	R1051
E2658	E2658	A2380	A2380	K2175	THR	K2175	THR	L1685	Q1498	LEU	LEU	I1181	R1051
Q2659	Q2659	L2351	L2351	M2175	THR	M2175	THR	L1685	Q1498	LEU	LEU	I1181	R1051
E2660	E2660	L2344	L2344	R1960	THR	R1960	THR	L1685	Q1498	LEU	LEU	I1181	R1051
L2661	L2661	K2352	K2352	S1967	THR	S1967	THR	L1685	Q1498	LEU	LEU	I1181	R1051
F2662	F2662	L2353	L2353	P1968	THR	P1968	THR	L1685	Q1498	LEU	LEU	I1181	R1051
L2676	L2676	G2181	G2181	Q1972	LYS	Q1972	LYS	L1685	Q1498	LEU	LEU	I1181	R1051
S2683	S2683	G2182	G2182	I1973	LYS	I1973	LYS	L1685	Q1498	LEU	LEU	I1181	R1051
N2684	N2684	E2183	E2183	L1976	ALA	L1976	ALA	L1685	Q1498	LEU	LEU	I1181	R1051
L2685	L2685	S2184	S2184	L1977	LYS	L1977	LYS	L1685	Q1498	LEU	LEU	I1181	R1051
V2686	V2686	K2185	K2185	M1978	PRO	M1978	PRO	L1685	Q1498	LEU	LEU	I1181	R1051
M2687	M2687	E2186	E2186	F1979	VAL	F1979	VAL	L1685	Q1498	LEU	LEU	I1181	R1051
N2688	N2688	I2187	I2187	K1980	GLU	K1980	GLU	L1685	Q1498	LEU	LEU	I1181	R1051
M2689	M2689	Y2202	Y2202	D1982	SER	D1982	SER	L1685	Q1498	LEU	LEU	I1181	R1051
E2690	E2690	F2203	F2203	K1983	ASP	K1983	ASP	L1685	Q1498	LEU	LEU	I1181	R1051
K2691	K2691	C2204	C2204	S1984	LYS	S1984	LYS	L1685	Q1498	LEU	LEU	I1181	R1051
L2525	L2525	R2205	R2205	C1986	GLU	C1986	GLU	L1685	Q1498	LEU	LEU	I1181	R1051
P2526	P2526	L2206	L2206	C1987	GLU	C1987	GLU	L1685	Q1498	LEU	LEU	I1181	R1051
L2527	L2527	M2214	M2214	C1988	GLU	C1988	GLU	L1685	Q1498	LEU	LEU	I1181	R1051
E2697	E2697	E2377	E2377	P1989	LYS	P1989	LYS	L1685	Q1498	LEU	LEU	I1181	R1051
F2698	F2698	E2378	E2378	L1893	LYS	L1893	LYS	L1685	Q1498	LEU	LEU	I1181	R1051
Q2699	Q2699	D2379	D2379	M1896	ARG	M1896	ARG	L1685	Q1498	LEU	LEU	I1181	R1051
W2700	W2700	D2380	D2380	K1897	ARG	K1897	ARG	L1685	Q1498	LEU	LEU	I1181	R1051
F2701	F2701	L2221	L2221	M1896	ARG	M1896	ARG	L1685	Q1498	LEU	LEU	I1181	R1051
N2702	N2702	T2381	T2381	K1897	ARG	K1897	ARG	L1685	Q1498	LEU	LEU	I1181	R1051




• Molecule 2: Ryanodine receptor 2













• Molecule 3: Peptidyl-prolyl cis-trans isomerase FKBP1B





• Molecule 3: Peptidyl-prolyl cis-trans isomerase FKBP1B



• Molecule 3: Peptidyl-prolyl cis-trans isomerase FKBP1B



• Molecule 3: Peptidyl-prolyl cis-trans isomerase FKBP1B



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	49606	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	58	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1200	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.594	Depositor
Minimum map value	-0.010	Depositor
Average map value	0.013	Depositor
Map value standard deviation	0.034	Depositor
Recommended contour level	0.14	Depositor
Map size (Å)	431.36, 431.36, 431.36	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.8425, 0.8425, 0.8425	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ATP, ZN, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	I	0.30	0/1143	0.58	1/1534 (0.1%)
1	J	0.30	0/1143	0.58	1/1534 (0.1%)
1	K	0.30	0/1143	0.58	1/1534 (0.1%)
1	L	0.30	0/1143	0.58	1/1534 (0.1%)
2	A	0.69	7/34594 (0.0%)	0.51	8/46723 (0.0%)
2	B	0.69	7/34594 (0.0%)	0.51	8/46723 (0.0%)
2	C	0.69	7/34594 (0.0%)	0.51	8/46723 (0.0%)
2	D	0.69	7/34594 (0.0%)	0.51	8/46723 (0.0%)
3	E	0.29	0/834	0.54	0/1123
3	F	0.28	0/834	0.53	0/1123
3	G	0.28	0/834	0.54	0/1123
3	H	0.28	0/834	0.54	0/1123
All	All	0.68	28/146284 (0.0%)	0.51	36/197520 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	A	0	2
2	B	0	2
2	C	0	2
2	D	0	2
All	All	0	8

The worst 5 of 28 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	3205	CYS	CB-SG	105.30	3.61	1.82
2	B	3205	CYS	CB-SG	105.27	3.61	1.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	3205	CYS	CB-SG	105.27	3.61	1.82
2	C	3205	CYS	CB-SG	105.21	3.61	1.82
2	B	3131	TYR	CD2-CE2	29.66	1.83	1.39

The worst 5 of 36 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	3205	CYS	CA-CB-SG	12.07	135.73	114.00
2	A	3205	CYS	CA-CB-SG	12.06	135.71	114.00
2	D	3205	CYS	CA-CB-SG	12.05	135.68	114.00
2	B	3205	CYS	CA-CB-SG	12.04	135.68	114.00
2	D	2737	LEU	CA-CB-CG	7.16	131.77	115.30

There are no chirality outliers.

5 of 8 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	A	2801	TYR	Peptide
2	A	4640	PHE	Peptide
2	B	2801	TYR	Peptide
2	B	4640	PHE	Peptide
2	C	2801	TYR	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	I	1131	0	1058	50	0
1	J	1131	0	1058	45	0
1	K	1131	0	1058	47	0
1	L	1131	0	1058	46	0
2	A	33849	0	33549	793	0
2	B	33849	0	33549	790	0
2	C	33849	0	33549	767	0
2	D	33849	0	33549	795	0
3	E	818	0	821	11	0
3	F	818	0	821	11	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	G	818	0	821	13	0
3	H	818	0	821	11	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	I	4	0	0	0	0
4	J	4	0	0	0	0
4	K	4	0	0	0	0
4	L	4	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
6	A	62	0	24	1	0
6	B	62	0	24	1	0
6	C	62	0	24	1	0
6	D	62	0	24	1	0
All	All	143464	0	141808	3297	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 3297 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:3131:TYR:CD1	2:D:3131:TYR:CE1	1.82	1.68
2:A:3131:TYR:CD1	2:A:3131:TYR:CE1	1.82	1.63
2:C:3131:TYR:CD2	2:C:3131:TYR:CE2	1.83	1.61
2:C:3131:TYR:CE1	2:C:3131:TYR:CD1	1.82	1.61
2:D:3131:TYR:CE2	2:D:3131:TYR:CD2	1.83	1.61

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	I	141/149 (95%)	139 (99%)	2 (1%)	0	100	100
1	J	141/149 (95%)	139 (99%)	2 (1%)	0	100	100
1	K	141/149 (95%)	139 (99%)	2 (1%)	0	100	100
1	L	141/149 (95%)	139 (99%)	2 (1%)	0	100	100
2	A	4205/4967 (85%)	4081 (97%)	119 (3%)	5 (0%)	51	84
2	B	4205/4967 (85%)	4081 (97%)	119 (3%)	5 (0%)	51	84
2	C	4205/4967 (85%)	4082 (97%)	118 (3%)	5 (0%)	51	84
2	D	4205/4967 (85%)	4080 (97%)	120 (3%)	5 (0%)	51	84
3	E	105/108 (97%)	103 (98%)	2 (2%)	0	100	100
3	F	105/108 (97%)	103 (98%)	2 (2%)	0	100	100
3	G	105/108 (97%)	103 (98%)	2 (2%)	0	100	100
3	H	105/108 (97%)	103 (98%)	2 (2%)	0	100	100
All	All	17804/20896 (85%)	17292 (97%)	492 (3%)	20 (0%)	54	84

5 of 20 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	A	3927	PRO
2	A	4641	PRO
2	B	3927	PRO
2	B	4641	PRO
2	C	3927	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	I	123/127 (97%)	112 (91%)	11 (9%)	9	39
1	J	123/127 (97%)	112 (91%)	11 (9%)	9	39

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	K	123/127 (97%)	112 (91%)	11 (9%)	9	39
1	L	123/127 (97%)	112 (91%)	11 (9%)	9	39
2	A	3715/4358 (85%)	3678 (99%)	37 (1%)	76	89
2	B	3715/4358 (85%)	3678 (99%)	37 (1%)	76	89
2	C	3715/4358 (85%)	3678 (99%)	37 (1%)	76	89
2	D	3715/4358 (85%)	3678 (99%)	37 (1%)	76	89
3	E	88/89 (99%)	87 (99%)	1 (1%)	73	88
3	F	88/89 (99%)	87 (99%)	1 (1%)	73	88
3	G	88/89 (99%)	87 (99%)	1 (1%)	73	88
3	H	88/89 (99%)	87 (99%)	1 (1%)	73	88
All	All	15704/18296 (86%)	15508 (99%)	196 (1%)	72	87

5 of 196 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	3847	CYS
2	C	2783	LEU
2	B	4748	MET
2	C	1564	MET
2	C	3591	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 76 such sidechains are listed below:

Mol	Chain	Res	Type
2	C	4933	HIS
2	D	3151	GLN
2	D	658	ASN
2	D	2540	HIS
2	D	4933	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 32 ligands modelled in this entry, 24 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	ATP	D	5002	-	26,33,33	0.67	0	31,52,52	0.72	1 (3%)
6	ATP	A	5002	-	26,33,33	0.68	0	31,52,52	0.72	1 (3%)
6	ATP	C	5002	-	26,33,33	0.68	0	31,52,52	0.72	1 (3%)
6	ATP	D	5004	-	26,33,33	0.60	0	31,52,52	0.73	2 (6%)
6	ATP	C	5004	-	26,33,33	0.61	0	31,52,52	0.73	2 (6%)
6	ATP	A	5004	-	26,33,33	0.60	0	31,52,52	0.73	2 (6%)
6	ATP	B	5002	-	26,33,33	0.67	0	31,52,52	0.72	1 (3%)
6	ATP	B	5004	-	26,33,33	0.60	0	31,52,52	0.73	2 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	ATP	D	5002	-	-	7/18/38/38	0/3/3/3
6	ATP	A	5002	-	-	7/18/38/38	0/3/3/3
6	ATP	C	5002	-	-	7/18/38/38	0/3/3/3
6	ATP	D	5004	-	-	9/18/38/38	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	ATP	C	5004	-	-	9/18/38/38	0/3/3/3
6	ATP	A	5004	-	-	9/18/38/38	0/3/3/3
6	ATP	B	5002	-	-	7/18/38/38	0/3/3/3
6	ATP	B	5004	-	-	9/18/38/38	0/3/3/3

There are no bond length outliers.

The worst 5 of 12 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	5002	ATP	C5-C6-N6	2.32	123.88	120.35
6	B	5002	ATP	C5-C6-N6	2.31	123.86	120.35
6	C	5002	ATP	C5-C6-N6	2.31	123.86	120.35
6	A	5004	ATP	C5-C6-N6	2.30	123.84	120.35
6	C	5004	ATP	C5-C6-N6	2.29	123.84	120.35

There are no chirality outliers.

5 of 64 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	5002	ATP	C5'-O5'-PA-O1A
6	A	5002	ATP	C5'-O5'-PA-O2A
6	A	5004	ATP	PB-O3A-PA-O5'
6	A	5004	ATP	C5'-O5'-PA-O1A
6	A	5004	ATP	C5'-O5'-PA-O2A


There are no ring outliers.


4 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	D	5004	ATP	1	0
6	C	5004	ATP	1	0
6	A	5004	ATP	1	0
6	B	5004	ATP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be


highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-42769. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 239



Y Index: 239



Z Index: 283


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.14. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 11220 nm^3 ; this corresponds to an approximate mass of 1014 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.281 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-42769 and PDB model 8UXM. Per-residue inclusion information can be found in section [3](#) on page [7](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.14 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.14).



























9.4 Atom inclusion [i](#)



At the recommended contour level, 90% of all backbone atoms, 76% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.14) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7560	 0.3810
A	 0.7540	 0.3840
B	 0.7560	 0.3860
C	 0.7520	 0.3800
D	 0.7540	 0.3820
E	 0.8920	 0.5130
F	 0.8910	 0.5110
G	 0.8960	 0.5120
H	 0.8970	 0.5110
I	 0.7240	 0.2220
J	 0.7320	 0.2220
K	 0.7240	 0.2220
L	 0.7310	 0.2190

