



wwPDB EM Validation Summary Report ⓘ

Dec 26, 2023 – 11:38 AM JST

PDB ID : 8WAP
EMDB ID : EMD-37400
Title : Structure of transcribing complex 6 (TC6), the initially transcribing complex with Pol II positioned 6nt downstream of TSS.
Authors : Chen, X.; Liu, W.; Wang, Q.; Wang, X.; Ren, Y.; Qu, X.; Li, W.; Xu, Y.
Deposited on : 2023-09-08
Resolution : 5.85 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 5.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	309	<div style="display: flex; justify-content: space-between;"> 50% 53% 45% </div>
2	1	548	<div style="display: flex; justify-content: space-between;"> 15% 48% 52% </div>
3	2	395	<div style="display: flex; justify-content: space-between;"> 7% 83% 17% </div>
4	3	308	<div style="display: flex; justify-content: space-between;"> 10% 85% 15% </div>
5	4	462	<div style="display: flex; justify-content: space-between;"> 20% 84% 15% </div>
6	5	71	<div style="display: flex; justify-content: space-between;"> 37% 72% 24% </div>
7	6	782	<div style="display: flex; justify-content: space-between;"> 28% 77% 23% </div>
8	7	760	<div style="display: flex; justify-content: space-between;"> 24% 94% 6% </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	N	8	
10	Z	6	
11	A	1872	
12	B	1199	
13	D	1085	
13	d	1085	
14	E	800	
14	e	800	
15	F	677	
15	f	677	
16	G	349	
17	H	310	
18	I	264	
18	i	264	
19	J	218	
19	j	218	
20	L	161	
20	l	161	
21	O	109	
22	P	339	
23	Q	376	
24	R	316	
25	S	517	
26	T	249	
27	U	439	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
28	V	291	57% 43%
29	X	99	62% 36%
30	Y	99	69% 26% 5%
31	c	929	10% 13% 86%
32	k	211	46% 46% 54%
33	m	124	70% 65% 6% 30%
34	o	1970	73% 26%
35	p	1174	97%
36	q	275	91% 7%
37	r	142	90% 10%
38	s	210	99%
39	t	127	64% 35%
40	u	172	99%
41	v	150	99%
42	w	125	88% 9%
43	x	67	97%
44	y	117	97%
45	z	58	72% 24%

2 Entry composition [i](#)

There are 49 unique types of molecules in this entry. The entry contains 108642 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CDK-activating kinase assembly factor MAT1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	0	171	1420	882	249	279	10	0	0

- Molecule 2 is a protein called General transcription factor IIH subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	1	265	2167	1382	378	395	12	0	0

- Molecule 3 is a protein called General transcription factor IIH subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	2	329	2567	1621	440	479	27	0	0

- Molecule 4 is a protein called General transcription factor IIH subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	3	263	2066	1323	344	380	19	0	0

- Molecule 5 is a protein called General transcription factor IIH subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	4	394	3189	2068	552	557	12	0	0

- Molecule 6 is a protein called General transcription factor IIH subunit 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	5	54	428	277	67	82	2	0	0

- Molecule 7 is a protein called General transcription and DNA repair factor IIIH helicase subunit XPB.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	6	605	4890	3127	848	885	30	0	0

- Molecule 8 is a protein called General transcription and DNA repair factor IIIH helicase subunit XPD.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	7	714	5751	3683	999	1040	29	0	0

- Molecule 9 is a protein called Alpha-amanitin.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	N	8	64	39	10	14	1	0	0

- Molecule 10 is a RNA chain called RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
10	Z	6	139	59	25	47	8	0	0

- Molecule 11 is a protein called Transcription initiation factor TFIID subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	A	559	4580	2924	795	834	27	0	0

- Molecule 12 is a protein called Transcription initiation factor TFIID subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	B	963	7796	5011	1315	1412	58	0	0

- Molecule 13 is a protein called Transcription initiation factor TFIID subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	D	164	1366	851	256	255	4	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
13	d	158	Total	C	N	O	S	0	0
			1307	814	238	252	3		

- Molecule 14 is a protein called Transcription initiation factor TFIID subunit 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	E	547	Total	C	N	O	S	0	0
			4376	2774	759	822	21		
14	e	539	Total	C	N	O	S	0	0
			4327	2746	748	814	19		

- Molecule 15 is a protein called Transcription initiation factor TFIID subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	F	412	Total	C	N	O	S	0	0
			3143	1994	548	583	18		
15	f	403	Total	C	N	O	S	0	0
			3081	1954	533	576	18		

- Molecule 16 is a protein called Transcription initiation factor TFIID subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	G	144	Total	C	N	O	S	0	0
			1171	742	215	210	4		

- Molecule 17 is a protein called Transcription initiation factor TFIID subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	H	209	Total	C	N	O	S	0	0
			1633	1034	283	311	5		

- Molecule 18 is a protein called Transcription initiation factor TFIID subunit 9.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	I	120	Total	C	N	O	S	0	0
			959	610	166	177	6		
18	i	121	Total	C	N	O	S	0	0
			967	615	167	178	7		

- Molecule 19 is a protein called Transcription initiation factor TFIID subunit 10.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	J	90	Total	C	N	O	S	0	0
			720	466	115	135	4		
19	j	95	Total	C	N	O	S	0	0
			759	488	124	143	4		

- Molecule 20 is a protein called Transcription initiation factor TFIID subunit 12.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	L	76	Total	C	N	O	S	0	0
			622	388	109	122	3		
20	l	107	Total	C	N	O	S	0	0
			876	547	158	166	5		

- Molecule 21 is a protein called Transcription initiation factor IIA subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	O	99	Total	C	N	O	S	0	0
			806	510	142	151	3		

- Molecule 22 is a protein called TATA-box-binding protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	P	179	Total	C	N	O	S	0	0
			1422	923	251	241	7		

- Molecule 23 is a protein called Transcription initiation factor IIA beta chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	Q	113	Total	C	N	O	S	0	0
			930	585	152	189	4		

- Molecule 24 is a protein called Transcription initiation factor IIB.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	R	282	Total	C	N	O	S	0	0
			2167	1353	384	412	18		

- Molecule 25 is a protein called General transcription factor IIF subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	S	176	Total	C	N	O	S	0	0
			1461	921	268	268	4		

- Molecule 26 is a protein called General transcription factor IIF subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	T	222	1788	1127	320	338	3	0	0

- Molecule 27 is a protein called General transcription factor IIE subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	U	184	1520	957	272	280	11	0	0

- Molecule 28 is a protein called Transcription initiation factor IIE subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	V	165	1357	865	235	253	4	0	0

- Molecule 29 is a DNA chain called non-template DNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
29	X	63	1304	616	248	377	63	0	0

- Molecule 30 is a DNA chain called template DNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
30	Y	73	1484	706	266	439	73	0	0

- Molecule 31 is a protein called Transcription initiation factor TFIID subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	c	127	1011	638	174	193	6	0	0

- Molecule 32 is a protein called Transcription initiation factor TFIID subunit 11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	k	98	785	499	142	139	5	0	0

- Molecule 33 is a protein called Transcription initiation factor TFIID subunit 13.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	m	87	Total	C	N	O	S	0	0
			724	456	131	131	6		

- Molecule 34 is a protein called DNA-directed RNA polymerase subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	o	1452	Total	C	N	O	S	0	0
			11510	7235	2056	2146	73		

- Molecule 35 is a protein called DNA-directed RNA polymerase subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	p	1149	Total	C	N	O	S	0	0
			9175	5796	1614	1701	64		

- Molecule 36 is a protein called DNA-directed RNA polymerase II subunit RPB3.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	q	257	Total	C	N	O	S	0	0
			2059	1294	351	408	6		

- Molecule 37 is a protein called DNA-directed RNA polymerase II subunit RPB4.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	r	128	Total	C	N	O	S	0	0
			1050	656	178	212	4		

- Molecule 38 is a protein called DNA-directed RNA polymerase II subunit E.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	s	209	Total	C	N	O	S	0	0
			1720	1089	300	323	8		

- Molecule 39 is a protein called DNA-directed RNA polymerase II subunit F.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	t	82	Total	C	N	O	S	0	0
			657	418	113	121	5		

- Molecule 40 is a protein called DNA-directed RNA polymerase II subunit RPB7.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	u	171	Total	C	N	O	S	0	0
			1351	875	219	249	8		

- Molecule 41 is a protein called DNA-directed RNA polymerases I, II, and III subunit RPABC3.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	v	148	Total	C	N	O	S	0	0
			1186	750	194	237	5		

- Molecule 42 is a protein called DNA-directed RNA polymerase II subunit RPB9.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	w	114	Total	C	N	O	S	0	0
			927	571	166	179	11		

- Molecule 43 is a protein called DNA-directed RNA polymerases I, II, and III subunit RPABC5.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	x	67	Total	C	N	O	S	0	0
			533	345	90	92	6		

- Molecule 44 is a protein called DNA-directed RNA polymerase II subunit RPB11-a.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	y	115	Total	C	N	O	S	0	0
			920	593	152	173	2		

- Molecule 45 is a protein called RPB12.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	z	44	Total	C	N	O	S	0	0
			372	231	72	63	6		

- Molecule 46 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
46	0	2	Total	Zn	0
			2	2	
46	2	3	Total	Zn	0
			3	3	
46	3	2	Total	Zn	0
			2	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
46	R	1	Total	Zn	0
			1	1	
46	U	1	Total	Zn	0
			1	1	
46	o	2	Total	Zn	0
			2	2	
46	p	1	Total	Zn	0
			1	1	
46	q	1	Total	Zn	0
			1	1	
46	w	2	Total	Zn	0
			2	2	
46	x	1	Total	Zn	0
			1	1	
46	z	1	Total	Zn	0
			1	1	

- Molecule 47 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe₄S₄) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
47	7	1	Total	Fe	S	0
			8	4	4	


- Molecule 48 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
48	o	1	Total	Mg	0
			1	1	



- Molecule 49 is [(2 {S},3 {R},4 {S},5 {R})-5-(2-azanyl-6-oxidanylidene-3 {H}-purin-9-yl)-3-methoxy-4-oxidanyl-oxolan-2-yl]methoxy-oxidanyl-phosphoryl phosphono hydrogen phosphate (three-letter code: W0F) (formula: C₁₁H₁₈N₅O₁₄P₃) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
49	p	1	33	11	5	14	3	0





• Molecule 3: General transcription factor IIIH subunit 2




• Molecule 4: General transcription factor IIIH subunit 3



• Molecule 5: General transcription factor IIIH subunit 4







• Molecule 6: General transcription factor IIH subunit 5







• Molecule 7: General transcription and DNA repair factor IIH helicase subunit XPB











• Molecule 8: General transcription and DNA repair factor IIH helicase subunit XPD




C1182	E1183	T1184	V1185	K1186	K1187	P1188	A1189	V1190	T1191	D1192	A1193	V1194	V1195	R1196	T1197	R1198	T1199	T1200	K1201	D1202	E1203	E1204	F1205	I1206	A1207	R1208	L1209	S1210	A1211	P1212	T1213	V1214	V1215	V1216	V1217	V1218	V1219	V1220	V1221	V1222	V1223	V1224	V1225	V1226	V1227	V1228	V1229	V1230	V1231	V1232	V1233	V1234	V1235	V1236	V1237	V1238	V1239	V1240	V1241	V1242	V1243	V1244	V1245	V1246	V1247	V1248	V1249	V1250	V1251	V1252	V1253	V1254	V1255	V1256	V1257	V1258	V1259	V1260	V1261	V1262	V1263	V1264	V1265	V1266	V1267	V1268	V1269	V1270	V1271	V1272	V1273	V1274	V1275	V1276	V1277	V1278	V1279	V1280	V1281	V1282	V1283	V1284	V1285	V1286	V1287	V1288	V1289	V1290	V1291	V1292	V1293	V1294	V1295	V1296	V1297	V1298	V1299	V1300	V1301	V1302	V1303	V1304	V1305	V1306	V1307	V1308	V1309	V1310	V1311	V1312	V1313	V1314	V1315	V1316	V1317	V1318	V1319	V1320	V1321	V1322	V1323	V1324	V1325	V1326	V1327	V1328	V1329	V1330	V1331	V1332	V1333	V1334	V1335	V1336	V1337	V1338	V1339	V1340	V1341	V1342	V1343	V1344	V1345	V1346	V1347	V1348	V1349	V1350	V1351	V1352	V1353	V1354	V1355	V1356	V1357	V1358	V1359	V1360	V1361	V1362	V1363	V1364	V1365	V1366	V1367	V1368	V1369	V1370	V1371	V1372	V1373	V1374	V1375	V1376	V1377	V1378	V1379	V1380	V1381	V1382	V1383	V1384	V1385	V1386	V1387	V1388	V1389	V1390	V1391	V1392	V1393	V1394	V1395	V1396	V1397	V1398	V1399	V1400	V1401	V1402	V1403	V1404	V1405	V1406	V1407	V1408	V1409	V1410	V1411	V1412	V1413	V1414	V1415	V1416	V1417	V1418	V1419	V1420	V1421	V1422	V1423	V1424	V1425	V1426	V1427	V1428	V1429	V1430	V1431	V1432	V1433	V1434	V1435	V1436	V1437	V1438	V1439	V1440	V1441	V1442	V1443	V1444	V1445	V1446	V1447	V1448	V1449	V1450	V1451	V1452	V1453	V1454	V1455	V1456	V1457	V1458	V1459	V1460	V1461	V1462	V1463	V1464	V1465	V1466	V1467	V1468	V1469	V1470	V1471	V1472	V1473	V1474	V1475	V1476	V1477	V1478	V1479	V1480	V1481	V1482	V1483	V1484	V1485	V1486	V1487	V1488	V1489	V1490	V1491	V1492	V1493	V1494	V1495	V1496	V1497	V1498	V1499	V1500	V1501	V1502	V1503	V1504	V1505	V1506	V1507	V1508	V1509	V1510	V1511	V1512	V1513	V1514	V1515	V1516	V1517	V1518	V1519	V1520	V1521	V1522	V1523	V1524	V1525	V1526	V1527	V1528	V1529	V1530	V1531	V1532	V1533	V1534	V1535	V1536	V1537	V1538	V1539	V1540	V1541	V1542	V1543	V1544	V1545	V1546	V1547	V1548	V1549	V1550	V1551	V1552	V1553	V1554	V1555	V1556	V1557	V1558	V1559	V1560	V1561	V1562	V1563	V1564	V1565	V1566	V1567	V1568	V1569	V1570	V1571	V1572	V1573	V1574	V1575	V1576	V1577	V1578	V1579	V1580	V1581	V1582	V1583	V1584	V1585	V1586	V1587	V1588	V1589	V1590	V1591	V1592	V1593	V1594	V1595	V1596	V1597	V1598	V1599	V1600	V1601	V1602	V1603	V1604	V1605	V1606	V1607	V1608	V1609	V1610	V1611	V1612	V1613	V1614	V1615	V1616	V1617	V1618	V1619	V1620	V1621	V1622	V1623	V1624	V1625	V1626	V1627	V1628	V1629	V1630	V1631	V1632	V1633	V1634	V1635	V1636	V1637	V1638	V1639	V1640	V1641	V1642	V1643	V1644	V1645	V1646	V1647	V1648	V1649	V1650	V1651	V1652	V1653	V1654	V1655	V1656	V1657	V1658	V1659	V1660	V1661	V1662	V1663	V1664	V1665	V1666	V1667	V1668	V1669	V1670	V1671	V1672	V1673	V1674	V1675	V1676	V1677	V1678	V1679	V1680	V1681	V1682	V1683	V1684	V1685	V1686	V1687	V1688	V1689	V1690	V1691	V1692	V1693	V1694	V1695	V1696	V1697	V1698	V1699	V1700	V1701	V1702	V1703	V1704	V1705	V1706	V1707	V1708	V1709	V1710	V1711	V1712	V1713	V1714	V1715	V1716	V1717	V1718	V1719	V1720	V1721	V1722	V1723	V1724	V1725	V1726	V1727	V1728	V1729	V1730	V1731	V1732	V1733	V1734	V1735	V1736	V1737	V1738	V1739	V1740	V1741	V1742	V1743	V1744	V1745	V1746	V1747	V1748	V1749	V1750	V1751	V1752	V1753	V1754	V1755	V1756	V1757	V1758	V1759	V1760	V1761	V1762	V1763	V1764	V1765	V1766	V1767	V1768	V1769	V1770	V1771	V1772	V1773	V1774	V1775	V1776	V1777	V1778	V1779	V1780	V1781	V1782	V1783	V1784	V1785	V1786	V1787	V1788	V1789	V1790	V1791	V1792	V1793	V1794	V1795	V1796	V1797	V1798	V1799	V1800	V1801	V1802	V1803	V1804	V1805	V1806	V1807	V1808	V1809	V1810	V1811	V1812	V1813	V1814	V1815	V1816	V1817	V1818	V1819	V1820	V1821	V1822	V1823	V1824	V1825	V1826	V1827	V1828	V1829	V1830	V1831	V1832	V1833	V1834	V1835	V1836	V1837	V1838	V1839	V1840	V1841	V1842	V1843	V1844	V1845	V1846	V1847	V1848	V1849	V1850	V1851	V1852	V1853	V1854	V1855	V1856	V1857	V1858	V1859	V1860	V1861	V1862	V1863	V1864	V1865	V1866	V1867	V1868	V1869	V1870	V1871	V1872	V1873	V1874	V1875	V1876	V1877	V1878	V1879	V1880	V1881	V1882	V1883	V1884	V1885	V1886	V1887	V1888	V1889	V1890	V1891	V1892	V1893	V1894	V1895	V1896	V1897	V1898	V1899	V1900	V1901	V1902	V1903	V1904	V1905	V1906	V1907	V1908	V1909	V1910	V1911	V1912	V1913	V1914	V1915	V1916	V1917	V1918	V1919	V1920	V1921	V1922	V1923	V1924	V1925	V1926	V1927	V1928	V1929	V1930	V1931	V1932	V1933	V1934	V1935	V1936	V1937	V1938	V1939	V1940	V1941	V1942	V1943	V1944	V1945	V1946	V1947	V1948	V1949	V1950	V1951	V1952	V1953	V1954	V1955	V1956	V1957	V1958	V1959	V1960	V1961	V1962	V1963	V1964	V1965	V1966	V1967	V1968	V1969	V1970	V1971	V1972	V1973	V1974	V1975	V1976	V1977	V1978	V1979	V1980	V1981	V1982	V1983	V1984	V1985	V1986	V1987	V1988	V1989	V1990	V1991	V1992	V1993	V1994	V1995	V1996	V1997	V1998	V1999	V2000	V2001	V2002	V2003	V2004	V2005	V2006	V2007	V2008	V2009	V2010	V2011	V2012	V2013	V2014	V2015	V2016	V2017	V2018	V2019	V2020	V2021	V2022	V2023	V2024	V2025	V2026	V2027	V2028	V2029	V2030	V2031	V2032	V2033	V2034	V2035	V2036	V2037	V2038	V2039	V2040	V2041	V2042	V2043	V2044	V2045	V2046	V2047	V2048	V2049	V2050	V2051	V2052	V2053	V2054	V2055	V2056	V2057	V2058	V2059	V2060	V2061	V2062	V2063	V2064	V2065	V2066	V2067	V2068	V2069	V2070	V2071	V2072	V2073	V2074	V2075	V2076	V2077	V2078	V2079	V2080	V2081	V2082	V2083	V2084	V2085	V2086	V2087	V2088	V2089	V2090	V2091	V2092	V2093	V2094	V2095	V2096	V2097	V2098	V2099	V2100	V2101	V2102	V2103	V2104	V2105	V2106	V2107	V2108	V2109	V2110	V2111	V2112	V2113	V2114	V2115	V2116	V2117	V2118	V2119	V2120	V2121	V2122	V2123	V2124	V2125	V2126	V2127	V2128	V2129	V2130	V2131	V2132	V2133	V2134	V2135	V2136	V2137	V2138	V2139	V2140	V2141	V2142	V2143	V2144	V2145	V2146	V2147	V2148	V2149	V2150	V2151	V2152	V2153	V2154	V2155	V2156	V2157	V2158	V2159	V2160	V2161	V2162	V2163	V2164	V2165	V2166	V2167	V2168	V2169	V2170	V2171	V2172	V2173	V2174	V2175	V2176	V2177	V2178	V2179	V2180	V2181	V2182	V2183	V2184	V2185	V2186	V2187	V2188	V2189	V2190	V2191	V2192	V2193	V2194	V2195	V2196	V2197	V2198	V2199	V2200	V2201	V2202	V2203	V2204	V2205	V2206	V2207	V2208	V2209	V2210	V2211	V2212	V2213	V2214	V2215	V2216	V2217	V2218	V2219	V2220	V2221	V2222	V2223	V2224	V2225	V2226	V2227	V2228	V2229	V2230	V2231	V2232	V2233	V2234	V2235	V2236	V2237	V2238	V2239	V2240	V2241	V2242	V2243	V2244	V2245	V2246	V2247	V2248	V2249	V2250	V2251	V2252	V2253	V2254	V2255	V2256	V2257	V2258	V2259	V2260	V2261	V2262	V2263	V2264	V2265	V2266	V2267	V2268	V2269	V2270	V2271	V2272	V2273	V2274	V2275	V2276	V2277	V2278	V2279	V2280	V2281	V2282	V2283	V2284	V2285	V2286	V2287	V2288	V2289	V2290	V2291	V2292	V2293	V2294	V2295	V2296	V2297	V2298	V2299	V2300	V2301	V2302	V2303	V2304	V2305	V2306	V2307	V2308	V2309	V2310	V2311	V2312	V2313	V2314	V2315	V2316	V2317	V2318	V2319	V2320	V2321	V2322	V2323	V2324	V2325	V2326	V2327	V2328	V2329	V2330	V2331	V2332	V2333	V2334	V2335	V2336	V2337	V2338	V2339	V2340	V2341	V2342	V2343	V2344	V2345	V2346	V2347	V2348	V2349	V2350	V2351	V2352	V2353	V2354	V2355	V2356	V2357	V2358	V2359	V2360	V2361	V2362	V2363	V2364	V2365	V2366	V2367	V2368	V2369	V2370	V2371	V2372	V2373	V2374	V2375	V2376	V2377	V2378	V2379	V2380	V2381	V2382	V2383	V2384	V2385	V2386	V2387	V2388	V2389	V2390	V2391	V2392	V2393	V2394	V2395	V2396	V2397	V2398	V2399	V2400	V2401	V2402	V2403	V2404	V2405	V2406	V2407	V2408	V2409	V2410	V2411	V2412	V2413	V2414	V2415	V2416	V2417	V2418	V2419	V2420	V2421	V2422	V2423	V2424	V2425	V2426	V2427	V2428	V2429	V2430	V2431	V2432	V2433	V2434	V2435	V2436	V2437	V2438	V2439	V2440	V2441	V2442	V2443	V2444	V2445	V2446	V2447	V2448	V2449	V2450	V2451	V2452	V2453	V2454	V2455	V2456	V2457	V2458	V2459	V2460	V2461	V2462	V2463	V2464	V2465	V2466	V2467	V2468	V2469	V2470	V2471	V2472	V2473	V2474	V2475	V2476	V2477	V2478	V2479	V2480	V2481	V2482	V2483	V2484	V2485	V2486	V2487	V2488	V2489	V2490	V2491	V2492	V2493	V2494	V2495	V2496	V2497	V2498	V2499	V2500	V2501	V2502	V2503	V2504	V2505	V2506	V2507	V2508	V2509	V2510	V2511	V2512	V2513	V2514	V2515	V2516	V2517	V2518	V2519	V2520	V2521	V2522	V2523	V2524	V2525	V2526	V2527	V2528	V2529	V2530	V2531	V2532	V2533	V2534	V2535	V2536	V2537	V2538	V2539
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------




● Molecule 14: Transcription initiation factor TFIID subunit 5





● Molecule 14: Transcription initiation factor TFIID subunit 5







• Molecule 18: Transcription initiation factor TFIID subunit 9




• Molecule 19: Transcription initiation factor TFIID subunit 10





• Molecule 19: Transcription initiation factor TFIID subunit 10








• Molecule 20: Transcription initiation factor TFIID subunit 12




• Molecule 20: Transcription initiation factor TFIID subunit 12



• Molecule 21: Transcription initiation factor IIA subunit 2





- Molecule 40: DNA-directed RNA polymerase II subunit RPB7

Chain u: 99%




- Molecule 41: DNA-directed RNA polymerases I, II, and III subunit RPABC3

Chain v: 99%




- Molecule 42: DNA-directed RNA polymerase II subunit RPB9

Chain w: 88% 9%




- Molecule 43: DNA-directed RNA polymerases I, II, and III subunit RPABC5

Chain x: 97%




- Molecule 44: DNA-directed RNA polymerase II subunit RPB11-a

Chain y: 97%



- Molecule 45: RPB12

Chain z: 72% 24%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	4867	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	4.331	Depositor
Minimum map value	-1.901	Depositor
Average map value	0.035	Depositor
Map value standard deviation	0.176	Depositor
Recommended contour level	0.48	Depositor
Map size (\AA)	426.88, 426.88, 426.88	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.334, 1.334, 1.334	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MG, TRX, SF4, G2L, ILX, W0F, ZN, CSX, ATP, HYP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.36	0/1437	0.59	3/1926 (0.2%)
2	1	0.27	0/2210	0.41	0/2975
3	2	0.27	0/2624	0.43	0/3555
4	3	0.30	0/2103	0.46	0/2846
5	4	0.31	0/3262	0.46	1/4418 (0.0%)
6	5	0.35	0/433	0.57	0/585
7	6	0.26	0/4994	0.41	0/6745
8	7	0.26	0/5875	0.41	0/7955
9	N	0.45	0/22	1.01	0/26
10	Z	0.58	0/93	1.70	2/142 (1.4%)
11	A	0.50	0/4698	0.66	0/6345
12	B	0.46	0/7993	0.61	0/10836
13	D	0.42	0/1379	0.63	1/1843 (0.1%)
13	d	0.39	0/1321	0.53	0/1772
14	E	0.39	0/4482	0.59	0/6069
14	e	0.44	0/4433	0.60	0/6004
15	F	0.48	0/3201	0.69	0/4347
15	f	0.41	0/3140	0.63	0/4268
16	G	0.51	0/1190	0.62	0/1601
17	H	0.47	0/1673	0.64	0/2285
18	I	0.27	0/981	0.47	0/1332
18	i	0.29	0/989	0.46	0/1343
19	J	0.57	0/736	0.69	0/998
19	j	0.54	0/775	0.63	0/1049
20	L	0.49	0/630	0.71	0/852
20	l	0.44	0/888	0.55	0/1194
21	O	0.28	0/816	0.44	0/1105
22	P	0.26	0/1448	0.50	0/1948
23	Q	0.26	0/945	0.43	0/1274
24	R	0.28	0/2199	0.52	1/2967 (0.0%)
25	S	0.29	0/1496	0.53	0/2013
26	T	0.27	0/1817	0.48	0/2445

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
27	U	0.32	0/1545	0.55	0/2075
28	V	0.28	0/1380	0.53	0/1854
29	X	0.78	0/1464	1.12	5/2258 (0.2%)
30	Y	0.85	2/1660 (0.1%)	1.09	5/2554 (0.2%)
31	c	0.39	0/1035	0.54	0/1406
32	k	0.31	0/799	0.47	0/1070
33	m	0.59	0/733	0.64	0/977
34	o	0.33	0/11723	0.53	1/15830 (0.0%)
35	p	0.36	0/9358	0.53	2/12633 (0.0%)
36	q	0.37	0/2102	0.52	0/2857
37	r	0.25	0/1064	0.42	0/1428
38	s	0.34	0/1751	0.52	0/2366
39	t	0.33	0/667	0.52	0/901
40	u	0.31	0/1382	0.49	0/1874
41	v	0.33	0/1207	0.53	0/1628
42	w	0.31	0/948	0.50	0/1284
43	x	0.35	0/542	0.50	0/730
44	y	0.34	0/939	0.47	0/1271
45	z	0.36	0/377	0.60	0/500
All	All	0.39	2/110959 (0.0%)	0.57	21/150559 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
24	R	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
30	Y	14	DC	N1-C6	-5.22	1.34	1.37
30	Y	12	DC	C2-N3	5.20	1.40	1.35

The worst 5 of 21 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
29	X	-14	DG	O4'-C1'-N9	8.14	113.70	108.00
34	o	503	LEU	CB-CG-CD1	-7.89	97.59	111.00
1	0	55	LYS	CB-CA-C	-7.71	94.97	110.40
35	p	1022	LEU	CB-CG-CD1	-7.63	98.03	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	Z	5	A	C8-N9-C4	-7.08	102.97	105.80

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
24	R	106	THR	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	169/309 (55%)	156 (92%)	13 (8%)	0	100	100
2	1	253/548 (46%)	243 (96%)	10 (4%)	0	100	100
3	2	325/395 (82%)	313 (96%)	12 (4%)	0	100	100
4	3	259/308 (84%)	253 (98%)	6 (2%)	0	100	100
5	4	384/462 (83%)	365 (95%)	19 (5%)	0	100	100
6	5	52/71 (73%)	48 (92%)	2 (4%)	2 (4%)	3	24
7	6	601/782 (77%)	573 (95%)	27 (4%)	1 (0%)	47	81
8	7	710/760 (93%)	683 (96%)	27 (4%)	0	100	100
9	N	4/8 (50%)	3 (75%)	1 (25%)	0	100	100
11	A	543/1872 (29%)	519 (96%)	23 (4%)	1 (0%)	47	81
12	B	959/1199 (80%)	911 (95%)	48 (5%)	0	100	100
13	D	158/1085 (15%)	153 (97%)	5 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
13	d	154/1085 (14%)	150 (97%)	4 (3%)	0	100	100
14	E	541/800 (68%)	518 (96%)	22 (4%)	1 (0%)	47	81
14	e	531/800 (66%)	482 (91%)	48 (9%)	1 (0%)	47	81
15	F	408/677 (60%)	392 (96%)	15 (4%)	1 (0%)	47	81
15	f	399/677 (59%)	379 (95%)	20 (5%)	0	100	100
16	G	138/349 (40%)	135 (98%)	3 (2%)	0	100	100
17	H	207/310 (67%)	189 (91%)	13 (6%)	5 (2%)	6	33
18	I	118/264 (45%)	115 (98%)	3 (2%)	0	100	100
18	i	119/264 (45%)	115 (97%)	4 (3%)	0	100	100
19	J	86/218 (39%)	82 (95%)	4 (5%)	0	100	100
19	j	91/218 (42%)	85 (93%)	4 (4%)	2 (2%)	6	35
20	L	74/161 (46%)	72 (97%)	2 (3%)	0	100	100
20	l	105/161 (65%)	100 (95%)	5 (5%)	0	100	100
21	O	97/109 (89%)	95 (98%)	2 (2%)	0	100	100
22	P	177/339 (52%)	175 (99%)	2 (1%)	0	100	100
23	Q	109/376 (29%)	102 (94%)	7 (6%)	0	100	100
24	R	278/316 (88%)	263 (95%)	13 (5%)	2 (1%)	22	62
25	S	174/517 (34%)	163 (94%)	10 (6%)	1 (1%)	25	66
26	T	218/249 (88%)	211 (97%)	7 (3%)	0	100	100
27	U	180/439 (41%)	153 (85%)	26 (14%)	1 (1%)	25	66
28	V	163/291 (56%)	139 (85%)	24 (15%)	0	100	100
31	c	125/929 (14%)	116 (93%)	9 (7%)	0	100	100
32	k	96/211 (46%)	91 (95%)	5 (5%)	0	100	100
33	m	85/124 (68%)	82 (96%)	3 (4%)	0	100	100
34	o	1448/1970 (74%)	1398 (96%)	46 (3%)	4 (0%)	41	76
35	p	1145/1174 (98%)	1106 (97%)	39 (3%)	0	100	100
36	q	253/275 (92%)	245 (97%)	8 (3%)	0	100	100
37	r	126/142 (89%)	126 (100%)	0	0	100	100
38	s	207/210 (99%)	203 (98%)	4 (2%)	0	100	100
39	t	80/127 (63%)	79 (99%)	1 (1%)	0	100	100
40	u	169/172 (98%)	166 (98%)	3 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
41	v	146/150 (97%)	141 (97%)	5 (3%)	0	100	100
42	w	112/125 (90%)	109 (97%)	3 (3%)	0	100	100
43	x	65/67 (97%)	62 (95%)	3 (5%)	0	100	100
44	y	113/117 (97%)	110 (97%)	3 (3%)	0	100	100
45	z	42/58 (72%)	40 (95%)	2 (5%)	0	100	100
All	All	12996/22270 (58%)	12409 (96%)	565 (4%)	22 (0%)	50	81

5 of 22 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
6	5	48	GLU
14	E	523	VAL
17	H	156	PRO
25	S	87	VAL
34	o	1103	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	164/283 (58%)	157 (96%)	7 (4%)	29	54
2	1	241/484 (50%)	241 (100%)	0	100	100
3	2	295/352 (84%)	293 (99%)	2 (1%)	84	90
4	3	234/272 (86%)	232 (99%)	2 (1%)	78	87
5	4	346/399 (87%)	339 (98%)	7 (2%)	55	74
6	5	48/64 (75%)	47 (98%)	1 (2%)	53	72
7	6	536/688 (78%)	533 (99%)	3 (1%)	86	92
8	7	624/664 (94%)	623 (100%)	1 (0%)	93	96
9	N	2/2 (100%)	2 (100%)	0	100	100
11	A	496/1665 (30%)	455 (92%)	41 (8%)	11	34
12	B	876/1083 (81%)	859 (98%)	17 (2%)	57	75

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
13	D	147/815 (18%)	137 (93%)	10 (7%)	16	41
13	d	146/815 (18%)	145 (99%)	1 (1%)	84	90
14	E	480/657 (73%)	466 (97%)	14 (3%)	42	64
14	e	475/657 (72%)	463 (98%)	12 (2%)	47	68
15	F	328/574 (57%)	310 (94%)	18 (6%)	21	47
15	f	322/574 (56%)	314 (98%)	8 (2%)	47	68
16	G	132/322 (41%)	124 (94%)	8 (6%)	18	44
17	H	181/270 (67%)	174 (96%)	7 (4%)	32	56
18	I	106/235 (45%)	106 (100%)	0	100	100
18	i	107/235 (46%)	107 (100%)	0	100	100
19	J	79/154 (51%)	72 (91%)	7 (9%)	9	31
19	j	83/154 (54%)	82 (99%)	1 (1%)	71	83
20	L	71/141 (50%)	66 (93%)	5 (7%)	15	40
20	l	98/141 (70%)	97 (99%)	1 (1%)	76	86
21	O	90/98 (92%)	88 (98%)	2 (2%)	52	71
22	P	154/293 (53%)	154 (100%)	0	100	100
23	Q	105/324 (32%)	105 (100%)	0	100	100
24	R	238/268 (89%)	236 (99%)	2 (1%)	81	89
25	S	154/448 (34%)	135 (88%)	19 (12%)	4	19
26	T	196/218 (90%)	193 (98%)	3 (2%)	65	80
27	U	167/373 (45%)	166 (99%)	1 (1%)	86	92
28	V	150/261 (58%)	150 (100%)	0	100	100
31	c	113/833 (14%)	111 (98%)	2 (2%)	59	77
32	k	87/182 (48%)	87 (100%)	0	100	100
33	m	80/106 (76%)	73 (91%)	7 (9%)	10	31
34	o	1280/1749 (73%)	1269 (99%)	11 (1%)	78	87
35	p	1004/1027 (98%)	992 (99%)	12 (1%)	71	83
36	q	234/252 (93%)	227 (97%)	7 (3%)	41	63
37	r	118/126 (94%)	118 (100%)	0	100	100
38	s	191/192 (100%)	189 (99%)	2 (1%)	76	86
39	t	71/111 (64%)	70 (99%)	1 (1%)	67	80

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
40	u	152/153 (99%)	152 (100%)	0	100	100
41	v	129/131 (98%)	129 (100%)	0	100	100
42	w	103/112 (92%)	99 (96%)	4 (4%)	32	56
43	x	56/56 (100%)	54 (96%)	2 (4%)	35	59
44	y	104/106 (98%)	103 (99%)	1 (1%)	76	86
45	z	41/55 (74%)	39 (95%)	2 (5%)	25	50
All	All	11634/19174 (61%)	11383 (98%)	251 (2%)	54	71

5 of 251 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
15	F	326	HIS
42	w	81	THR
19	J	177	LYS
42	w	42	CYS
14	e	436	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 126 such sidechains are listed below:

Mol	Chain	Res	Type
18	I	98	GLN
42	w	50	ASN
28	V	117	GLN
42	w	41	ASN
14	e	616	HIS

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
10	Z	3/6 (50%)	1 (33%)	0

All (1) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
10	Z	4	A

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

5 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	TRX	N	2	9	14,16,17	0.98	0	15,22,24	2.00	4 (26%)
9	ILX	N	1	9	8,9,10	0.61	0	9,11,13	1.32	2 (22%)
9	HYP	N	8	9	6,8,9	0.77	0	5,10,12	2.19	2 (40%)
9	CSX	N	6	9	3,6,7	1.06	0	1,6,8	2.25	1 (100%)
10	G2L	Z	6	10,30,48	19,26,30	0.99	1 (5%)	18,38,44	1.33	3 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	TRX	N	2	9	-	0/4/6/8	0/2/2/2
9	ILX	N	1	9	-	7/11/12/14	-
9	HYP	N	8	9	-	0/0/11/13	0/1/1/1
9	CSX	N	6	9	-	1/1/5/7	-
10	G2L	Z	6	10,30,48	-	2/5/27/31	0/3/3/3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	Z	6	G2L	C6-N1	-2.30	1.34	1.37

The worst 5 of 12 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	N	2	TRX	CG-CB-CA	5.77	123.45	114.53
9	N	8	HYP	O-C-CA	-3.28	116.19	124.78
9	N	8	HYP	CB-CG-CD	3.11	107.08	103.27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	N	2	TRX	CB-CG-CD1	-2.92	124.36	127.97
9	N	1	ILX	OD1-CD1-CG1	-2.86	104.84	111.07

There are no chirality outliers.

5 of 10 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	N	1	ILX	C-CA-CB-CG2
9	N	1	ILX	OD1-CD1-CG1-CB
9	N	1	ILX	OD1-CD1-CG1-OG1
9	N	6	CSX	N-CA-CB-SG
10	Z	6	G2L	C3'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 18 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
47	SF4	7	1000	8	0,12,12	-	-	-		
49	W0F	p	1201	-	25,35,35	3.21	7 (28%)	31,55,55	2.54	12 (38%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
47	SF4	7	1000	8	-	-	0/6/5/5
49	W0F	p	1201	-	-	3/20/40/40	0/3/3/3

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
49	p	1201	W0F	C03-C04	-9.40	1.27	1.52
49	p	1201	W0F	O05-C06	-9.25	1.28	1.41
49	p	1201	W0F	O05-C04	6.83	1.60	1.45
49	p	1201	W0F	C07-C03	-2.87	1.46	1.52
49	p	1201	W0F	C20-C04	2.47	1.59	1.51

The worst 5 of 12 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
49	p	1201	W0F	O05-C06-C07	-6.31	97.70	106.93
49	p	1201	W0F	O05-C04-C03	-5.66	92.74	104.87
49	p	1201	W0F	O05-C04-C20	4.79	125.13	109.37
49	p	1201	W0F	O21-C20-C04	3.93	122.52	108.99
49	p	1201	W0F	O32-P30-O29	3.90	117.72	104.64

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
49	p	1201	W0F	C20-O21-P22-O24
49	p	1201	W0F	C20-O21-P22-O25
49	p	1201	W0F	C03-C04-C20-O21


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-37400. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 160




Y Index: 160




Z Index: 160


6.2.2 Raw map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 146




Y Index: 142




Z Index: 221


6.3.2 Raw map



X Index: 146



Y Index: 142




Z Index: 220


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.48. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 2009 nm³; this corresponds to an approximate mass of 1814 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.171 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.171 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	5.85	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	11.67	23.20	14.14

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 11.67 differs from the reported value 5.85 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-37400 and PDB model 8WAP. Per-residue inclusion information can be found in section 3 on page 14.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.48 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.48).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 73% of all backbone atoms, 71% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.48) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7070	 0.0810
0	 0.0850	 0.0580
1	 0.6720	 0.0530
2	 0.9000	 0.0640
3	 0.8560	 0.0400
4	 0.7540	 0.0630
5	 0.5150	 0.0160
6	 0.6080	 0.0420
7	 0.7250	 0.0570
A	 0.2400	 0.0310
B	 0.9210	 0.0510
D	 0.3090	 0.0290
E	 0.6590	 0.0430
F	 0.4410	 0.0270
G	 0.0060	 0.0170
H	 0.8210	 0.0420
I	 0.4600	 0.0240
J	 0.6430	 0.0680
L	 0.1310	 0.0450
N	 0.9680	 0.1310
O	 0.9630	 0.0830
P	 0.9880	 0.1260
Q	 0.9510	 0.1080
R	 0.9600	 0.1440
S	 0.9270	 0.0970
T	 0.9660	 0.1290
U	 0.9530	 0.0850
V	 0.9700	 0.1040
X	 0.9870	 0.1710
Y	 0.9310	 0.1480
Z	 0.8990	 0.1510
c	 0.2340	 0.0380
d	 0.0000	 0.0040
e	 0.0980	 0.0150
f	 0.4770	 0.0540



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
i	■ 0.1270	■ 0.0230
j	■ 0.1030	■ 0.0390
k	■ 0.0000	■ -0.0130
l	■ 0.0020	■ 0.0420
m	■ 0.0000	■ -0.0040
o	■ 0.9420	■ 0.1420
p	■ 0.9310	■ 0.1390
q	■ 0.9610	■ 0.1560
r	■ 0.9860	■ 0.1340
s	■ 0.9670	■ 0.1590
t	■ 0.9670	■ 0.1550
u	■ 0.9830	■ 0.1100
v	■ 0.9680	■ 0.1590
w	■ 0.9630	■ 0.1380
x	■ 0.9420	■ 0.1270
y	■ 0.9580	■ 0.1560
z	■ 0.9780	■ 0.1610