



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 14, 2020 – 08:10 pm BST

PDB ID : 2ZWA
Title : Crystal structure of tRNA wybutosine synthesizing enzyme TYW4
Authors : Suzuki, Y.; Noma, A.; Suzuki, T.; Ishitani, R.; Nureki, O.
Deposited on : 2008-12-01
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4298 (1.70-1.70)
Clashscore	141614	4695 (1.70-1.70)
Ramachandran outliers	138981	4610 (1.70-1.70)
Sidechain outliers	138945	4610 (1.70-1.70)
RSRZ outliers	127900	4222 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	695	 4% 84% 12% ••
1	B	695	 4% 84% 14% •

2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 12533 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Leucine carboxyl methyltransferase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	672	Total 5413	C 3470	N 899	O 1018	S 26	0	8	0
1	B	683	Total 5475	C 3507	N 915	O 1027	S 26	0	3	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	417	LEU	MET	SEE REMARK 999	UNP Q08282
B	417	LEU	MET	SEE REMARK 999	UNP Q08282

- Molecule 2 is S-ADENOSYL-L-HOMOCYSTEINE (three-letter code: SAH) (formula: C₁₄H₂₀N₆O₅S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
2	A	1	Total 26	C 14	N 6	O 5	S 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
2	B	1	26	14	6	5	1	0	0

- Molecule 3 is CITRIC ACID (three-letter code: CIT) (formula: C₆H₈O₇).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
3	A	1	13	6	7	0	0
3	B	1	13	6	7	0	0

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	811	Total O 811 811	0	0
5	B	732	Total O 732 732	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Leucine carboxyl methyltransferase 2



- Molecule 1: Leucine carboxyl methyltransferase 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	76.58Å 89.44Å 236.29Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	38.62 – 1.70 38.62 – 1.70	Depositor EDS
% Data completeness (in resolution range)	98.7 (38.62-1.70) 98.4 (38.62-1.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.60 (at 1.71Å)	Xtrriage
Refinement program	PHENIX (phenix.refine)	Depositor
R, R_{free}	0.170 , 0.211 0.168 , 0.209	Depositor DCC
R_{free} test set	17319 reflections (9.91%)	wwPDB-VP
Wilson B-factor (Å ²)	21.3	Xtrriage
Anisotropy	0.272	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 49.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	12533	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SAH, EDO, CIT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/5552	0.56	0/7506
1	B	0.37	0/5599	0.56	0/7569
All	All	0.37	0/11151	0.56	0/15075

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5413	0	5432	72	0
1	B	5475	0	5500	68	0
2	A	26	0	19	0	0
2	B	26	0	19	0	0
3	A	13	0	5	0	0
3	B	13	0	5	0	0
4	A	12	0	18	0	0
4	B	12	0	18	0	0
5	A	811	0	0	12	0
5	B	732	0	0	9	0
All	All	12533	0	11016	140	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (140) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:606:THR:HG22	1:A:608:ARG:H	1.21	1.02
1:B:102:GLN:HE22	1:B:355:ALA:H	0.90	0.88
1:A:592:HIS:HD2	1:A:594:LEU:H	1.16	0.88
1:A:102:GLN:HE22	1:A:355:ALA:H	1.23	0.85
1:B:396:ALA:HB3	1:B:475:MET:HE1	1.60	0.82
1:B:102:GLN:HE22	1:B:355:ALA:N	1.76	0.81
1:B:592:HIS:HD2	1:B:594:LEU:H	1.28	0.81
1:A:349[A]:THR:HG22	1:A:351:TYR:H	1.44	0.80
1:A:246:GLU:OE1	5:A:1141:HOH:O	2.01	0.77
1:A:644:SER:OG	1:A:647:ILE:HG22	1.85	0.77
1:B:102:GLN:NE2	1:B:355:ALA:H	1.76	0.77
1:B:255:GLN:HE21	1:B:255:GLN:H	1.33	0.77
1:A:379:LEU:HD21	1:A:628:ILE:HD12	1.68	0.76
1:A:643:ILE:HG23	1:A:647:ILE:HD13	1.68	0.74
1:A:624:ARG:NH1	1:A:645:ARG:HG3	2.03	0.73
1:A:545:GLU:HG2	1:A:604:TYR:CD1	2.24	0.72
1:B:51:SER:HB2	1:B:132:GLN:HE22	1.53	0.72
1:A:592:HIS:CD2	1:A:594:LEU:H	2.05	0.71
1:A:624:ARG:CZ	1:A:645:ARG:HG3	2.20	0.71
1:B:303:TYR:HB2	1:B:349:THR:HG22	1.72	0.71
1:B:433:SER:HB3	5:B:961:HOH:O	1.88	0.70
1:B:654:MET:H	1:B:685:ASN:HD22	1.39	0.68
1:B:338:LEU:O	1:B:342:HIS:HD2	1.76	0.67
1:B:592:HIS:CD2	1:B:594:LEU:H	2.11	0.65
1:B:27:ILE:C	1:B:29:GLY:H	2.01	0.65
1:B:396:ALA:CB	1:B:475:MET:HE1	2.27	0.65
1:B:308:ASP:H	1:B:311:GLN:HE21	1.45	0.64
1:B:454:LEU:HD11	1:B:475:MET:HE2	1.79	0.63
1:A:606:THR:HG22	1:A:608:ARG:N	2.04	0.63
1:A:545:GLU:HG2	1:A:604:TYR:HD1	1.64	0.63
1:A:396:ALA:HA	1:A:451:ASN:HD22	1.63	0.62
1:A:289:ILE:HD13	5:A:897:HOH:O	2.00	0.61
1:B:207:LEU:HD22	1:B:212:LEU:HD12	1.81	0.61
1:B:255:GLN:NE2	1:B:255:GLN:H	1.99	0.61
1:A:545:GLU:CG	1:A:604:TYR:HD1	2.13	0.61
1:A:255:GLN:H	1:A:255:GLN:HE21	1.48	0.61
1:A:401:PHE:HE2	1:A:429:ILE:HD11	1.65	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:263:GLU:HG2	1:A:264:PRO:HD2	1.83	0.60
1:A:606:THR:HG23	1:A:607:PRO:HD2	1.84	0.60
1:B:44:LEU:HD22	1:B:45:TYR:CD1	2.35	0.60
1:A:545:GLU:CG	1:A:604:TYR:CD1	2.85	0.59
1:A:647:ILE:CD1	1:A:688:LEU:HD21	2.32	0.59
1:B:266:SER:OG	1:B:342:HIS:HE1	1.85	0.59
1:B:337:HIS:HD2	1:B:616:THR:OG1	1.86	0.59
1:B:533:GLU:O	1:B:536:GLN:HG3	2.04	0.58
1:A:308:ASP:H	1:A:311:GLN:HE21	1.50	0.58
1:A:308:ASP:H	1:A:311:GLN:NE2	2.02	0.58
1:A:379:LEU:HD21	1:A:628:ILE:CD1	2.35	0.57
1:A:48:LYS:HD3	5:A:905:HOH:O	2.05	0.56
1:B:377:TYR:CD1	1:B:692:ALA:HA	2.40	0.56
1:B:249:HIS:ND1	1:B:347:HIS:HE1	2.03	0.56
1:B:252:ILE:HG22	1:B:346:CYS:HB3	1.87	0.56
1:A:654:MET:H	1:A:685:ASN:HD22	1.54	0.55
1:B:44:LEU:HD23	1:B:44:LEU:O	2.07	0.55
1:A:358:GLN:HG3	5:A:1523:HOH:O	2.06	0.55
1:B:44:LEU:C	1:B:44:LEU:HD23	2.26	0.55
1:B:454:LEU:HD11	1:B:475:MET:CE	2.37	0.55
1:A:395:VAL:HG12	1:A:400:VAL:HG22	1.88	0.55
1:A:233:GLU:HG3	5:A:864:HOH:O	2.07	0.54
1:B:654:MET:H	1:B:685:ASN:ND2	2.05	0.54
1:A:322:LYS:HE3	5:A:1530:HOH:O	2.06	0.54
1:B:396:ALA:CB	1:B:475:MET:CE	2.86	0.53
1:B:588:LYS:HE3	1:B:590:LEU:HD21	1.90	0.53
1:B:652:SER:HB2	1:B:686:VAL:HG23	1.90	0.53
1:B:608:ARG:NH2	5:B:1246:HOH:O	2.42	0.53
1:B:86:TRP:CZ3	1:B:324:LEU:HD11	2.44	0.53
1:B:131:ILE:O	1:B:134:GLN:HG3	2.10	0.51
1:A:652:SER:OG	1:A:686:VAL:HG23	2.11	0.51
1:B:308:ASP:H	1:B:311:GLN:NE2	2.08	0.51
1:A:45:TYR:CE1	1:A:82:ASN:HB3	2.47	0.50
1:A:647:ILE:HD12	1:A:688:LEU:HD21	1.93	0.50
1:B:369:ILE:N	5:B:1267:HOH:O	2.44	0.50
1:A:337:HIS:HD2	1:A:616:THR:OG1	1.94	0.50
1:A:522:GLU:HG3	5:A:1357:HOH:O	2.12	0.49
1:B:379:LEU:HD22	1:B:641:ILE:HG22	1.94	0.49
1:B:176:TYR:N	5:B:1043:HOH:O	2.46	0.49
1:A:91:ALA:HA	1:A:312:LEU:HD11	1.95	0.48
1:B:549:VAL:HG12	5:B:1254:HOH:O	2.12	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:545:GLU:HG3	1:A:546:PHE:N	2.28	0.48
1:A:624:ARG:NH2	1:A:645:ARG:HG3	2.28	0.48
1:B:81:ILE:HA	1:B:678:TYR:CE1	2.49	0.47
1:B:266:SER:OG	1:B:342:HIS:CE1	2.66	0.47
1:A:614:GLY:HA2	5:A:933:HOH:O	2.14	0.47
1:A:647:ILE:HD11	1:A:688:LEU:HD21	1.95	0.47
1:B:333:LEU:HB3	1:B:598:TYR:CE2	2.49	0.47
1:A:624:ARG:NH1	1:A:645:ARG:CG	2.77	0.46
1:A:263:GLU:HA	1:A:648:TRP:CZ2	2.50	0.46
1:B:27:ILE:C	1:B:29:GLY:N	2.69	0.46
1:A:379:LEU:CD2	1:A:628:ILE:HD12	2.41	0.46
1:A:419:ILE:HG12	1:A:424:ILE:HD13	1.97	0.46
1:B:27:ILE:HA	1:B:30:THR:OG1	2.15	0.46
1:A:268:GLN:HE21	1:A:681:GLY:HA3	1.81	0.45
1:A:268:GLN:NE2	1:A:681:GLY:HA3	2.30	0.45
1:A:654:MET:H	1:A:685:ASN:ND2	2.13	0.45
1:B:566:VAL:HG21	1:B:618:PRO:HD3	1.99	0.45
1:B:46:LEU:N	1:B:47:PRO:CD	2.80	0.45
1:B:379:LEU:HD22	1:B:641:ILE:CG2	2.47	0.45
1:A:107:LYS:HE2	5:A:1439:HOH:O	2.16	0.45
1:A:401:PHE:CE2	1:A:429:ILE:HD11	2.50	0.45
1:B:43:LEU:HD11	1:B:74:LYS:HA	1.99	0.45
1:B:305:ASN:OD1	1:B:361:LEU:HD12	2.17	0.45
1:A:395:VAL:O	1:A:395:VAL:HG23	2.17	0.44
1:B:194:PRO:HD2	5:B:1206:HOH:O	2.16	0.44
1:A:349[A]:THR:CG2	1:A:351:TYR:CD2	3.00	0.44
1:A:377:TYR:HB3	1:A:690:LEU:HD11	1.98	0.44
1:A:461:LYS:NZ	5:A:1261:HOH:O	2.50	0.44
1:B:108:LYS:HD3	5:B:1220:HOH:O	2.18	0.44
1:A:349[A]:THR:HG22	1:A:350:ASN:N	2.33	0.44
1:B:252:ILE:CG2	1:B:346:CYS:HB3	2.46	0.44
1:A:56:GLN:O	1:A:63:LEU:HD12	2.19	0.43
1:B:263:GLU:HA	1:B:648:TRP:CZ2	2.54	0.43
1:A:572:ILE:HD12	1:A:572:ILE:N	2.33	0.43
1:B:624:ARG:HG2	1:B:648:TRP:CD2	2.54	0.43
1:A:358:GLN:H	1:A:358:GLN:CD	2.23	0.42
1:B:349:THR:HG23	1:B:351:TYR:H	1.84	0.42
1:A:62:LYS:HD2	5:A:1285:HOH:O	2.19	0.42
1:A:335[B]:GLU:HG3	1:A:676:THR:O	2.18	0.42
1:A:247:ASN:HA	1:A:351:TYR:CD2	2.54	0.42
1:B:196:ASP:OD1	1:B:198:ASN:HB2	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:547:ASP:HA	1:B:548:PRO:HD3	1.93	0.42
1:B:556:LEU:C	1:B:556:LEU:HD13	2.40	0.42
1:A:110:VAL:HG22	1:A:141[A]:SER:OG	2.19	0.42
1:B:44:LEU:C	1:B:44:LEU:CD2	2.88	0.42
1:A:421:TYR:CZ	1:A:422:ASP:HB3	2.55	0.42
1:B:256:LEU:HD11	1:B:344:VAL:HB	2.01	0.41
1:A:661:VAL:HG23	1:A:669:HIS:HB2	2.01	0.41
1:A:534:PHE:CE1	1:A:571:ILE:HD11	2.55	0.41
1:A:313:TRP:CE2	1:A:321:LYS:HE2	2.56	0.41
1:A:606:THR:HG23	1:A:607:PRO:CD	2.50	0.41
1:B:56:GLN:O	1:B:63:LEU:HD12	2.21	0.41
1:B:414:ILE:HD11	1:B:480:TRP:CZ2	2.55	0.41
1:A:408:PRO:HA	5:A:1373:HOH:O	2.20	0.41
1:B:347:HIS:HD2	5:B:728:HOH:O	2.04	0.41
1:B:293:VAL:CG2	1:B:306:VAL:HG11	2.51	0.41
1:B:556:LEU:HD13	1:B:557:GLY:N	2.36	0.41
1:A:421:TYR:CE1	1:A:422:ASP:HB3	2.56	0.41
1:A:647:ILE:HD12	1:A:688:LEU:CD2	2.51	0.40
1:A:401:PHE:HE2	1:A:429:ILE:CD1	2.34	0.40
1:B:357:THR:OG1	1:B:360:PHE:HD1	2.04	0.40
1:B:686:VAL:HG21	5:B:1046:HOH:O	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	674/695 (97%)	655 (97%)	19 (3%)	0	100	100
1	B	680/695 (98%)	663 (98%)	16 (2%)	1 (0%)	51	33
All	All	1354/1390 (97%)	1318 (97%)	35 (3%)	1 (0%)	51	33

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	407	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	616/630 (98%)	599 (97%)	17 (3%)	43	25
1	B	622/630 (99%)	607 (98%)	15 (2%)	49	31
All	All	1238/1260 (98%)	1206 (97%)	32 (3%)	46	28

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	74	LYS
1	A	134	GLN
1	A	139	ARG
1	A	172	GLU
1	A	200	SER
1	A	255	GLN
1	A	312	LEU
1	A	352	LYS
1	A	358	GLN
1	A	399	ASP
1	A	407	ASN
1	A	426	MET
1	A	597	ARG
1	A	603	LYS
1	A	606	THR
1	A	647	ILE
1	A	682	SER
1	B	11	ASN
1	B	95	ARG
1	B	139	ARG
1	B	177	VAL
1	B	216	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	233	GLU
1	B	255	GLN
1	B	277	ASP
1	B	347	HIS
1	B	364	ARG
1	B	379	LEU
1	B	426	MET
1	B	517	LEU
1	B	603	LYS
1	B	646	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (29) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	53	ASN
1	A	56	GLN
1	A	102	GLN
1	A	134	GLN
1	A	137	HIS
1	A	255	GLN
1	A	276	ASN
1	A	297	ASN
1	A	311	GLN
1	A	337	HIS
1	A	407	ASN
1	A	416	GLN
1	A	451	ASN
1	A	592	HIS
1	A	685	ASN
1	B	11	ASN
1	B	102	GLN
1	B	137	HIS
1	B	181	ASN
1	B	255	GLN
1	B	281	GLN
1	B	297	ASN
1	B	311	GLN
1	B	337	HIS
1	B	342	HIS
1	B	347	HIS
1	B	416	GLN
1	B	592	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	685	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	EDO	A	698	-	3,3,3	0.44	0	2,2,2	0.47	0
2	SAH	B	801	-	21,28,28	1.14	2 (9%)	20,40,40	1.70	2 (10%)
4	EDO	A	696	-	3,3,3	0.52	0	2,2,2	0.29	0
4	EDO	B	698	-	3,3,3	0.50	0	2,2,2	0.47	0
3	CIT	A	802	-	3,12,12	1.38	0	3,17,17	1.51	1 (33%)
4	EDO	B	696	-	3,3,3	0.44	0	2,2,2	0.35	0
3	CIT	B	802	-	3,12,12	1.21	0	3,17,17	1.15	0
4	EDO	B	697	-	3,3,3	0.56	0	2,2,2	0.23	0
2	SAH	A	801	-	21,28,28	1.06	2 (9%)	20,40,40	1.77	3 (15%)
4	EDO	A	697	-	3,3,3	0.65	0	2,2,2	0.21	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	698	-	-	1/1/1/1	-
2	SAH	B	801	-	-	0/7/31/31	0/3/3/3
4	EDO	A	696	-	-	0/1/1/1	-
4	EDO	B	698	-	-	0/1/1/1	-
3	CIT	A	802	-	-	0/6/16/16	-
4	EDO	B	696	-	-	0/1/1/1	-
3	CIT	B	802	-	-	0/6/16/16	-
4	EDO	B	697	-	-	0/1/1/1	-
2	SAH	A	801	-	-	0/7/31/31	0/3/3/3
4	EDO	A	697	-	-	0/1/1/1	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	801	SAH	C2-N3	4.02	1.38	1.32
2	A	801	SAH	C2-N3	3.77	1.38	1.32
2	A	801	SAH	C2-N1	2.37	1.38	1.33
2	B	801	SAH	C2-N1	2.28	1.38	1.33

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	SAH	N3-C2-N1	-5.89	119.47	128.68
2	B	801	SAH	N3-C2-N1	-5.67	119.81	128.68
2	B	801	SAH	C5'-SD-CG	-3.43	91.99	102.27
2	A	801	SAH	O4'-C1'-C2'	-3.01	102.53	106.93
3	A	802	CIT	C3-C4-C5	-2.25	111.39	114.98
2	A	801	SAH	C5'-SD-CG	-2.04	96.16	102.27

There are no chirality outliers.

All (1) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	698	EDO	O1-C1-C2-O2


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	672/695 (96%)	0.05	29 (4%) 35 39	12, 23, 51, 81	0
1	B	683/695 (98%)	0.07	28 (4%) 37 41	12, 26, 54, 75	0
All	All	1355/1390 (97%)	0.06	57 (4%) 36 40	12, 24, 54, 81	0

All (57) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	421	TYR	10.9
1	B	421	TYR	7.4
1	B	29	GLY	6.4
1	B	176	TYR	5.7
1	B	358	GLN	5.6
1	A	18	ARG	5.0
1	A	17	GLU	4.6
1	A	73	LYS	4.4
1	B	364	ARG	4.4
1	A	694	ALA	4.3
1	A	19	ARG	4.0
1	A	663	THR	3.9
1	A	16	GLN	3.9
1	B	363	ASP	3.7
1	B	30	THR	3.7
1	B	369	ILE	3.6
1	A	693	ILE	3.4
1	B	177	VAL	3.4
1	A	52	ALA	3.4
1	B	31	ASN	3.3
1	A	75	ILE	3.3
1	A	72	PRO	3.2
1	B	62	LYS	3.2
1	B	370	ASN	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	423	LYS	3.0
1	A	398	ASN	2.9
1	B	665	MET	2.9
1	A	646	ARG	2.9
1	A	74	LYS	2.8
1	B	201	LYS	2.7
1	B	61	ASN	2.7
1	A	422	ASP	2.7
1	A	375	GLU	2.5
1	B	92	ILE	2.5
1	B	361	LEU	2.5
1	B	171	SER	2.5
1	A	53	ASN	2.4
1	B	398	ASN	2.4
1	B	179	ASP	2.4
1	A	645	ARG	2.4
1	B	359	GLY	2.4
1	B	693	ILE	2.4
1	A	222	VAL	2.3
1	A	420	HIS	2.3
1	A	399	ASP	2.3
1	A	430	GLU	2.3
1	B	73	LYS	2.3
1	A	369	ILE	2.2
1	B	352	LYS	2.2
1	B	375	GLU	2.2
1	A	358	GLN	2.2
1	B	172	GLU	2.2
1	B	419	ILE	2.2
1	B	377	TYR	2.2
1	A	450	ARG	2.1
1	A	22	TYR	2.1
1	A	691	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no carbohydrates in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SAH	B	801	26/26	0.92	0.09	23,29,35,43	0
3	CIT	A	802	13/13	0.92	0.13	24,32,51,54	0
4	EDO	B	698	4/4	0.93	0.12	34,34,41,41	0
4	EDO	A	698	4/4	0.93	0.13	24,27,31,31	0
4	EDO	A	697	4/4	0.94	0.11	23,24,24,27	0
3	CIT	B	802	13/13	0.95	0.14	21,28,34,42	0
2	SAH	A	801	26/26	0.97	0.10	13,17,19,21	0
4	EDO	B	697	4/4	0.97	0.09	22,22,24,26	0
4	EDO	A	696	4/4	0.98	0.08	19,19,22,23	0
4	EDO	B	696	4/4	0.99	0.10	17,19,21,21	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.